



FlexBlend - Unlocking the potential of LED lighting in offices

FlexBlend Recessed

Office owners and staff responsible for lighting operations are searching for high quality yet energy-efficient lighting that complies with norms and regulations. Designed to support these needs, Philips FlexBlend is enabling building owners to fully optimize their lighting operations, by offering office-compliant lighting with an attractive return on investment. Furthermore, FlexBlend provides the required flexibility by being easy applied on different ceiling types as well as in different office spaces like open office or meeting rooms. Though technology is changing fast, the ideal lighting solution is also expected to be ready to incorporate innovations and future advances that can help optimize operations further. For this reason, Philips FlexBlend is also ready to be connected to controls such as Actilume or used together with the Philips SpaceWise lighting system. It can also be connected to software-based lighting systems like Interact Office, which provides the luminaire with further intelligence and enables it to collect valuable data about its environment

Benefits

- High-quality office-compliant lighting
- Choice of three different exit-windows
- Fast return on investment
- Application flexibility
- Scalable and ready to be connected to controls and lighting systems

FlexBlend Recessed

Features

- Fully office-compliant (UGR <19)
- Homogenous and uniform light effect
- Dimensional variety, local options
- Various mounting options
- Integrated sensors
- Can be combined with Philips ActiLume and SpaceWise systems
- Ready to be connected to software based lighting systems such as Interact Office


Application

- Offices
- Education
- Healthcare
- Banks

Versions



FLEXBLEND RECESSED, module
600 - 840 neutral white - Power
supply unit regulating external -
Push-in connector and pull relief



FLEXBLEND RECESSED, module
600 - 840 neutral white - Power
supply unit regulating external -
Push-in connector and pull relief



FLEXBLEND RECESSED, module
600 - 840 neutral white - Power
supply unit regulating external -
Push-in connector and pull relief



FLEXBLEND RECESSED, module
600 - 840 neutral white - Power
supply unit with DALI interface -
Push-in connector and pull relief



FLEXBLEND RECESSED, module
600 - 840 neutral white -
Luminaire controller with power
over Ethernet - RJ45 connector



FLEXBLEND RECESSED, module
600 - 840 neutral white - Power
supply unit regulating external -
Push-in connector and pull relief

FlexBlend Recessed

Versions



FLEXBLEND RECESSED, module 675 - 840 neutral white - Power supply unit regulating external - Push-in connector and pull relief



FLEXBLEND RECESSED, module 600 - 840 neutral white - Power supply unit with DALI interface - Push-in connector and pull relief



FLEXBLEND RECESSED, module 600 - 830 warm white - Power supply unit with DALI interface - Push-in connector and pull relief



FLEXBLEND RECESSED, module 600 - 830 warm white - Power supply unit with DALI interface - Plug-in connector 3-pole Wieland/ Adels compatible



Office owners and staff responsible for lighting operations are searching for high quality yet energy-efficient lighting that complies with norms and regulations. Designed to support these needs, Philips FlexBlend is enabling building owners to fully optimize their lighting operations, by offering office-compliant lighting with an attractive return on investment. Furthermore, FlexBlend provides the required flexibility by being easy applied on different ceiling types as well as in different office spaces like open office or meeting rooms. Though technology is changing fast, the ideal lighting solution is also expected to be ready to incorporate innovations and future advances that can help optimize operations further. For this reason, Philips FlexBlend is also ready to be connected to controls such as Actilume or used together with the Philips SpaceWise lighting system. It can also be connected to software-based lighting systems like Interact Office, which provides the luminaire with further

FlexBlend Recessed

Versions

intelligence and enables it to collect valuable data about its environment. This luminaire features a multi-sensor in an upgradeable sensor slot enabling occupancy and daylight sensing in an Interact Office wired system.



FLEXBLEND RECESSED, module 600 - 940 neutral white - Power supply unit with DALI and SystemReady interface, InterAct ready - Push-in connector 3-pole

Product details



FlexBlend Recessed-RC340B_MLO_DPP



FlexBlend Recessed RC340B PIP Open



O_FlexBlend Recessed-RC340B_W60L60_MLO_VPC



FlexBlend Recessed-RC340B PIP Closed



FlexBlend Recessed-RC340B_W60L60_Backcover_VPC



FlexBlend Recessed-RC340B_OPA_DPP

FlexBlend Recessed

Product details



FlexBlend Recessed-
RC340B_PCS_DPP

O_FlexBlend Recessed-
RC340B_W60L60_PCS_VPC



FlexBlend Recessed-
RC340B_W60L60_CPC brackets

FlexBlend Recessed-
RC340B_W60L60_CPC
brackets_B



FlexBlend Recessed-
RC340B_W60L60_CPC
brackets_A

O_FlexBlend Recessed-
RC340B_W60L60_MLO_CPC



FlexBlend Recessed-
RC340B_W60L60_backcover_CP
C

FlexBlend Recessed-
RC340B_W60L60_backcover_PC
V



FlexBlend Recessed

Product details

O_FlexBlend Recessed-
RC342B_W62L62_MLO_VPC



Upgradable sensor



Upgradable sensor



FlexBlend_RC340B_W30L120_U4
_DPP

FlexBlend Recessed

Application conditions

Ambient temperature range	+10 to +40 °C
Maximum dim level	1%

Approval and application

Mech. impact protection code	IK02
------------------------------	------

Operating and electrical

Input Voltage	220 to 240 V
---------------	--------------

General information

Beam angle of light source	120 °
CE mark	CE mark
Driver included	Yes
ENEC mark	ENEC mark
Flammability mark	For mounting on normally flammable surfaces
Light source replaceable	No
Number of gear units	1 unit
Optic type	Wide beam

Initial performance (IEC compliant)

Luminous flux tolerance	+/-10%
-------------------------	--------

Light technical

Flickering	1
Stroboscopic effect	0.4

Mechanical and housing

Color	White RAL 9003
-------	----------------

Application conditions

Order Code	Full Product Name	Suitable for random switching
910925866966	RC340B LED36S/940 PSU W60L60 VPC O PIP	Yes
910925866980	RC342B LED36S/940 PSU W62L62 VPC MLO PIP	Yes
910925866988	RC340B LED36S/940 PSU W60L60 VPC MLO ELP	Yes
910925866989	RC340B LED36S/940 PSD W60L60 VPC MLO ELP	Yes
910925866993	RC340B LED36S/940 PSD W60L60 VPC O ELD3	Yes
910925866995	RC340B LED36S/940 PSD W60L60 VPC MLO ELD	Yes
910925866999	RC340B LED42S/940 PSD W60L60 VPC MLO PIP	Yes
910925867010	RC340B LED42S/940 PSD W60L60 VPC MLO ELD	Yes
910925867013	RC340B LED42S/930 PSD W60L60 VPC MLO W	Yes
910925867027	RC340B LED42S/940 PSD W60L60 VPC MLO W	Yes
910925867043	RC340B LED42S/940 PSU W60L60 VPC MLO PIP	Yes
910925867063	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	Yes
910925867064	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	Yes
910925866967	RC340B LED36S/940 PSD W60L60 VPC O PIP	Yes
910925866972	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	Yes
910925866973	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	Yes
910925866977	RC340B LED36S/940 PSD W60L60 CPC MLO PIP	Yes
910925866990	RC340B LED36S/940 PSU W60L60 VPC PCS ELP	Yes
910925866991	RC340B LED36S/940 PSD W60L60 VPC PCS ELP	Yes
910925866997	RC340B LED36S/940 PSD W60L60 VPC PCS ELD	Yes
910925867003	RC340B LED42S/940 PSU W60L60 VPC PCS PIP	Yes
910925867004	RC340B LED42S/940 PSD W60L60 VPC PCS PIP	Yes
910925867008	RC340B LED42S/940 PSU W60L60 VPC PCS ELP	Yes
910925867009	RC340B LED42S/940 PSD W60L60 VPC PCS ELP	Yes
910925867034	RC340B LED42S/930 PSD W60L60 VPC PCS W	Yes
910925867035	RC340B LED42S/940 PSD W60L60 VPC PCS W	Yes
910925867044	RC340B LED36S/940 PSU W60L60 CPC PCS PIP	Yes
910925867045	RC340B LED36S/940 PSD W60L60 CPC PCS PIP	Yes
910925867049	RC340B LED42S/940 PSU W60L60 CPC PCS PIP	Yes
910925867050	RC340B LED42S/940 PSD W60L60 CPC PCS PIP	Yes
910925867065	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	Yes
910925867066	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	Yes
910925866968	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	Yes
910925866978	RC340B LED36S/940 PSD W60L60 PCV MLO PIP	Yes
910925866981	RC342B LED36S/940 PSD W62L62 VPC MLO PIP	Yes
910925867145	RC342B LED28S/940 PSD W62L62 VPC MLO PIP	Yes
910925867158	RC342B LED28S/940 PSD W62L62 VPC PCS PIP	Yes
910925867159	RC342B LED36S/940 PSD W62L62 VPC PCS	Yes
910925867160	RC342B LED42S/940 PSD W62L62 VPC PCS PIP	Yes
910925867174	RC342B LED28S/940 PSD W62L62 VPC O PIP	Yes
910925867175	RC342B LED36S/940 PSD W62L62 VPC O PIP	Yes
910925867176	RC342B LED42S/940 PSD W62L62 VPC O PIP	Yes
910925866969	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	Yes
910925867023	RC340B LED42S/930 PSD W60L60 CPC MLO W	Yes
910925867028	RC340B LED42S/940 PSD W60L60 CPC MLO W	Yes
910925867036	RC340B LED42S/940 PSD W60L60 CPC PCS W	Yes
910925867040	RC340B LED42S/930 PSD W60L60 CPC PCS W	Yes
910925867046	RC340B LED36S/940 PSU W60L60 CPC MLO PIP	Yes
910925867047	RC340B LED42S/940 PSU W60L60 CPC MLO PIP	Yes
910925867048	RC340B LED42S/940 PSD W60L60 CPC MLO PIP	Yes
910925867167	RC342B LED42S/940 PSD W62L62 CPC PCS PIP	Yes

Order Code	Full Product Name	Suitable for random switching
910925866970	RC340B LED36S/940 POE W60L60 VPC MLO	Yes
910925867014	RC340B LED42S/940 PSD W60L60 VPC PCS ELD	Yes
910925867025	RC340B LED42S/930 PSD W60L60 PCV MLO W	Yes
910925867029	RC340B LED42S/940 PSD W60L60 PCV MLO W	Yes
910925867037	RC340B LED42S/940 PSD W60L60 PCV PCS W	Yes
910925867041	RC340B LED42S/930 PSD W60L60 PCV PCS W	Yes
910925867168	RC340B LED36S/940 PSD W60L60 PCV PCS PIP	Yes
910925866979	RC340B LED36S/940 PSD W30L120 VPC MLO PI	Yes
910925866982	RC342B LED36S/940 PSU W31L125 VPC MLO PI	Yes
910925866983	RC342B LED36S/940 PSD W31L125 VPC MLO PI	Yes
910925867030	RC340B LED42S/940 PSD W30L120 VPC MLO W	Yes
910925867031	RC340B LED42S/940 PSD W30L120 CPC MLO W	Yes
910925867032	RC340B LED42S/930 PSD W30L120 VPC MLO W	Yes
910925867033	RC340B LED42S/930 PSD W30L120 CPC MLO W	Yes
910925867038	RC340B LED42S/940 PSD W30L120 VPC PCS W	Yes
910925867039	RC340B LED42S/940 PSD W30L120 CPC PCS W	Yes
910925867042	RC340B LED42S/930 PSD W30L120 VPC PCS W	Yes
910925867147	RC342B LED28S/940 PSD W31L125 VPC MLO PI	Yes
910925867161	RC342B LED28S/940 PSD W31L125 VPC PCS PI	Yes
910925867162	RC342B LED36S/940 PSD W31L125 VPC PCS PI	Yes
910925867163	RC342B LED42S/940 PSD W31L125 VPC PCS PI	Yes
910925867177	RC342B LED28S/940 PSD W31L125 VPC O PIP	Yes
910925867178	RC342B LED36S/940 PSD W31L125 VPC O PIP	Yes
910925867179	RC342B LED42S/940 PSD W31L125 VPC O PIP	Yes
910925867185	RC340B LED42S/930 PSD W30L120 VPC PCS ES	Yes
910925867186	RC340B LED42S/940 PSD W30L120 VPC PCS ES	Yes
910925866986	RC340B LED36S/940 PSU W60L60 VPC O ELP3	Yes
910925866987	RC340B LED36S/940 PSD W60L60 VPC O ELP3	Yes
910925867001	RC340B LED42S/940 PSU W60L60 VPC O PIP	Yes
910925867002	RC340B LED42S/940 PSD W60L60 VPC O PIP	Yes
910925867006	RC340B LED42S/940 PSU W60L60 VPC O ELP3	Yes
910925867007	RC340B LED42S/940 PSD W60L60 VPC O ELP3	Yes
910925867012	RC340B LED42S/940 PSD W60L60 VPC O ELD3	Yes
910925867061	RC340B LED36S/940 PSU W60L60 VPC O PIP S	Yes
910925867062	RC340B LED36S/940 PSD W60L60 VPC O PIP S	Yes
910925867015	RC340B LED36S/940 PSU W15L120 VPC MLO PI	Yes
910925867016	RC340B LED36S/940 PSD W15L120 VPC MLO PI	Yes
910925867017	RC340B LED42S/940 PSU W15L120 VPC MLO PI	Yes
910925867018	RC340B LED42S/940 PSD W15L120 VPC MLO PI	Yes
910925867019	RC340B LED36S/940 PSU W15L120 VPC MLO EL	Yes
910925867020	RC340B LED36S/940 PSD W15L120 VPC MLO EL	Yes
910925867021	RC340B LED42S/940 PSU W15L120 VPC MLO EL	Yes
910925867022	RC340B LED42S/940 PSD W15L120 VPC MLO EL	Yes
910925867024	RC340B LED36S/940 PSD W15L120 VPC MLO EL	Yes
910925867026	RC340B LED42S/940 PSD W15L120 VPC MLO EL	Yes
910925867149	RC342B LED28S/940 PSD W15L125 VPC MLO PI	Yes
910925867150	RC342B LED36S/940 PSD W15L125 VPC MLO	Yes
910925867153	RC342B LED36S/940 PSD W17L125 PCV MLO	Yes
910925867164	RC342B LED28S/940 PSD W15L125 VPC PCS PI	Yes
910925867165	RC342B LED36S/940 PSD W15L125 VPC PCS PI	Yes
910925867166	RC342B LED42S/940 PSD W15L125 VPC PCS PI	Yes
910925867169	RC342B LED36S/940 PSD W17L125 PCV PCS PI	Yes

Order Code	Full Product Name	Suitable for random switching
910925867180	RC342B LED28S/940 PSD W15L125 VPC O PIP	Yes
910925867181	RC342B LED36S/940 PSD W15L125 VPC O PIP	Yes
910925867182	RC342B LED42S/940 PSD W15L125 VPC O PIP	Yes
910925867068	RC340B LED42S/930 PSD W30L120 CPC PCS W	Yes
910925867189	RC340B LED42S/930 PSD W60L60 VPC PCS ESS	Yes
910925867190	RC340B LED42S/940 PSD W60L60 VPC PCS ESS	Yes
910925867221	RC340B LED36S/940 POE W60L60 VPC MLO U0	Yes (relates to presence/ movement detection and daylight harvesting)
910925867224	RC340B LED36S/940 POE W60L60 VPC PCS U0	Yes (relates to presence/ movement detection and daylight harvesting)
910925867222	RC340B LED36S/940 POE W60L60 VPC MLO U3	Yes (relates to presence/ movement detection and daylight harvesting)
910925867225	RC340B LED36S/940 POE W60L60 VPC PCS U3	Yes (relates to presence/ movement detection and daylight harvesting)
910925867226	RC340B LED36S/940 SRD W60L60 VPC PCS U3	Yes (relates to presence/ movement detection and daylight harvesting)
910925868910	RC340B LED36S/930 SRD W60L60 VPC MLO U4	No
910925868911	RC340B LED36S/930 SRD W60L60 VPC MLO U4	No
910925868912	RC340B LED36S/930 SRD W60L60 VPC PCS U4	No
910925868913	RC340B LED36S/930 SRD W60L60 VPC PCS U4	No
910925868914	RC340B LED36S/940 SRD W60L60 VPC MLO U4	No
910925868915	RC340B LED36S/940 SRD W60L60 VPC MLO U4	No
910925868916	RC340B LED36S/940 SRD W60L60 VPC PCS U4	No
910925868917	RC340B LED36S/940 SRD W60L60 VPC PCS U4	No
910925868918	RC340B LED36S/940 SRD W60L60 VPC PCS U4	No
910925868920	RC340B LED42S/940 SRD W60L60 VPC PCS U4	No
910925868921	RC342B LED28S/940 SRD W62L62 VPC MLO U4	No
910925868922	RC342B LED28S/940 SRD W62L62 VPC PCS U4	No
910925868924	RC342B LED36S/940 SRD W62L62 VPC MLO U4	No
910925868925	RC342B LED36S/940 SRD W62L62 VPC PCS U4	No
910925868927	RC342B LED42S/940 SRD W62L62 VPC MLO U4	No
910925868928	RC342B LED42S/940 SRD W62L62 VPC PCS U4	No
910925868919	RC340B LED42S/940 SRD W30L120 VPC PCS U4	No
910925868923	RC342B LED36S/940 SRD W31L125 VPC PCS U4	No
910925868926	RC342B LED42S/940 SRD W31L125 VPC PCS U4	No

Approval and application

Order Code	Full Product Name	Ingress protection code	Order Code	Full Product Name	Ingress protection code
910925866966	RC340B LED36S/940 PSU W60L60 VPC O PIP	IP20/54	910925867010	RC340B LED42S/940 PSD W60L60 VPC MLO ELD	IP20
910925866980	RC342B LED36S/940 PSU W62L62 VPC MLO PIP	IP20	910925867013	RC340B LED42S/930 PSD W60L60 VPC MLO W	IP20
910925866988	RC340B LED36S/940 PSU W60L60 VPC MLO ELP	IP20	910925867027	RC340B LED42S/940 PSD W60L60 VPC MLO W	IP20
910925866989	RC340B LED36S/940 PSD W60L60 VPC MLO ELP	IP20	910925867043	RC340B LED42S/940 PSU W60L60 VPC MLO PIP	IP20
910925866993	RC340B LED36S/940 PSD W60L60 VPC O ELD3	IP20/54	910925867063	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	IP20
910925866995	RC340B LED36S/940 PSD W60L60 VPC MLO ELD	IP20	910925867064	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	IP20
910925866999	RC340B LED42S/940 PSD W60L60 VPC MLO PIP	IP20	910925866967	RC340B LED36S/940 PSD W60L60 VPC O PIP	IP20/54

FlexBlend Recessed

Order Code	Full Product Name	Ingress protection code
910925866972	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	IP20/54
910925866973	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	IP20/54
910925866977	RC340B LED36S/940 PSD W60L60 CPC MLO PIP	IP20
910925866990	RC340B LED36S/940 PSU W60L60 VPC PCS ELP	IP20/54
910925866991	RC340B LED36S/940 PSD W60L60 VPC PCS ELP	IP20/54
910925866997	RC340B LED36S/940 PSD W60L60 VPC PCS ELD	IP20/54
910925867003	RC340B LED42S/940 PSU W60L60 VPC PCS PIP	IP20/54
910925867004	RC340B LED42S/940 PSD W60L60 VPC PCS PIP	IP20/54
910925867008	RC340B LED42S/940 PSU W60L60 VPC PCS ELP	IP20/54
910925867009	RC340B LED42S/940 PSD W60L60 VPC PCS ELP	IP20/54
910925867034	RC340B LED42S/930 PSD W60L60 VPC PCS W	IP20/54
910925867035	RC340B LED42S/940 PSD W60L60 VPC PCS W	IP20/54
910925867044	RC340B LED36S/940 PSU W60L60 CPC PCS PIP	IP20/54
910925867045	RC340B LED36S/940 PSD W60L60 CPC PCS PIP	IP20/54
910925867049	RC340B LED42S/940 PSU W60L60 CPC PCS PIP	IP20/54
910925867050	RC340B LED42S/940 PSD W60L60 CPC PCS PIP	IP20/54
910925867065	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	IP20/54
910925867066	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	IP20/54
910925866968	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	IP20
910925866978	RC340B LED36S/940 PSD W60L60 PCV MLO PIP	IP20
910925866981	RC342B LED36S/940 PSD W62L62 VPC MLO PIP	IP20
910925867145	RC342B LED28S/940 PSD W62L62 VPC MLO PIP	IP20
910925867158	RC342B LED28S/940 PSD W62L62 VPC PCS PIP	IP20/54
910925867159	RC342B LED36S/940 PSD W62L62 VPC PCS	IP20/54
910925867160	RC342B LED42S/940 PSD W62L62 VPC PCS PIP	IP20/54
910925867174	RC342B LED28S/940 PSD W62L62 VPC O PIP	IP20/54
910925867175	RC342B LED36S/940 PSD W62L62 VPC O PIP	IP20/54
910925867176	RC342B LED42S/940 PSD W62L62 VPC O PIP	IP20/54
910925866969	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	IP20
910925867023	RC340B LED42S/930 PSD W60L60 CPC MLO W	IP20
910925867028	RC340B LED42S/940 PSD W60L60 CPC MLO W	IP20
910925867036	RC340B LED42S/940 PSD W60L60 CPC PCS W	IP20/54
910925867040	RC340B LED42S/930 PSD W60L60 CPC PCS W	IP20/54
910925867046	RC340B LED36S/940 PSU W60L60 CPC MLO PIP	IP20
910925867047	RC340B LED42S/940 PSU W60L60 CPC MLO PIP	IP20
910925867048	RC340B LED42S/940 PSD W60L60 CPC MLO PIP	IP20
910925867167	RC342B LED42S/940 PSD W62L62 CPC PCS PIP	IP20/54
910925866970	RC340B LED36S/940 POE W60L60 VPC MLO	IP20
910925867014	RC340B LED42S/940 PSD W60L60 VPC PCS ELD	IP20/54
910925867025	RC340B LED42S/930 PSD W60L60 PCV MLO W	IP20
910925867029	RC340B LED42S/940 PSD W60L60 PCV MLO W	IP20
910925867037	RC340B LED42S/940 PSD W60L60 PCV PCS W	IP20/54
910925867041	RC340B LED42S/930 PSD W60L60 PCV PCS W	IP20/54
910925867168	RC340B LED36S/940 PSD W60L60 PCV PCS PIP	IP20/54
910925866979	RC340B LED36S/940 PSD W30L120 VPC MLO PI	IP20
910925866982	RC342B LED36S/940 PSU W31L125 VPC MLO PI	IP20
910925866983	RC342B LED36S/940 PSD W31L125 VPC MLO PI	IP20
910925867030	RC340B LED42S/940 PSD W30L120 VPC MLO W	IP20
910925867031	RC340B LED42S/940 PSD W30L120 CPC MLO W	IP20
910925867032	RC340B LED42S/930 PSD W30L120 VPC MLO W	IP20
910925867033	RC340B LED42S/930 PSD W30L120 CPC MLO W	IP20

Order Code	Full Product Name	Ingress protection code
910925867038	RC340B LED42S/940 PSD W30L120 VPC PCS W	IP20/54
910925867039	RC340B LED42S/940 PSD W30L120 CPC PCS W	IP20/54
910925867042	RC340B LED42S/930 PSD W30L120 VPC PCS W	IP20/54
910925867147	RC342B LED28S/940 PSD W31L125 VPC MLO PI	IP20
910925867161	RC342B LED28S/940 PSD W31L125 VPC PCS PI	IP20/54
910925867162	RC342B LED36S/940 PSD W31L125 VPC PCS PI	IP20/54
910925867163	RC342B LED42S/940 PSD W31L125 VPC PCS PI	IP20/54
910925867177	RC342B LED28S/940 PSD W31L125 VPC O PIP	IP20/54
910925867178	RC342B LED36S/940 PSD W31L125 VPC O PIP	IP20/54
910925867179	RC342B LED42S/940 PSD W31L125 VPC O PIP	IP20/54
910925867185	RC340B LED42S/930 PSD W30L120 VPC PCS ES	IP20/54
910925867186	RC340B LED42S/940 PSD W30L120 VPC PCS ES	IP20/54
910925866986	RC340B LED36S/940 PSU W60L60 VPC O ELP3	IP20/54
910925866987	RC340B LED36S/940 PSD W60L60 VPC O ELP3	IP20/54
910925867001	RC340B LED42S/940 PSU W60L60 VPC O PIP	IP20/54
910925867002	RC340B LED42S/940 PSD W60L60 VPC O PIP	IP20/54
910925867006	RC340B LED42S/940 PSU W60L60 VPC O ELP3	IP20/54
910925867007	RC340B LED42S/940 PSD W60L60 VPC O ELP3	IP20/54
910925867012	RC340B LED42S/940 PSD W60L60 VPC O ELD3	IP20/54
910925867061	RC340B LED36S/940 PSU W60L60 VPC O PIP S	IP20/54
910925867062	RC340B LED36S/940 PSD W60L60 VPC O PIP S	IP20/54
910925867015	RC340B LED36S/940 PSU W15L120 VPC MLO PI	IP20
910925867016	RC340B LED36S/940 PSD W15L120 VPC MLO PI	IP20
910925867017	RC340B LED42S/940 PSU W15L120 VPC MLO PI	IP20
910925867018	RC340B LED42S/940 PSD W15L120 VPC MLO PI	IP20
910925867019	RC340B LED36S/940 PSU W15L120 VPC MLO EL	IP20
910925867020	RC340B LED36S/940 PSD W15L120 VPC MLO EL	IP20
910925867021	RC340B LED42S/940 PSU W15L120 VPC MLO EL	IP20
910925867022	RC340B LED42S/940 PSD W15L120 VPC MLO EL	IP20
910925867024	RC340B LED36S/940 PSD W15L120 VPC MLO EL	IP20
910925867026	RC340B LED42S/940 PSD W15L120 VPC MLO EL	IP20
910925867149	RC342B LED28S/940 PSD W15L125 VPC MLO PI	IP20
910925867150	RC342B LED36S/940 PSD W15L125 VPC MLO	IP20
910925867153	RC342B LED36S/940 PSD W17L125 PCV MLO	IP20
910925867164	RC342B LED28S/940 PSD W15L125 VPC PCS PI	IP20/54
910925867165	RC342B LED36S/940 PSD W15L125 VPC PCS PI	IP20/54
910925867166	RC342B LED42S/940 PSD W15L125 VPC PCS PI	IP20/54
910925867169	RC342B LED36S/940 PSD W17L125 PCV PCS PI	IP20/54
910925867180	RC342B LED28S/940 PSD W15L125 VPC O PIP	IP20/54
910925867181	RC342B LED36S/940 PSD W15L125 VPC O PIP	IP20/54
910925867182	RC342B LED42S/940 PSD W15L125 VPC O PIP	IP20/54
910925867068	RC340B LED42S/930 PSD W30L120 CPC PCS W	IP20/54
910925867189	RC340B LED42S/930 PSD W60L60 VPC PCS ESS	IP20/54
910925867190	RC340B LED42S/940 PSD W60L60 VPC PCS ESS	IP20/54
910925867221	RC340B LED36S/940 POE W60L60 VPC MLO U0	IP20
910925867224	RC340B LED36S/940 POE W60L60 VPC PCS U0	IP20/54
910925867222	RC340B LED36S/940 POE W60L60 VPC MLO U3	IP20
910925867225	RC340B LED36S/940 POE W60L60 VPC PCS U3	IP20/54
910925867226	RC340B LED36S/940 SRD W60L60 VPC PCS U3	IP20/54
910925868910	RC340B LED36S/930 SRD W60L60 VPC MLO U4	IP20
910925868911	RC340B LED36S/930 SRD W60L60 VPC MLO U4	IP20

FlexBlend Recessed

Order Code	Full Product Name	Ingress protection code
910925868912	RC340B LED36S/930 SRD W60L60 VPC PCS U4	IP20/54
910925868913	RC340B LED36S/930 SRD W60L60 VPC PCS U4	IP20/54
910925868914	RC340B LED36S/940 SRD W60L60 VPC MLO U4	IP20
910925868915	RC340B LED36S/940 SRD W60L60 VPC MLO U4	IP20
910925868916	RC340B LED36S/940 SRD W60L60 VPC PCS U4	IP20/54
910925868917	RC340B LED36S/940 SRD W60L60 VPC PCS U4	IP20/54
910925868918	RC340B LED36S/940 SRD W60L60 VPC PCS U4	IP20/54
910925868920	RC340B LED42S/940 SRD W60L60 VPC PCS U4	IP20/54
910925868921	RC342B LED28S/940 SRD W62L62 VPC MLO U4	IP20

Order Code	Full Product Name	Ingress protection code
910925868922	RC342B LED28S/940 SRD W62L62 VPC PCS U4	IP20/54
910925868924	RC342B LED36S/940 SRD W62L62 VPC MLO U4	IP20
910925868925	RC342B LED36S/940 SRD W62L62 VPC PCS U4	IP20/54
910925868927	RC342B LED42S/940 SRD W62L62 VPC MLO U4	IP20
910925868928	RC342B LED42S/940 SRD W62L62 VPC PCS U4	IP20/54
910925868919	RC340B LED42S/940 SRD W30L120 VPC PCS U4	IP20/54
910925868923	RC342B LED36S/940 SRD W31L125 VPC PCS U4	IP20/54
910925868926	RC342B LED42S/940 SRD W31L125 VPC PCS U4	IP20/54

Controls and dimming

Order Code	Full Product Name	Dimmable
910925866966	RC340B LED36S/940 PSU W60L60 VPC O PIP	No
910925866980	RC342B LED36S/940 PSU W62L62 VPC MLO PIP	No
910925866988	RC340B LED36S/940 PSU W60L60 VPC MLO ELP	No
910925866989	RC340B LED36S/940 PSD W60L60 VPC MLO ELP	Yes
910925866993	RC340B LED36S/940 PSD W60L60 VPC O ELD3	Yes
910925866995	RC340B LED36S/940 PSD W60L60 VPC MLO ELD	Yes
910925866999	RC340B LED42S/940 PSD W60L60 VPC MLO PIP	Yes
910925867010	RC340B LED42S/940 PSD W60L60 VPC MLO ELD	Yes
910925867013	RC340B LED42S/930 PSD W60L60 VPC MLO W	Yes
910925867027	RC340B LED42S/940 PSD W60L60 VPC MLO W	Yes
910925867043	RC340B LED42S/940 PSU W60L60 VPC MLO PIP	No
910925867063	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	No
910925867064	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	Yes
910925866967	RC340B LED36S/940 PSD W60L60 VPC O PIP	Yes
910925866972	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	No
910925866973	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	Yes
910925866977	RC340B LED36S/940 PSD W60L60 CPC MLO PIP	Yes
910925866990	RC340B LED36S/940 PSU W60L60 VPC PCS ELP	No
910925866991	RC340B LED36S/940 PSD W60L60 VPC PCS ELP	Yes
910925866997	RC340B LED36S/940 PSD W60L60 VPC PCS ELD	Yes
910925867003	RC340B LED42S/940 PSU W60L60 VPC PCS PIP	No
910925867004	RC340B LED42S/940 PSD W60L60 VPC PCS PIP	Yes
910925867008	RC340B LED42S/940 PSU W60L60 VPC PCS ELP	No
910925867009	RC340B LED42S/940 PSD W60L60 VPC PCS ELP	Yes
910925867034	RC340B LED42S/930 PSD W60L60 VPC PCS W	Yes
910925867035	RC340B LED42S/940 PSD W60L60 VPC PCS W	Yes
910925867044	RC340B LED36S/940 PSU W60L60 CPC PCS PIP	No
910925867045	RC340B LED36S/940 PSD W60L60 CPC PCS PIP	Yes
910925867049	RC340B LED42S/940 PSU W60L60 CPC PCS PIP	No
910925867050	RC340B LED42S/940 PSD W60L60 CPC PCS PIP	Yes
910925867065	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	No
910925867066	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	Yes
910925866968	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	No
910925866978	RC340B LED36S/940 PSD W60L60 PCV MLO PIP	Yes
910925866981	RC342B LED36S/940 PSD W62L62 VPC MLO PIP	Yes
910925867145	RC342B LED28S/940 PSD W62L62 VPC MLO PIP	Yes
910925867158	RC342B LED28S/940 PSD W62L62 VPC PCS PIP	Yes
910925867159	RC342B LED36S/940 PSD W62L62 VPC PCS	Yes

Order Code	Full Product Name	Dimmable
910925867160	RC342B LED42S/940 PSD W62L62 VPC PCS PIP	Yes
910925867174	RC342B LED28S/940 PSD W62L62 VPC O PIP	Yes
910925867175	RC342B LED36S/940 PSD W62L62 VPC O PIP	Yes
910925867176	RC342B LED42S/940 PSD W62L62 VPC O PIP	Yes
910925866969	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	Yes
910925867023	RC340B LED42S/930 PSD W60L60 CPC MLO W	Yes
910925867028	RC340B LED42S/940 PSD W60L60 CPC MLO W	Yes
910925867036	RC340B LED42S/940 PSD W60L60 CPC PCS W	Yes
910925867040	RC340B LED42S/930 PSD W60L60 CPC PCS W	Yes
910925867046	RC340B LED36S/940 PSU W60L60 CPC MLO PIP	No
910925867047	RC340B LED42S/940 PSU W60L60 CPC MLO PIP	No
910925867048	RC340B LED42S/940 PSD W60L60 CPC MLO PIP	Yes
910925867167	RC342B LED42S/940 PSD W62L62 CPC PCS PIP	Yes
910925866970	RC340B LED36S/940 POE W60L60 VPC MLO	Yes
910925867014	RC340B LED42S/940 PSD W60L60 VPC PCS ELD	Yes
910925867025	RC340B LED42S/930 PSD W60L60 PCV MLO W	Yes
910925867029	RC340B LED42S/940 PSD W60L60 PCV MLO W	Yes
910925867037	RC340B LED42S/940 PSD W60L60 PCV PCS W	Yes
910925867041	RC340B LED42S/930 PSD W60L60 PCV PCS W	Yes
910925867168	RC340B LED36S/940 PSD W60L60 PCV PCS PIP	Yes
910925866979	RC340B LED36S/940 PSD W30L120 VPC MLO PI	Yes
910925866982	RC342B LED36S/940 PSU W31L125 VPC MLO PI	No
910925866983	RC342B LED36S/940 PSD W31L125 VPC MLO PI	Yes
910925867030	RC340B LED42S/940 PSD W30L120 VPC MLO W	Yes
910925867031	RC340B LED42S/940 PSD W30L120 CPC MLO W	Yes
910925867032	RC340B LED42S/930 PSD W30L120 VPC MLO W	Yes
910925867033	RC340B LED42S/930 PSD W30L120 CPC MLO W	Yes
910925867038	RC340B LED42S/940 PSD W30L120 VPC PCS W	Yes
910925867039	RC340B LED42S/940 PSD W30L120 CPC PCS W	Yes
910925867042	RC340B LED42S/930 PSD W30L120 VPC PCS W	Yes
910925867147	RC342B LED28S/940 PSD W31L125 VPC MLO PI	Yes
910925867161	RC342B LED28S/940 PSD W31L125 VPC PCS PI	Yes
910925867162	RC342B LED36S/940 PSD W31L125 VPC PCS PI	Yes
910925867163	RC342B LED42S/940 PSD W31L125 VPC PCS PI	Yes
910925867177	RC342B LED28S/940 PSD W31L125 VPC O PIP	Yes
910925867178	RC342B LED36S/940 PSD W31L125 VPC O PIP	Yes
910925867179	RC342B LED42S/940 PSD W31L125 VPC O PIP	Yes
910925867185	RC340B LED42S/930 PSD W30L120 VPC PCS ES	Yes

FlexBlend Recessed

Order Code	Full Product Name	Dimmable
910925867186	RC340B LED42S/940 PSD W30L120 VPC PCS ES	Yes
910925866986	RC340B LED36S/940 PSU W60L60 VPC O ELP3	No
910925866987	RC340B LED36S/940 PSD W60L60 VPC O ELP3	Yes
910925867001	RC340B LED42S/940 PSU W60L60 VPC O PIP	No
910925867002	RC340B LED42S/940 PSD W60L60 VPC O PIP	Yes
910925867006	RC340B LED42S/940 PSU W60L60 VPC O ELP3	No
910925867007	RC340B LED42S/940 PSD W60L60 VPC O ELP3	Yes
910925867012	RC340B LED42S/940 PSD W60L60 VPC O ELD3	Yes
910925867061	RC340B LED36S/940 PSU W60L60 VPC O PIP S	No
910925867062	RC340B LED36S/940 PSD W60L60 VPC O PIP S	Yes
910925867015	RC340B LED36S/940 PSU W15L120 VPC MLO PI	No
910925867016	RC340B LED36S/940 PSD W15L120 VPC MLO PI	Yes
910925867017	RC340B LED42S/940 PSU W15L120 VPC MLO PI	No
910925867018	RC340B LED42S/940 PSD W15L120 VPC MLO PI	Yes
910925867019	RC340B LED36S/940 PSU W15L120 VPC MLO EL	No
910925867020	RC340B LED36S/940 PSD W15L120 VPC MLO EL	Yes
910925867021	RC340B LED42S/940 PSU W15L120 VPC MLO EL	No
910925867022	RC340B LED42S/940 PSD W15L120 VPC MLO EL	Yes
910925867024	RC340B LED36S/940 PSD W15L120 VPC MLO EL	Yes
910925867026	RC340B LED42S/940 PSD W15L120 VPC MLO EL	Yes
910925867149	RC342B LED28S/940 PSD W15L125 VPC MLO PI	Yes
910925867150	RC342B LED36S/940 PSD W15L125 VPC MLO	Yes
910925867153	RC342B LED36S/940 PSD W17L125 PCV MLO	Yes
910925867164	RC342B LED28S/940 PSD W15L125 VPC PCS PI	Yes
910925867165	RC342B LED36S/940 PSD W15L125 VPC PCS PI	Yes
910925867166	RC342B LED42S/940 PSD W15L125 VPC PCS PI	Yes
910925867169	RC342B LED36S/940 PSD W17L125 PCV PCS PI	Yes
910925867180	RC342B LED28S/940 PSD W15L125 VPC O PIP	Yes
910925867181	RC342B LED36S/940 PSD W15L125 VPC O PIP	Yes
910925867182	RC342B LED42S/940 PSD W15L125 VPC O PIP	Yes
910925867068	RC340B LED42S/930 PSD W30L120 CPC PCS W	Yes
910925867189	RC340B LED42S/930 PSD W60L60 VPC PCS ESS	Yes
910925867190	RC340B LED42S/940 PSD W60L60 VPC PCS ESS	Yes
910925867221	RC340B LED36S/940 POE W60L60 VPC MLO U0	Yes
910925867224	RC340B LED36S/940 POE W60L60 VPC PCS U0	Yes
910925867222	RC340B LED36S/940 POE W60L60 VPC MLO U3	Yes
910925867225	RC340B LED36S/940 POE W60L60 VPC PCS U3	Yes
910925867226	RC340B LED36S/940 SRD W60L60 VPC PCS U3	Wireless Dim

Order Code	Full Product Name	Dimmable
910925868910	RC340B LED36S/930 SRD W60L60 VPC MLO U4	Wireless Dim
910925868911	RC340B LED36S/930 SRD W60L60 VPC MLO U4	Wireless Dim
910925868912	RC340B LED36S/930 SRD W60L60 VPC PCS U4	Wireless Dim
910925868913	RC340B LED36S/930 SRD W60L60 VPC PCS U4	Wireless Dim
910925868914	RC340B LED36S/940 SRD W60L60 VPC MLO U4	Wireless Dim
910925868915	RC340B LED36S/940 SRD W60L60 VPC MLO U4	Wireless Dim
910925868916	RC340B LED36S/940 SRD W60L60 VPC PCS U4	Wireless Dim
910925868917	RC340B LED36S/940 SRD W60L60 VPC PCS U4	Wireless Dim
910925868918	RC340B LED36S/940 SRD W60L60 VPC PCS U4	Wireless Dim
910925868920	RC340B LED42S/940 SRD W60L60 VPC PCS U4	Wireless Dim
910925868921	RC342B LED28S/940 SRD W62L62 VPC MLO U4	Wireless Dim
910925868922	RC342B LED28S/940 SRD W62L62 VPC PCS U4	Wireless Dim
910925868924	RC342B LED36S/940 SRD W62L62 VPC MLO U4	Wireless Dim
910925868925	RC342B LED36S/940 SRD W62L62 VPC PCS U4	Wireless Dim
910925868927	RC342B LED42S/940 SRD W62L62 VPC MLO U4	Wireless Dim
910925868928	RC342B LED42S/940 SRD W62L62 VPC PCS U4	Wireless Dim
910925868919	RC340B LED42S/940 SRD W30L120 VPC PCS U4	Wireless Dim
910925868923	RC342B LED36S/940 SRD W31L125 VPC PCS U4	Wireless Dim
910925868926	RC342B LED42S/940 SRD W31L125 VPC PCS U4	Wireless Dim

General information

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
910925866966	RC340B LED36S/940 PSU W60L60 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925866980	RC342B LED36S/940	Safety class I	Temperature 650 °C, duration 30 s	RC342B	Yes

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
910925866988	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
	RC342B LED36S/940 PSU W60L60 VPC MLO ELP				

FlexBlend Recessed

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
910925866989	RC340B LED36S/940 PSD W60L60 VPC MLO ELP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925866993	RC340B LED36S/940 PSD W60L60 VPC O ELD3	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925866995	RC340B LED36S/940 PSD W60L60 VPC MLO ELD	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925866999	RC340B LED42S/940 PSD W60L60 VPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867010	RC340B LED42S/940 PSD W60L60 VPC MLO ELD	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867013	RC340B LED42S/930 PSD W60L60 VPC MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867027	RC340B LED42S/940 PSD W60L60 VPC MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867043	RC340B LED42S/940 PSU W60L60 VPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867063	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867064	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925866967	RC340B LED36S/940 PSD W60L60 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925866972	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925866973	RC340B LED36S/940	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
	PSD W60L60 VPC PCS PIP				
910925866977	RC340B LED36S/940 PSD W60L60 CPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925866990	RC340B LED36S/940 PSU W60L60 VPC PCS ELP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925866991	RC340B LED36S/940 PSD W60L60 VPC PCS ELP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925866997	RC340B LED36S/940 PSD W60L60 VPC PCS ELD	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867003	RC340B LED42S/940 PSU W60L60 VPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867004	RC340B LED42S/940 PSD W60L60 VPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867008	RC340B LED42S/940 PSU W60L60 VPC PCS ELP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867009	RC340B LED42S/940 PSD W60L60 VPC PCS ELP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867034	RC340B LED42S/930 PSD W60L60 VPC PCS W	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867035	RC340B LED42S/940 PSD W60L60 VPC PCS W	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867044	RC340B LED36S/940 PSU W60L60 CPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867045	RC340B LED36S/940 PSD W60L60 CPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes

FlexBlend Recessed

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
910925867049	RC340B LED42S/940 PSU W60L60 CPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867050	RC340B LED42S/940 PSD W60L60 CPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867065	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867066	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925866968	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925866978	RC340B LED36S/940 PSD W60L60 PCV MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925866981	RC342B LED36S/940 PSD W62L62 VPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC342B	Yes
910925867145	RC342B LED28S/940 PSD W62L62 VPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC342B	Yes
910925867158	RC342B LED28S/940 PSD W62L62 VPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867159	RC342B LED36S/940 PSD W62L62 VPC PCS	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867160	RC342B LED42S/940 PSD W62L62 VPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867174	RC342B LED28S/940 PSD W62L62 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867175	RC342B LED36S/940	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
	PSD W62L62 VPC O PIP				
910925867176	RC342B LED42S/940 PSD W62L62 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925866969	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867023	RC340B LED42S/930 PSD W60L60 CPC MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867028	RC340B LED42S/940 PSD W60L60 CPC MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867036	RC340B LED42S/940 PSD W60L60 CPC PCS W	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867040	RC340B LED42S/930 PSD W60L60 CPC PCS W	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867046	RC340B LED36S/940 PSU W60L60 CPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867047	RC340B LED42S/940 PSU W60L60 CPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867048	RC340B LED42S/940 PSD W60L60 CPC MLO PIP	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867167	RC342B LED42S/940 PSD W62L62 CPC PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925866970	RC340B LED36S/940 POE W60L60 VPC MLO	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867014	RC340B LED42S/940 PSD W60L60 VPC PCS ELD	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes

FlexBlend Recessed

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
910925867025	RC340B LED42S/930 PSD W60L60 PCV MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867029	RC340B LED42S/940 PSD W60L60 PCV MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867037	RC340B LED42S/940 PSD W60L60 PCV PCS W	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867041	RC340B LED42S/930 PSD W60L60 PCV PCS W	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867168	RC340B LED36S/940 PSD W60L60 PCV PCS PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925866979	RC340B LED36S/940 PSD W30L120 VPC MLO PI	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925866982	RC342B LED36S/940 PSU W31L125 VPC MLO PI	Safety class I	Temperature 650 °C, duration 30 s	RC342B	Yes
910925866983	RC342B LED36S/940 PSD W31L125 VPC MLO PI	Safety class I	Temperature 650 °C, duration 30 s	RC342B	Yes
910925867030	RC340B LED42S/940 PSD W30L120 VPC MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867031	RC340B LED42S/940 PSD W30L120 CPC MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867032	RC340B LED42S/930 PSD W30L120 VPC MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867033	RC340B LED42S/930 PSD W30L120 CPC MLO W	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867038	RC340B LED42S/940	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
	PSD W30L120 VPC PCS W				
910925867039	RC340B LED42S/940 PSD W30L120 CPC PCS W	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867042	RC340B LED42S/930 PSD W30L120 VPC PCS W	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867147	RC342B LED28S/940 PSD W31L125 VPC MLO PI	Safety class I	Temperature 650 °C, duration 30 s	RC342B	Yes
910925867161	RC342B LED28S/940 PSD W31L125 VPC PCS PI	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867162	RC342B LED36S/940 PSD W31L125 VPC PCS PI	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867163	RC342B LED42S/940 PSD W31L125 VPC PCS PI	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867177	RC342B LED28S/940 PSD W31L125 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867178	RC342B LED36S/940 PSD W31L125 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867179	RC342B LED42S/940 PSD W31L125 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867185	RC340B LED42S/930 PSD W30L120 VPC PCS ES	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867186	RC340B LED42S/940 PSD W30L120 VPC PCS ES	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925866986	RC340B LED36S/940 PSU W60L60 VPC O ELP3	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes

FlexBlend Recessed

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
910925866987	RC340B LED36S/940 PSD W60L60 VPC O ELP3	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867001	RC340B LED42S/940 PSU W60L60 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867002	RC340B LED42S/940 PSD W60L60 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867006	RC340B LED42S/940 PSU W60L60 VPC O ELP3	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867007	RC340B LED42S/940 PSD W60L60 VPC O ELP3	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867012	RC340B LED42S/940 PSD W60L60 VPC O ELD3	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867061	RC340B LED36S/940 PSU W60L60 VPC O PIP S	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867062	RC340B LED36S/940 PSD W60L60 VPC O PIP S	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867015	RC340B LED36S/940 PSU W15L120 VPC MLO PI	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867016	RC340B LED36S/940 PSD W15L120 VPC MLO PI	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867017	RC340B LED42S/940 PSU W15L120 VPC MLO PI	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867018	RC340B LED42S/940 PSD W15L120 VPC MLO PI	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867019	RC340B LED36S/940	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
	PSU W15L120 VPC MLO EL				
910925867020	RC340B LED36S/940 PSD W15L120 VPC MLO EL	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867021	RC340B LED42S/940 PSU W15L120 VPC MLO EL	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867022	RC340B LED42S/940 PSD W15L120 VPC MLO EL	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867024	RC340B LED36S/940 PSD W15L120 VPC MLO EL	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867026	RC340B LED42S/940 PSD W15L120 VPC MLO EL	Safety class I	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867149	RC342B LED28S/940 PSD W15L125 VPC MLO PI	Safety class I	Temperature 650 °C, duration 30 s	RC342B	Yes
910925867150	RC342B LED36S/940 PSD W15L125 VPC MLO	Safety class I	Temperature 650 °C, duration 30 s	RC342B	Yes
910925867153	RC342B LED36S/940 PSD W17L125 PCV MLO	Safety class I	Temperature 650 °C, duration 30 s	RC342B	Yes
910925867164	RC342B LED28S/940 PSD W15L125 VPC PCS PI	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867165	RC342B LED36S/940 PSD W15L125 VPC PCS PI	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867166	RC342B LED42S/940 PSD W15L125 VPC PCS PI	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867169	RC342B LED36S/940 PSD W17L125 PCV PCS PI	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes

FlexBlend Recessed

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
910925867180	RC342B LED28S/940 PSD W15L125 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867181	RC342B LED36S/940 PSD W15L125 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867182	RC342B LED42S/940 PSD W15L125 VPC O PIP	Safety class I	Temperature 850 °C, duration 30 s	RC342B	Yes
910925867068	RC340B LED42S/930 PSD W30L120 CPC PCS W	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867189	RC340B LED42S/930 PSD W60L60 VPC PCS ESS	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867190	RC340B LED42S/940 PSD W60L60 VPC PCS ESS	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867221	RC340B LED36S/940 POE W60L60 VPC MLO U0	Safety class III	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867224	RC340B LED36S/940 POE W60L60 VPC PCS U0	Safety class III	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867222	RC340B LED36S/940 POE W60L60 VPC MLO U3	Safety class III	Temperature 650 °C, duration 30 s	RC340B	Yes
910925867225	RC340B LED36S/940 POE W60L60 VPC PCS U3	Safety class III	Temperature 850 °C, duration 30 s	RC340B	Yes
910925867226	RC340B LED36S/940 SRD W60L60 VPC PCS U3	Safety class I	Temperature 850 °C, duration 30 s	RC340B	Yes
910925868910	RC340B LED36S/930 SRD W60L60 VPC MLO U4	Safety class I	Temperature 650 °C, duration 30 s	RC340B	-
910925868911	RC340B LED36S/930	Safety class I	Temperature 650 °C, duration 30 s	RC340B	-

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
	SRD W60L60 VPC MLO U4				
910925868912	RC340B LED36S/930 SRD W60L60 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC340B	-
910925868913	RC340B LED36S/930 SRD W60L60 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC340B	-
910925868914	RC340B LED36S/940 SRD W60L60 VPC MLO U4	Safety class I	Temperature 650 °C, duration 30 s	RC340B	-
910925868915	RC340B LED36S/940 SRD W60L60 VPC MLO U4	Safety class I	Temperature 650 °C, duration 30 s	RC340B	-
910925868916	RC340B LED36S/940 SRD W60L60 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC340B	-
910925868917	RC340B LED36S/940 SRD W60L60 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC340B	-
910925868918	RC340B LED36S/940 SRD W60L60 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC340B	-
910925868920	RC340B LED42S/940 SRD W60L60 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC340B	-
910925868921	RC342B LED28S/940 SRD W62L62 VPC MLO U4	Safety class I	Temperature 650 °C, duration 30 s	RC342B	-
910925868922	RC342B LED28S/940 SRD W62L62 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC342B	-
910925868924	RC342B LED36S/940 SRD W62L62 VPC MLO U4	Safety class I	Temperature 650 °C, duration 30 s	RC342B	-
910925868925	RC342B LED36S/940 SRD W62L62 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC342B	-

FlexBlend Recessed

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
910925868927	RC342B LED42S/940 SRD W62L62 VPC MLO U4	Safety class I	Temperature 650 °C, duration 30 s	RC342B	-
910925868928	RC342B LED42S/940 SRD W62L62 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC342B	-
910925868919	RC340B LED42S/940	Safety class I	Temperature 850 °C, duration 30 s	RC340B	-

Order Code	Full Product Name	Protection class IEC	Glow-wire test	Product	
				Family Code	Service tag
	SRD W30L120 VPC PCS U4				
910925868923	RC342B LED36S/940 SRD W31L125 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC342B	-
910925868926	RC342B LED42S/940 SRD W31L125 VPC PCS U4	Safety class I	Temperature 850 °C, duration 30 s	RC342B	-

Initial performance (IEC compliant) (1/2)

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Init. Color	Initial LED
			Color Temperature	Rendering Index	luminaire efficacy
910925866966	RC340B LED36S/940 PSU W60L60 VPC O PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	120 lm/W
910925866980	RC342B LED36S/940 PSU W62L62 VPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
910925866988	RC340B LED36S/940 PSU W60L60 VPC MLO ELP	(0.38, 0.37) SDCM <3	4000 K	≥90	88 lm/W
910925866989	RC340B LED36S/940 PSD W60L60 VPC MLO ELP	(0.38, 0.37) SDCM <3	4000 K	≥90	86.5 lm/W
910925866993	RC340B LED36S/940 PSD W60L60 VPC O ELD3	(0.38, 0.37) SDCM <3	4000 K	≥90	124 lm/W
910925866995	RC340B LED36S/940 PSD W60L60 VPC MLO ELD	(0.38, 0.37) SDCM <3	4000 K	≥90	96 lm/W
910925866999	RC340B LED42S/940 PSD W60L60 VPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	94.5 lm/W
910925867010	RC340B LED42S/940 PSD W60L60 VPC MLO ELD	(0.38, 0.37) SDCM <3	4000 K	≥90	94.5 lm/W
910925867013	RC340B LED42S/930	(0.43, 0.40) SDCM <3	3000 K	≥90	88.5 lm/W

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Init. Color	Initial LED
			Color Temperature	Rendering Index	luminaire efficacy
	PSD W60L60 VPC MLO W				
910925867027	RC340B LED42S/940 PSD W60L60 VPC MLO W	(0.38, 0.37) SDCM <3	4000 K	≥90	94.5 lm/W
910925867043	RC340B LED42S/940 PSU W60L60 VPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	95.5 lm/W
910925867063	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	96 lm/W
910925867064	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
910925866967	RC340B LED36S/940 PSD W60L60 VPC O PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	124 lm/W
910925866972	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	144 lm/W
910925866973	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	144 lm/W
910925866977	RC340B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W

FlexBlend Recessed

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy
	PSD W60L60 CPC MLO PIP				
910925866990	RC340B LED36S/940 PSU W60L60 VPC PCS ELP	(0.38, 0.37) SDCM <3	4000 K	≥90	124 lm/W
910925866991	RC340B LED36S/940 PSD W60L60 VPC PCS ELP	(0.38, 0.37) SDCM <3	4000 K	≥90	122 lm/W
910925866997	RC340B LED36S/940 PSD W60L60 VPC PCS ELD	(0.38, 0.37) SDCM <3	4000 K	≥90	141 lm/W
910925867003	RC340B LED42S/940 PSU W60L60 VPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925867004	RC340B LED42S/940 PSD W60L60 VPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925867008	RC340B LED42S/940 PSU W60L60 VPC PCS ELP	(0.38, 0.37) SDCM <3	4000 K	≥90	125 lm/W
910925867009	RC340B LED42S/940 PSD W60L60 VPC PCS ELP	(0.38, 0.37) SDCM <3	4000 K	≥90	124 lm/W
910925867034	RC340B LED42S/930 PSD W60L60 VPC PCS W	(0.43, 0.40) SDCM <3	3000 K	≥90	136 lm/W
910925867035	RC340B LED42S/940 PSD W60L60 VPC PCS W	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925867044	RC340B LED36S/940 PSU W60L60 CPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	144 lm/W
910925867045	RC340B LED36S/940 PSD W60L60 CPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	144 lm/W
910925867049	RC340B LED42S/940 PSU W60L60 CPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy
910925867050	RC340B LED42S/940 PSD W60L60 CPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925867065	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	144 lm/W
910925867066	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	144 lm/W
910925866968	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	96 lm/W
910925866978	RC340B LED36S/940 PSD W60L60 PCV MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
910925866981	RC342B LED36S/940 PSD W62L62 VPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
910925867145	RC342B LED28S/940 PSD W62L62 VPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	100 lm/W
910925867158	RC342B LED28S/940 PSD W62L62 VPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925867159	RC342B LED36S/940 PSD W62L62 VPC PCS	(0.38, 0.37) SDCM <3	4000 K	≥90	144 lm/W
910925867160	RC342B LED42S/940 PSD W62L62 VPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925867174	RC342B LED28S/940 PSD W62L62 VPC O PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	124 lm/W
910925867175	RC342B LED36S/940 PSD W62L62 VPC O PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	124 lm/W
910925867176	RC342B LED42S/940 SDCM <3	(0.38, 0.37)	4000 K	≥90	125 lm/W

FlexBlend Recessed

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy
	PSD W62L62 VPC O PIP				
910925866969	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
910925867023	RC340B LED42S/930 PSD W60L60 CPC MLO W	(0.43, 0.40) SDCM <3	3000 K	≥90	88.5 lm/W
910925867028	RC340B LED42S/940 PSD W60L60 CPC MLO W	(0.38, 0.37) SDCM <3	4000 K	≥90	94.5 lm/W
910925867036	RC340B LED42S/940 PSD W60L60 CPC PCS W	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925867040	RC340B LED42S/930 PSD W60L60 CPC PCS W	(0.43, 0.40) SDCM <3	3000 K	≥90	136 lm/W
910925867046	RC340B LED36S/940 PSU W60L60 CPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	96 lm/W
910925867047	RC340B LED42S/940 PSU W60L60 CPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	95.5 lm/W
910925867048	RC340B LED42S/940 PSD W60L60 CPC MLO PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	94.5 lm/W
910925867167	RC342B LED42S/940 PSD W62L62 CPC PCS PIP	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925866970	RC340B LED36S/940 POE W60L60 VPC MLO	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
910925867014	RC340B LED42S/940 PSD W60L60 VPC PCS ELD	(0.38, 0.37) SDCM <3	4000 K	≥90	142 lm/W
910925867025	RC340B LED42S/930 PSD W60L60 PCV MLO W	(0.43, 0.40) SDCM <3	3000 K	≥90	88.5 lm/W

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy
910925867029	RC340B LED42S/940 PSD W60L60 PCV MLO W	(0.38, 0.37) SDCM <3	4000 K	≥90	94.5 lm/W
910925867037	RC340B LED42S/940 PSD W60L60 PCV PCS W	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925867041	RC340B LED42S/930 PSD W60L60 PCV PCS W	(0.43, 0.40) SDCM <3	3000 K	≥90	136 lm/W
910925867168	RC340B LED36S/940 PSD W60L60 PCV PCS PIP	(0.38, 0.37) SDCM <3	4000 K	90	144 lm/W
910925866979	RC340B LED36S/940 PSD W30L120 VPC MLO PI	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
910925866982	RC342B LED36S/940 PSU W31L125 VPC MLO PI	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
910925866983	RC342B LED36S/940 PSD W31L125 VPC MLO PI	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
910925867030	RC340B LED42S/940 PSD W30L120 VPC MLO W	(0.38, 0.37) SDCM <3	4000 K	≥90	94.5 lm/W
910925867031	RC340B LED42S/940 PSD W30L120 CPC MLO W	(0.38, 0.37) SDCM <3	4000 K	≥90	94.5 lm/W
910925867032	RC340B LED42S/930 PSD W30L120 VPC MLO W	(0.43, 0.40) SDCM <3	3000 K	≥90	88.5 lm/W
910925867033	RC340B LED42S/930 PSD W30L120 CPC MLO W	(0.43, 0.40) SDCM <3	3000 K	≥90	88.5 lm/W
910925867038	RC340B LED42S/940 PSD W30L120 VPC PCS W	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
910925867039	RC340B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W

FlexBlend Recessed

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy
	PSD W30L120 CPC PCS W				
910925867042	RC340B LED42S/930	(0.43, 0.40) SDCM <3	3000 K	≥90	136 lm/W
	PSD W30L120 VPC PCS W				
910925867147	RC342B LED28S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	100 lm/W
	PSD W31L125 VPC MLO PI				
910925867161	RC342B LED28S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
	PSD W31L125 VPC PCS PI				
910925867162	RC342B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	97 lm/W
	PSD W31L125 VPC PCS PI				
910925867163	RC342B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
	PSD W31L125 VPC PCS PI				
910925867177	RC342B LED28S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	124 lm/W
	PSD W31L125 VPC O PIP				
910925867178	RC342B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	124 lm/W
	PSD W31L125 VPC O PIP				
910925867179	RC342B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	125 lm/W
	PSD W31L125 VPC O PIP				
910925867185	RC340B LED42S/930	(0.38, 0.37) SDCM <3	3000 K	≥90	136 lm/W
	PSD W30L120 VPC PCS ES				
910925867186	RC340B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	140 lm/W
	PSD W30L120 VPC PCS ES				
910925866986	RC340B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	111 lm/W
	PSU W60L60 VPC O ELP3				
910925866987	RC340B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	109 lm/W
	PSD W60L60 VPC O ELP3				

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy
910925867001	RC340B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	127 lm/W
	PSU W60L60 VPC O PIP				
910925867002	RC340B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	125 lm/W
	PSD W60L60 VPC O PIP				
910925867006	RC340B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	114 lm/W
	PSU W60L60 VPC O ELP3				
910925867007	RC340B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	112 lm/W
	PSD W60L60 VPC O ELP3				
910925867012	RC340B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	125 lm/W
	PSD W60L60 VPC O ELD3				
910925867061	RC340B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	120 lm/W
	PSU W60L60 VPC O PIP S				
910925867062	RC340B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	124 lm/W
	PSD W60L60 VPC O PIP S				
910925867015	RC340B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	96 lm/W
	PSU W15L120 VPC MLO PI				
910925867016	RC340B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	97.5 lm/W
	PSD W15L120 VPC MLO PI				
910925867017	RC340B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	95.5 lm/W
	PSU W15L120 VPC MLO PI				
910925867018	RC340B LED42S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	94.5 lm/W
	PSD W15L120 VPC MLO PI				
910925867019	RC340B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	88 lm/W
	PSU W15L120 VPC MLO EL				
910925867020	RC340B LED36S/940	(0.38, 0.37) SDCM <3	4000 K	≥90	86.5 lm/W

FlexBlend Recessed

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy
	PSD W15L120 VPC MLO EL				
910925867021	RC340B LED42S/940 PSU W15L120 VPC MLO EL	(0.38, 0.37)	4000 K	≥90	87.5 lm/W
910925867022	RC340B LED42S/940 PSD W15L120 VPC MLO EL	(0.38, 0.37)	4000 K	≥90	85.5 lm/W
910925867024	RC340B LED36S/940 PSD W15L120 VPC MLO EL	(0.38, 0.37)	4000 K	≥90	96 lm/W
910925867026	RC340B LED42S/940 PSD W15L120 VPC MLO EL	(0.38, 0.37)	4000 K	≥90	94.5 lm/W
910925867149	RC342B LED28S/940 PSD W15L125 VPC MLO PI	(0.38, 0.37)	4000 K	≥90	100 lm/W
910925867150	RC342B LED36S/940 PSD W15L125 VPC MLO	(0.38, 0.37)	4000 K	≥90	97.5 lm/W
910925867153	RC342B LED36S/940 PSD W17L125 PCV MLO	(0.38, 0.37)	4000 K	≥90	97.5 lm/W
910925867164	RC342B LED28S/940 PSD W15L125 VPC PCS PI	(0.38, 0.37)	4000 K	≥90	140 lm/W
910925867165	RC342B LED36S/940 PSD W15L125 VPC PCS PI	(0.38, 0.37)	4000 K	≥90	97 lm/W
910925867166	RC342B LED42S/940 PSD W15L125 VPC PCS PI	(0.38, 0.37)	4000 K	≥90	140 lm/W
910925867169	RC342B LED36S/940 PSD W17L125 PCV PCS PI	(0.38, 0.37)	4000 K	≥90	144 lm/W
910925867180	RC342B LED28S/940 PSD W15L125 VPC O PIP	(0.38, 0.37)	4000 K	≥90	124 lm/W

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy
910925867181	RC342B LED36S/940 PSD W15L125 VPC O PIP	(0.38, 0.37)	4000 K	≥90	124 lm/W
910925867182	RC342B LED42S/940 PSD W15L125 VPC O PIP	(0.38, 0.37)	4000 K	≥90	125 lm/W
910925867068	RC340B LED42S/930 PSD W30L120 CPC PCS W	(0.43, 0.40)	3000 K	≥90	136 lm/W
910925867189	RC340B LED42S/930 PSD W60L60 VPC PCS ESS	(0.38, 0.37)	3000 K	≥90	136 lm/W
910925867190	RC340B LED42S/940 PSD W60L60 VPC PCS ESS	(0.38, 0.37)	4000 K	≥90	140 lm/W
910925867221	RC340B LED36S/940 POE W60L60 VPC MLO U0	(0.38, 0.37)	4000 K	≥90	97.5 lm/W
910925867224	RC340B LED36S/940 POE W60L60 VPC PCS U0	(0.38, 0.37)	4000 K	≥90	144 lm/W
910925867222	RC340B LED36S/940 POE W60L60 VPC MLO U3	(0.38, 0.37)	4000 K	≥90	97.5 lm/W
910925867225	RC340B LED36S/940 POE W60L60 VPC PCS U3	(0.38, 0.37)	4000 K	≥90	144 lm/W
910925867226	RC340B LED36S/940 SRD W60L60 VPC PCS U3	(0.38, 0.37)	4000 K	≥90	141 lm/W
910925868910	RC340B LED36S/930 SRD W60L60 VPC MLO U4	0.43,0.39	3000 K	>90	93.5 lm/W
910925868911	RC340B LED36S/930 SRD W60L60 VPC MLO U4	0.43,0.39	3000 K	>90	93.5 lm/W
910925868912	RC340B LED36S/930	0.43,0.39	3000 K	>90	136 lm/W

FlexBlend Recessed

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy
	SRD W60L60 VPC PCS U4						SRD W62L62 VPC MLO U4				
910925868913	RC340B LED36S/930 SRD W60L60 VPC PCS U4	0.43,0.39	3000 K	>90	136 lm/W	910925868922	RC342B LED28S/940 SRD W62L62 VPC PCS U4	0.38,0.37	4000 K	>90	140 lm/W
910925868914	RC340B LED36S/940 SRD W60L60 VPC MLO U4	0.38,0.37	4000 K	>90	97.5 lm/W	910925868924	RC342B LED36S/940 SRD W62L62 VPC MLO U4	0.38,0.37	4000 K	>90	97.5 lm/W
910925868915	RC340B LED36S/940 SRD W60L60 VPC MLO U4	0.38,0.37	4000 K	>90	97.5 lm/W	910925868925	RC342B LED36S/940 SRD W62L62 VPC PCS U4	0.38,0.37	4000 K	>90	141 lm/W
910925868916	RC340B LED36S/940 SRD W60L60 VPC PCS U4	0.38,0.37	4000 K	>90	141 lm/W	910925868927	RC342B LED42S/940 SRD W62L62 VPC MLO U4	0.38,0.37	4000 K	>90	94.5 lm/W
910925868917	RC340B LED36S/940 SRD W60L60 VPC PCS U4	0.38,0.37	4000 K	>90	141 lm/W	910925868928	RC342B LED42S/940 SRD W62L62 VPC PCS U4	0.38,0.37	4000 K	>90	140 lm/W
910925868918	RC340B LED36S/940 SRD W60L60 VPC PCS U4	0.38,0.37	4000 K	>90	141 lm/W	910925868919	RC340B LED42S/940 SRD W30L120 VPC PCS U4	0.38,0.37	4000 K	>90	140 lm/W
910925868920	RC340B LED42S/940 SRD W60L60 VPC PCS U4	0.38,0.37	4000 K	>90	140 lm/W	910925868923	RC342B LED36S/940 SRD W31L125 VPC PCS U4	0.38,0.37	4000 K	>90	141 lm/W
910925868921	RC342B LED28S/940	0.38,0.37	4000 K	>90	100 lm/W	910925868926	RC342B LED42S/940 SRD W31L125 VPC PCS U4	0.38,0.37	4000 K	>90	140 lm/W

Initial performance (IEC compliant) (2/2)

Order Code	Full Product Name	Initial luminous flux	Initial input power	Order Code	Full Product Name	Initial luminous flux	Initial input power
910925866966	RC340B LED36S/940 PSU W60L60 VPC O PIP	3600 lm	30 W	910925866995	RC340B LED36S/940 PSD W60L60 VPC MLO ELD	3600 lm	37.5 W
910925866980	RC342B LED36S/940 PSU W62L62 VPC MLO PIP	3600 lm	37 W	910925866999	RC340B LED42S/940 PSD W60L60 VPC MLO PIP	4200 lm	44.5 W
910925866988	RC340B LED36S/940 PSU W60L60 VPC MLO ELP	3600 lm	41 W	910925867010	RC340B LED42S/940 PSD W60L60 VPC MLO ELD	4200 lm	44.5 W
910925866989	RC340B LED36S/940 PSD W60L60 VPC MLO ELP	3600 lm	41.5 W	910925867013	RC340B LED42S/930 PSD W60L60 VPC MLO W	4200 lm	47.5 W
910925866993	RC340B LED36S/940 PSD W60L60 VPC O ELD3	3600 lm	29 W	910925867027	RC340B LED42S/940 PSD W60L60 VPC MLO W	4200 lm	44.5 W

FlexBlend Recessed

Order Code	Full Product Name	Initial luminous	Initial input
		flux	power
910925867043	RC340B LED42S/940 PSU W60L60 VPC MLO PIP	4200 lm	44 W
910925867063	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	3600 lm	37.5 W
910925867064	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	3600 lm	37 W
910925866967	RC340B LED36S/940 PSD W60L60 VPC O PIP	3600 lm	29 W
910925866972	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	3600 lm	25 W
910925866973	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	3600 lm	25 W
910925866977	RC340B LED36S/940 PSD W60L60 CPC MLO PIP	3600 lm	37 W
910925866990	RC340B LED36S/940 PSU W60L60 VPC PCS ELP	3600 lm	29 W
910925866991	RC340B LED36S/940 PSD W60L60 VPC PCS ELP	3600 lm	29.5 W
910925866997	RC340B LED36S/940 PSD W60L60 VPC PCS ELD	3600 lm	25.5 W
910925867003	RC340B LED42S/940 PSU W60L60 VPC PCS PIP	4200 lm	30 W
910925867004	RC340B LED42S/940 PSD W60L60 VPC PCS PIP	4200 lm	30 W
910925867008	RC340B LED42S/940 PSU W60L60 VPC PCS ELP	4200 lm	33.5 W
910925867009	RC340B LED42S/940 PSD W60L60 VPC PCS ELP	4200 lm	34 W
910925867034	RC340B LED42S/930 PSD W60L60 VPC PCS W	4200 lm	31 W
910925867035	RC340B LED42S/940 PSD W60L60 VPC PCS W	4200 lm	30 W
910925867044	RC340B LED36S/940 PSU W60L60 CPC PCS PIP	3600 lm	25 W
910925867045	RC340B LED36S/940 PSD W60L60 CPC PCS PIP	3600 lm	25 W
910925867049	RC340B LED42S/940 PSU W60L60 CPC PCS PIP	4200 lm	30 W
910925867050	RC340B LED42S/940 PSD W60L60 CPC PCS PIP	4200 lm	30 W
910925867065	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	3600 lm	25 W
910925867066	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	3600 lm	25 W
910925866968	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	3600 lm	37.5 W
910925866978	RC340B LED36S/940 PSD W60L60 PCV MLO PIP	3600 lm	37 W
910925866981	RC342B LED36S/940 PSD W62L62 VPC MLO PIP	3600 lm	37 W

Order Code	Full Product Name	Initial luminous	Initial input
		flux	power
910925867145	RC342B LED28S/940 PSD W62L62 VPC MLO PIP	2800 lm	28 W
910925867158	RC342B LED28S/940 PSD W62L62 VPC PCS PIP	2800 lm	20 W
910925867159	RC342B LED36S/940 PSD W62L62 VPC PCS	3600 lm	25 W
910925867160	RC342B LED42S/940 PSD W62L62 VPC PCS PIP	4200 lm	30 W
910925867174	RC342B LED28S/940 PSD W62L62 VPC O PIP	2800 lm	2021-05-22 W
910925867175	RC342B LED36S/940 PSD W62L62 VPC O PIP	3600 lm	29 W
910925867176	RC342B LED42S/940 PSD W62L62 VPC O PIP	4200 lm	1933-05-01 W
910925866969	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	3600 lm	37 W
910925867023	RC340B LED42S/930 PSD W60L60 CPC MLO W	4200 lm	47.5 W
910925867028	RC340B LED42S/940 PSD W60L60 CPC MLO W	4200 lm	44.5 W
910925867036	RC340B LED42S/940 PSD W60L60 CPC PCS W	4200 lm	30 W
910925867040	RC340B LED42S/930 PSD W60L60 CPC PCS W	4200 lm	31 W
910925867046	RC340B LED36S/940 PSU W60L60 CPC MLO PIP	3600 lm	37.5 W
910925867047	RC340B LED42S/940 PSU W60L60 CPC MLO PIP	4200 lm	44 W
910925867048	RC340B LED42S/940 PSD W60L60 CPC MLO PIP	4200 lm	44.5 W
910925867167	RC342B LED42S/940 PSD W62L62 CPC PCS PIP	4200 lm	30 W
910925866970	RC340B LED36S/940 POE W60L60 VPC MLO	3600 lm	37 W
910925867014	RC340B LED42S/940 PSD W60L60 VPC PCS ELD	4200 lm	29.5 W
910925867025	RC340B LED42S/930 PSD W60L60 PCV MLO W	4200 lm	47.5 W
910925867029	RC340B LED42S/940 PSD W60L60 PCV MLO W	4200 lm	44.5 W
910925867037	RC340B LED42S/940 PSD W60L60 PCV PCS W	4200 lm	30 W
910925867041	RC340B LED42S/930 PSD W60L60 PCV PCS W	4200 lm	31 W
910925867168	RC340B LED36S/940 PSD W60L60 PCV PCS PIP	3600 lm	25 W
910925866979	RC340B LED36S/940 PSD W30L120 VPC MLO PI	3600 lm	37 W
910925866982	RC342B LED36S/940 PSU W31L125 VPC MLO PI	3600 lm	37 W

FlexBlend Recessed

Order Code	Full Product Name	Initial luminous flux	Initial input power
910925866983	RC342B LED36S/940 PSD W31L125 VPC MLO PI	3600 lm	37 W
910925867030	RC340B LED42S/940 PSD W30L120 VPC MLO W	4200 lm	44.5 W
910925867031	RC340B LED42S/940 PSD W30L120 CPC MLO W	4200 lm	44.5 W
910925867032	RC340B LED42S/930 PSD W30L120 VPC MLO W	4200 lm	47.5 W
910925867033	RC340B LED42S/930 PSD W30L120 CPC MLO W	4200 lm	47.5 W
910925867038	RC340B LED42S/940 PSD W30L120 VPC PCS W	4200 lm	30 W
910925867039	RC340B LED42S/940 PSD W30L120 CPC PCS W	4200 lm	30 W
910925867042	RC340B LED42S/930 PSD W30L120 VPC PCS W	4200 lm	31 W
910925867147	RC342B LED28S/940 PSD W31L125 VPC MLO PI	2800 lm	28 W
910925867161	RC342B LED28S/940 PSD W31L125 VPC PCS PI	2800 lm	20 W
910925867162	RC342B LED36S/940 PSD W31L125 VPC PCS PI	3600 lm	25 W
910925867163	RC342B LED42S/940 PSD W31L125 VPC PCS PI	4200 lm	30 W
910925867177	RC342B LED28S/940 PSD W31L125 VPC O PIP	2800 lm	2021-05-22 W
910925867178	RC342B LED36S/940 PSD W31L125 VPC O PIP	3600 lm	29 W
910925867179	RC342B LED42S/940 PSD W31L125 VPC O PIP	4200 lm	1933-05-01 W
910925867185	RC340B LED42S/930 PSD W30L120 VPC PCS ES	4200 lm	31 W
910925867186	RC340B LED42S/940 PSD W30L120 VPC PCS ES	4200 lm	30 W
910925866986	RC340B LED36S/940 PSU W60L60 VPC O ELP3	3600 lm	32.5 W
910925866987	RC340B LED36S/940 PSD W60L60 VPC O ELP3	3600 lm	33 W
910925867001	RC340B LED42S/940 PSU W60L60 VPC O PIP	4200 lm	33 W
910925867002	RC340B LED42S/940 PSD W60L60 VPC O PIP	4200 lm	33.5 W
910925867006	RC340B LED42S/940 PSU W60L60 VPC O ELP3	4200 lm	37 W
910925867007	RC340B LED42S/940 PSD W60L60 VPC O ELP3	4200 lm	37.5 W
910925867012	RC340B LED42S/940 PSD W60L60 VPC O ELD3	4200 lm	33.5 W
910925867061	RC340B LED36S/940 PSU W60L60 VPC O PIP S	3600 lm	30 W

Order Code	Full Product Name	Initial luminous flux	Initial input power
910925867062	RC340B LED36S/940 PSD W60L60 VPC O PIP S	3600 lm	29 W
910925867015	RC340B LED36S/940 PSU W15L120 VPC MLO PI	3600 lm	37.5 W
910925867016	RC340B LED36S/940 PSD W15L120 VPC MLO PI	3600 lm	37 W
910925867017	RC340B LED42S/940 PSU W15L120 VPC MLO PI	4200 lm	44 W
910925867018	RC340B LED42S/940 PSD W15L120 VPC MLO PI	4200 lm	44.5 W
910925867019	RC340B LED36S/940 PSU W15L120 VPC MLO EL	3600 lm	41 W
910925867020	RC340B LED36S/940 PSD W15L120 VPC MLO EL	3600 lm	41.5 W
910925867021	RC340B LED42S/940 PSU W15L120 VPC MLO EL	4200 lm	48 W
910925867022	RC340B LED42S/940 PSD W15L120 VPC MLO EL	4200 lm	49 W
910925867024	RC340B LED36S/940 PSD W15L120 VPC MLO EL	3600 lm	37.5 W
910925867026	RC340B LED42S/940 PSD W15L120 VPC MLO EL	4200 lm	44.5 W
910925867149	RC342B LED28S/940 PSD W15L125 VPC MLO PI	2800 lm	28 W
910925867150	RC342B LED36S/940 PSD W15L125 VPC MLO	3600 lm	37 W
910925867153	RC342B LED36S/940 PSD W17L125 PCV MLO	3600 lm	37 W
910925867164	RC342B LED28S/940 PSD W15L125 VPC PCS PI	2800 lm	20 W
910925867165	RC342B LED36S/940 PSD W15L125 VPC PCS PI	3600 lm	25 W
910925867166	RC342B LED42S/940 PSD W15L125 VPC PCS PI	4200 lm	30 W
910925867169	RC342B LED36S/940 PSD W17L125 PCV PCS PI	3600 lm	25 W
910925867180	RC342B LED28S/940 PSD W15L125 VPC O PIP	2800 lm	2021-05-22 W
910925867181	RC342B LED36S/940 PSD W15L125 VPC O PIP	3600 lm	29 W
910925867182	RC342B LED42S/940 PSD W15L125 VPC O PIP	4200 lm	1933-05-01 W
910925867068	RC340B LED42S/930 PSD W30L120 CPC PCS W	4200 lm	31 W
910925867189	RC340B LED42S/930 PSD W60L60 VPC PCS ESS	4200 lm	31 W
910925867190	RC340B LED42S/940 PSD W60L60 VPC PCS ESS	4200 lm	30 W
910925867221	RC340B LED36S/940 POE W60L60 VPC MLO UO	3600 lm	37 W

FlexBlend Recessed

Order Code	Full Product Name	Initial luminous	Initial input
		flux	power
910925867224	RC340B LED36S/940 POE W60L60 VPC PCS U0	3600 lm	25 W
910925867222	RC340B LED36S/940 POE W60L60 VPC MLO U3	3600 lm	37 W
910925867225	RC340B LED36S/940 POE W60L60 VPC PCS U3	3600 lm	25 W
910925867226	RC340B LED36S/940 SRD W60L60 VPC PCS U3	3600 lm	25.5 W
910925868910	RC340B LED36S/930 SRD W60L60 VPC MLO U4	3600 lm	38.5 W
910925868911	RC340B LED36S/930 SRD W60L60 VPC MLO U4	3600 lm	38.5 W
910925868912	RC340B LED36S/930 SRD W60L60 VPC PCS U4	3600 lm	26.5 W
910925868913	RC340B LED36S/930 SRD W60L60 VPC PCS U4	3600 lm	26.5 W
910925868914	RC340B LED36S/940 SRD W60L60 VPC MLO U4	3600 lm	37 W
910925868915	RC340B LED36S/940 SRD W60L60 VPC MLO U4	3600 lm	37 W
910925868916	RC340B LED36S/940 SRD W60L60 VPC PCS U4	3600 lm	25.5 W
910925868917	RC340B LED36S/940 SRD W60L60 VPC PCS U4	3600 lm	25.5 W

Order Code	Full Product Name	Initial luminous	Initial input
		flux	power
910925868918	RC340B LED36S/940 SRD W60L60 VPC PCS U4	3600 lm	25.5 W
910925868920	RC340B LED42S/940 SRD W60L60 VPC PCS U4	4200 lm	30 W
910925868921	RC342B LED28S/940 SRD W62L62 VPC MLO U4	2800 lm	28 W
910925868922	RC342B LED28S/940 SRD W62L62 VPC PCS U4	2800 lm	20 W
910925868924	RC342B LED36S/940 SRD W62L62 VPC MLO U4	3600 lm	37 W
910925868925	RC342B LED36S/940 SRD W62L62 VPC PCS U4	3600 lm	25 W
910925868927	RC342B LED42S/940 SRD W62L62 VPC MLO U4	4200 lm	44.5 W
910925868928	RC342B LED42S/940 SRD W62L62 VPC PCS U4	4200 lm	30 W
910925868919	RC340B LED42S/940 SRD W30L120 VPC PCS U4	4200 lm	30 W
910925868923	RC342B LED36S/940 SRD W31L125 VPC PCS U4	3600 lm	25 W
910925868926	RC342B LED42S/940 SRD W31L125 VPC PCS U4	4200 lm	30 W

Over time performance (IEC compliant)

Order Code	Full Product Name	Driver failure rate
		at 5000 h
910925866966	RC340B LED36S/940 PSU W60L60 VPC O PIP	0.01 %
910925866980	RC342B LED36S/940 PSU W62L62 VPC MLO PIP	0.01 %
910925866988	RC340B LED36S/940 PSU W60L60 VPC MLO ELP	0.01 %
910925866989	RC340B LED36S/940 PSD W60L60 VPC MLO ELP	0.01 %
910925866993	RC340B LED36S/940 PSD W60L60 VPC O ELD3	0.01 %
910925866995	RC340B LED36S/940 PSD W60L60 VPC MLO ELD	0.01 %
910925866999	RC340B LED42S/940 PSD W60L60 VPC MLO PIP	0.01 %
910925867010	RC340B LED42S/940 PSD W60L60 VPC MLO ELD	0.01 %
910925867013	RC340B LED42S/930 PSD W60L60 VPC MLO W	0.01 %
910925867027	RC340B LED42S/940 PSD W60L60 VPC MLO W	0.01 %
910925867043	RC340B LED42S/940 PSU W60L60 VPC MLO PIP	0.01 %
910925867063	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	0.01 %
910925867064	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	0.01 %
910925866967	RC340B LED36S/940 PSD W60L60 VPC O PIP	0.01 %
910925866972	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	0.01 %
910925866973	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	0.01 %
910925866977	RC340B LED36S/940 PSD W60L60 CPC MLO PIP	0.01 %
910925866990	RC340B LED36S/940 PSU W60L60 VPC PCS ELP	0.01 %
910925866991	RC340B LED36S/940 PSD W60L60 VPC PCS ELP	0.01 %
910925866997	RC340B LED36S/940 PSD W60L60 VPC PCS ELD	0.01 %
910925867003	RC340B LED42S/940 PSU W60L60 VPC PCS PIP	0.01 %
910925867004	RC340B LED42S/940 PSD W60L60 VPC PCS PIP	0.01 %

Order Code	Full Product Name	Driver failure rate
		at 5000 h
910925867008	RC340B LED42S/940 PSU W60L60 VPC PCS ELP	0.01 %
910925867009	RC340B LED42S/940 PSD W60L60 VPC PCS ELP	0.01 %
910925867034	RC340B LED42S/930 PSD W60L60 VPC PCS W	0.01 %
910925867035	RC340B LED42S/940 PSD W60L60 VPC PCS W	0.01 %
910925867044	RC340B LED36S/940 PSU W60L60 CPC PCS PIP	0.01 %
910925867045	RC340B LED36S/940 PSD W60L60 CPC PCS PIP	0.01 %
910925867049	RC340B LED42S/940 PSU W60L60 CPC PCS PIP	0.01 %
910925867050	RC340B LED42S/940 PSD W60L60 CPC PCS PIP	0.01 %
910925867065	RC340B LED36S/940 PSU W60L60 VPC PCS PIP	0.01 %
910925867066	RC340B LED36S/940 PSD W60L60 VPC PCS PIP	0.01 %
910925866968	RC340B LED36S/940 PSU W60L60 VPC MLO PIP	0.01 %
910925866978	RC340B LED36S/940 PSD W60L60 PCV MLO PIP	0.01 %
910925866981	RC342B LED36S/940 PSD W62L62 VPC MLO PIP	0.01 %
910925867145	RC342B LED28S/940 PSD W62L62 VPC MLO PIP	-
910925867158	RC342B LED28S/940 PSD W62L62 VPC PCS PIP	-
910925867159	RC342B LED36S/940 PSD W62L62 VPC PCS	-
910925867160	RC342B LED42S/940 PSD W62L62 VPC PCS PIP	-
910925867174	RC342B LED28S/940 PSD W62L62 VPC O PIP	-
910925867175	RC342B LED36S/940 PSD W62L62 VPC O PIP	-
910925867176	RC342B LED42S/940 PSD W62L62 VPC O PIP	-
910925866969	RC340B LED36S/940 PSD W60L60 VPC MLO PIP	0.01 %
910925867023	RC340B LED42S/930 PSD W60L60 CPC MLO W	0.01 %

FlexBlend Recessed

Order Code	Full Product Name	Driver failure rate at 5000 h
910925867028	RC340B LED42S/940 PSD W60L60 CPC MLO W	0.01 %
910925867036	RC340B LED42S/940 PSD W60L60 CPC PCS W	0.01 %
910925867040	RC340B LED42S/930 PSD W60L60 CPC PCS W	0.01 %
910925867046	RC340B LED36S/940 PSU W60L60 CPC MLO PIP	0.01 %
910925867047	RC340B LED42S/940 PSU W60L60 CPC MLO PIP	0.01 %
910925867048	RC340B LED42S/940 PSD W60L60 CPC MLO PIP	0.01 %
910925867167	RC342B LED42S/940 PSD W62L62 CPC PCS PIP	-
910925866970	RC340B LED36S/940 POE W60L60 VPC MLO	0.01 %
910925867014	RC340B LED42S/940 PSD W60L60 VPC PCS ELD	0.01 %
910925867025	RC340B LED42S/930 PSD W60L60 PCV MLO W	0.01 %
910925867029	RC340B LED42S/940 PSD W60L60 PCV MLO W	0.01 %
910925867037	RC340B LED42S/940 PSD W60L60 PCV PCS W	0.01 %
910925867041	RC340B LED42S/930 PSD W60L60 PCV PCS W	0.01 %
910925867168	RC340B LED36S/940 PSD W60L60 PCV PCS PIP	-
910925866979	RC340B LED36S/940 PSD W30L120 VPC MLO PI	0.01 %
910925866982	RC342B LED36S/940 PSU W31L125 VPC MLO PI	0.01 %
910925866983	RC342B LED36S/940 PSD W31L125 VPC MLO PI	0.01 %
910925867030	RC340B LED42S/940 PSD W30L120 VPC MLO W	0.01 %
910925867031	RC340B LED42S/940 PSD W30L120 CPC MLO W	0.01 %
910925867032	RC340B LED42S/930 PSD W30L120 VPC MLO W	0.01 %
910925867033	RC340B LED42S/930 PSD W30L120 CPC MLO W	0.01 %
910925867038	RC340B LED42S/940 PSD W30L120 VPC PCS W	0.01 %
910925867039	RC340B LED42S/940 PSD W30L120 CPC PCS W	0.01 %
910925867042	RC340B LED42S/930 PSD W30L120 VPC PCS W	0.01 %
910925867147	RC342B LED28S/940 PSD W31L125 VPC MLO PI	-
910925867161	RC342B LED28S/940 PSD W31L125 VPC PCS PI	-
910925867162	RC342B LED36S/940 PSD W31L125 VPC PCS PI	-
910925867163	RC342B LED42S/940 PSD W31L125 VPC PCS PI	-
910925867177	RC342B LED28S/940 PSD W31L125 VPC O PIP	-
910925867178	RC342B LED36S/940 PSD W31L125 VPC O PIP	-
910925867179	RC342B LED42S/940 PSD W31L125 VPC O PIP	-
910925867185	RC340B LED42S/930 PSD W30L120 VPC PCS ES	-
910925867186	RC340B LED42S/940 PSD W30L120 VPC PCS ES	-
910925866986	RC340B LED36S/940 PSU W60L60 VPC O ELP3	0.01 %
910925866987	RC340B LED36S/940 PSD W60L60 VPC O ELP3	0.01 %
910925867001	RC340B LED42S/940 PSU W60L60 VPC O PIP	0.01 %
910925867002	RC340B LED42S/940 PSD W60L60 VPC O PIP	0.01 %
910925867006	RC340B LED42S/940 PSU W60L60 VPC O ELP3	0.01 %
910925867007	RC340B LED42S/940 PSD W60L60 VPC O ELP3	0.01 %
910925867012	RC340B LED42S/940 PSD W60L60 VPC O ELD3	0.01 %
910925867061	RC340B LED36S/940 PSU W60L60 VPC O PIP S	0.01 %
910925867062	RC340B LED36S/940 PSD W60L60 VPC O PIP S	0.01 %
910925867015	RC340B LED36S/940 PSU W15L120 VPC MLO PI	0.01 %
910925867016	RC340B LED36S/940 PSD W15L120 VPC MLO PI	0.01 %
910925867017	RC340B LED42S/940 PSU W15L120 VPC MLO PI	0.01 %

Order Code	Full Product Name	Driver failure rate at 5000 h
910925867018	RC340B LED42S/940 PSD W15L120 VPC MLO PI	0.01 %
910925867019	RC340B LED36S/940 PSU W15L120 VPC MLO EL	0.01 %
910925867020	RC340B LED36S/940 PSD W15L120 VPC MLO EL	0.01 %
910925867021	RC340B LED42S/940 PSU W15L120 VPC MLO EL	0.01 %
910925867022	RC340B LED42S/940 PSD W15L120 VPC MLO EL	0.01 %
910925867024	RC340B LED36S/940 PSD W15L120 VPC MLO EL	0.01 %
910925867026	RC340B LED42S/940 PSD W15L120 VPC MLO EL	0.01 %
910925867149	RC342B LED28S/940 PSD W15L125 VPC MLO PI	-
910925867150	RC342B LED36S/940 PSD W15L125 VPC MLO	-
910925867153	RC342B LED36S/940 PSD W17L125 PCV MLO	-
910925867164	RC342B LED28S/940 PSD W15L125 VPC PCS PI	-
910925867165	RC342B LED36S/940 PSD W15L125 VPC PCS PI	-
910925867166	RC342B LED42S/940 PSD W15L125 VPC PCS PI	-
910925867169	RC342B LED36S/940 PSD W17L125 PCV PCS PI	-
910925867180	RC342B LED28S/940 PSD W15L125 VPC O PIP	-
910925867181	RC342B LED36S/940 PSD W15L125 VPC O PIP	-
910925867182	RC342B LED42S/940 PSD W15L125 VPC O PIP	-
910925867068	RC340B LED42S/930 PSD W30L120 CPC PCS W	0.01 %
910925867189	RC340B LED42S/930 PSD W60L60 VPC PCS ESS	-
910925867190	RC340B LED42S/940 PSD W60L60 VPC PCS ESS	-
910925867221	RC340B LED36S/940 POE W60L60 VPC MLO U0	-
910925867224	RC340B LED36S/940 POE W60L60 VPC PCS U0	-
910925867222	RC340B LED36S/940 POE W60L60 VPC MLO U3	-
910925867225	RC340B LED36S/940 POE W60L60 VPC PCS U3	-
910925867226	RC340B LED36S/940 SRD W60L60 VPC PCS U3	-
910925868910	RC340B LED36S/930 SRD W60L60 VPC MLO U4	-
910925868911	RC340B LED36S/930 SRD W60L60 VPC MLO U4	-
910925868912	RC340B LED36S/930 SRD W60L60 VPC PCS U4	-
910925868913	RC340B LED36S/930 SRD W60L60 VPC PCS U4	-
910925868914	RC340B LED36S/940 SRD W60L60 VPC MLO U4	-
910925868915	RC340B LED36S/940 SRD W60L60 VPC MLO U4	-
910925868916	RC340B LED36S/940 SRD W60L60 VPC PCS U4	-
910925868917	RC340B LED36S/940 SRD W60L60 VPC PCS U4	-
910925868918	RC340B LED36S/940 SRD W60L60 VPC PCS U4	-
910925868920	RC340B LED42S/940 SRD W60L60 VPC PCS U4	-
910925868921	RC342B LED28S/940 SRD W62L62 VPC MLO U4	-
910925868922	RC342B LED28S/940 SRD W62L62 VPC PCS U4	-
910925868924	RC342B LED36S/940 SRD W62L62 VPC MLO U4	-
910925868925	RC342B LED36S/940 SRD W62L62 VPC PCS U4	-
910925868927	RC342B LED42S/940 SRD W62L62 VPC MLO U4	-
910925868928	RC342B LED42S/940 SRD W62L62 VPC PCS U4	-
910925868919	RC340B LED42S/940 SRD W30L120 VPC PCS U4	-
910925868923	RC342B LED36S/940 SRD W31L125 VPC PCS U4	-
910925868926	RC342B LED42S/940 SRD W31L125 VPC PCS U4	-

FlexBlend Recessed

