

# The most competitive specification downlight for TCO attractiveness with diversity and system compatibility

## GreenSpace G5

GreenSpace Gen5 is a new LED downlight range combining light efficiency and comfort with product diversity and system compatibility

### Benefits

- Energy efficient
- Design compactness
- Smart lighting

### Features

- High optical efficiency
- Compact form factor
- DALI/DALI-VLC/POE compatible

### Application

- Office
- shopping mall
- hotel
- retail etc.

Versions




DN390B LED6 D100 WH




DN390B DN391B D100 ALU



DN391B DN392B D150 WH



DN391B DN392B D150 ALU



DN392B DN393B D200 WH



DN392B DN393B D200 ALU

## Approval and application

Mech. impact protection code	IK02
------------------------------	------

## General information

Optical cover/lens type	Transparent bowl with white cover
-------------------------	-----------------------------------

Driver included	Yes
-----------------	-----

Flammability mark	For mounting on normally flammable surfaces
-------------------	---

Glow-wire test	Temperature 650 °C, duration 30 s
----------------	-----------------------------------

Light source replaceable	No
--------------------------	----

Number of gear units	1 unit
----------------------	--------

Optic type	High-gloss high reflectance
------------	-----------------------------

## Initial performance (IEC compliant)

Init. Color Rendering Index	>80
-----------------------------	-----

Luminous flux tolerance	+/-10%
-------------------------	--------

## Mechanical and housing

Color	Black and white
-------	-----------------

## Over time performance (IEC compliant)

Median useful life L80B50	43000 h
---------------------------	---------

Median useful life L90B50	20000 h
---------------------------	---------

## Application conditions

Order Code	Full Product Name	Ambient temperature range	Maximum dim level
911401571641	DN390B LED6/830 PSU D100 WH GC	-20 to +40 °C	Not applicable
911401571741	DN390B LED6/840 PSU D100 WH GC	-20 to +40 °C	Not applicable
911401577741	DN390B LED6/830 PSU D100 WH GM	-20 to +40 °C	Not applicable
911401577841	DN390B LED6/840 PSU D100 WH GM	-20 to +40 °C	Not applicable
911401577941	DN390B LED6/865 PSU D100 WH GM	-20 to +40 °C	Not applicable
911401582841	DN390B LED6/830 PSU D100 WH CAU	-20 to +40 °C	Not applicable
911401582941	DN390B LED6/840 PSU D100 WH CAU	-20 to +40 °C	Not applicable
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	-20 to +40 °C	Not applicable
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	-20 to +40 °C	Not applicable
911401571841	DN390B LED6/830 PSU D100 ALU GC	-20 to +40 °C	Not applicable
911401571941	DN390B LED6/840 PSU D100 ALU GC	-20 to +40 °C	Not applicable
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401576541	DN391B LED11/830 PSU D100 ALU GC	-20 to +40 °C	Not applicable
911401576641	DN391B LED11/840 PSU D100 ALU GC	-20 to +40 °C	Not applicable
911401576741	DN391B LED11/830 PSD D100 ALU GC	-20 to +40 °C	-
911401576841	DN391B LED11/840 PSD D100 ALU GC	-20 to +40 °C	-
911401578041	DN390B LED6/830 PSU D100 ALU GM	-20 to +40 °C	Not applicable
911401578141	DN390B LED6/840 PSU D100 ALU GM	-20 to +40 °C	Not applicable
911401578241	DN390B LED6/865 PSU D100 ALU GM	-20 to +40 °C	Not applicable
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	-20 to +40 °C	Not applicable
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	-20 to +40 °C	Not applicable
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	-20 to +40 °C	Not applicable
911401572041	DN391B LED11/830 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401572141	DN391B LED11/840 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401572241	DN391B LED11/865 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401572641	DN391B LED11/830 PSD D150 WH GC	-20 to +40 °C	-
911401572741	DN391B LED11/840 PSD D150 WH GC	-20 to +40 °C	-
911401575741	DN392B LED16/830 POE D150 WH GC	0 to +40 °C	-
911401575841	DN392B LED16/840 POE D150 WH GC	0 to +40 °C	-
911401576941	DN392B LED16/830 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401577041	DN392B LED16/840 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401577341	DN392B LED16/830 PSD D150 WH GC	-20 to +40 °C	-
911401577441	DN392B LED16/840 PSD D150 WH GC	-20 to +40 °C	-
911401578341	DN391B LED11/830 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401578441	DN391B LED11/840 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401578541	DN391B LED11/865 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401578941	DN392B LED16/830 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401579041	DN392B LED16/840 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401579141	DN392B LED16/865 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401581641	DN391B LED11/830 PSD D150 WH GM	-20 to +40 °C	-
911401581741	DN391B LED11/840 PSD D150 WH GM	-20 to +40 °C	-
911401583041	DN391B LED11/830 PSU D150 WH CAU	-20 to +40 °C	Not applicable
911401583141	DN391B LED11/840 PSU D150 WH CAU	-20 to +40 °C	Not applicable
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	-20 to +40 °C	Not applicable
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	-20 to +40 °C	Not applicable
911401584241	DN391B LED11/830 PSD D150 WH CAU	-20 to +40 °C	-

Order Code	Full Product Name	Ambient temperature range	Maximum dim level
911401584341	DN391B LED11/840 PSD D150 WH CAU	-20 to +40 °C	-
911401585441	DN392B LED16/830 PSD D150 WH GM	-20 to +40 °C	-
911401585541	DN392B LED16/840 PSD D150 WH GM	-20 to +40 °C	-
911401585841	DN391B LED11/830 PSU D150 WH R	-20 to +40 °C	Not applicable
911401586041	DN391B LED11/840 PSU D150 WH R	-20 to +40 °C	Not applicable
911401572341	DN391B LED11/830 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401572441	DN391B LED11/840 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401572541	DN391B LED11/865 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401572841	DN391B LED11/830 PSD D150 ALU GC	-20 to +40 °C	-
911401572941	DN391B LED11/840 PSD D150 ALU GC	-20 to +40 °C	-
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	-20 to +40 °C	Not applicable
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	-20 to +40 °C	Not applicable
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	-20 to +40 °C	Not applicable
911401575941	DN392B LED16/830 POE D150 ALU GC	0 to +40 °C	-
911401576041	DN392B LED16/840 POE D150 ALU GC	0 to +40 °C	-
911401577141	DN392B LED16/830 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401577241	DN392B LED16/840 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401577541	DN392B LED16/830 PSD D150 ALU GC	0 to +40 °C	-
911401577641	DN392B LED16/840 PSD D150 ALU GC	-20 to +40 °C	-
911401578641	DN391B LED11/830 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401578741	DN391B LED11/840 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401578841	DN391B LED11/865 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401579241	DN392B LED16/830 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401579341	DN392B LED16/840 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401579441	DN392B LED16/865 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	-20 to +40 °C	Not applicable
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	-20 to +40 °C	Not applicable
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	-20 to +40 °C	Not applicable
911401581841	DN391B LED11/830 PSD D150 ALU GM	-20 to +40 °C	-
911401581941	DN391B LED11/840 PSD D150 ALU GM	-20 to +40 °C	-
911401584441	DN391B LED11/830 PSD D150 ALU CAU	-20 to +40 °C	-
911401584541	DN391B LED11/840 PSD D150 ALU CAU	-20 to +40 °C	-
911401585641	DN392B LED16/830 PSD D150 ALU GM	-20 to +40 °C	-
911401585741	DN392B LED16/840 PSD D150 ALU GM	-20 to +40 °C	-
911401585941	DN391B LED11/830 PSU D150 ALU R	-20 to +40 °C	Not applicable
911401586141	DN391B LED11/840 PSU D150 ALU R	-20 to +40 °C	Not applicable
911401573041	DN392B LED16/830 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401573141	DN392B LED16/840 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401573241	DN392B LED16/865 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401573641	DN392B LED16/830 PSD D200 WH GC	-20 to +40 °C	-
911401573741	DN392B LED16/840 PSD D200 WH GC	-20 to +40 °C	-
911401574041	DN393B LED22/830 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401574141	DN393B LED22/840 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401574441	DN393B LED22/830 PSD D200 WH GC	-20 to +40 °C	-
911401574541	DN393B LED22/840 PSD D200 WH GC	-20 to +40 °C	-
911401576141	DN393B LED22/830 POE D200 WH GC	0 to +40 °C	-
911401576241	DN393B LED22/840 POE D200 WH GC	0 to +40 °C	-
911401579541	DN392B LED16/830 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401579641	DN392B LED16/840 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401579741	DN392B LED16/865 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401580141	DN393B LED22/830 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401580241	DN393B LED22/840 PSU D200 WH GM	-20 to +40 °C	Not applicable

Order Code	Full Product Name	Ambient temperature range	Maximum dim level
911401580341	DN393B LED22/865 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401582041	DN392B LED16/830 PSD D200 WH GM	-20 to +40 °C	-
911401582141	DN392B LED16/840 PSD D200 WH GM	-20 to +40 °C	-
911401582441	DN393B LED22/830 PSD D200 WH GM	-20 to +40 °C	-
911401582541	DN393B LED22/840 PSD D200 WH GM	-20 to +40 °C	-
911401583241	DN392B LED16/830 PSU D200 WH CAU	-20 to +40 °C	Not applicable
911401583341	DN392B LED16/840 PSU D200 WH CAU	-20 to +40 °C	Not applicable
911401583441	DN393B LED22/830 PSU D200 WH CAU	-20 to +40 °C	Not applicable
911401583541	DN393B LED22/840 PSU D200 WH CAU	-20 to +40 °C	Not applicable
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	-20 to +40 °C	Not applicable
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	-20 to +40 °C	Not applicable
911401584641	DN392B LED16/830 PSD D200 WH CAU	-20 to +40 °C	-
911401584741	DN392B LED16/840 PSD D200 WH CAU	-20 to +40 °C	-
911401585041	DN393B LED22/830 PSD D200 WH CAU	-20 to +40 °C	-
911401585141	DN393B LED22/840 PSD D200 WH CAU	-20 to +40 °C	-
911401586241	DN393B LED22/830 PSU D200 WH R	-20 to +40 °C	Not applicable
911401586441	DN393B LED22/840 PSU D200 WH R	-20 to +40 °C	Not applicable
911401573341	DN392B LED16/830 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401573441	DN392B LED16/840 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401573541	DN392B LED16/865 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401573841	DN392B LED16/830 PSD D200 ALU GC	-20 to +40 °C	-
911401573941	DN392B LED16/840 PSD D200 ALU GC	-20 to +40 °C	-
911401574241	DN393B LED22/830 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401574341	DN393B LED22/840 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401574641	DN393B LED22/830 PSD D200 ALU GC	-20 to +40 °C	-
911401574741	DN393B LED22/840 PSD D200 ALU GC	-20 to +40 °C	-
911401576341	DN393B LED22/830 POE D200 ALU GC	0 to +40 °C	-
911401576441	DN393B LED22/840 POE D200 ALU GC	0 to +40 °C	-
911401579841	DN392B LED16/830 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401579941	DN392B LED16/840 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401580041	DN392B LED16/865 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401580441	DN393B LED22/830 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401580541	DN393B LED22/840 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401580641	DN393B LED22/865 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	-20 to +40 °C	Not applicable
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	-20 to +40 °C	Not applicable
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	-20 to +40 °C	Not applicable
911401582241	DN392B LED16/830 PSD D200 ALU GM	-20 to +40 °C	-
911401582341	DN392B LED16/840 PSD D200 ALU GM	-20 to +40 °C	-
911401582641	DN393B LED22/830 PSD D200 ALU GM	-20 to +40 °C	-
911401582741	DN393B LED22/840 PSD D200 ALU GM	-20 to +40 °C	-
911401584841	DN392B LED16/830 PSD D200 ALU CAU	-20 to +40 °C	-
911401584941	DN392B LED16/840 PSD D200 ALU CAU	-20 to +40 °C	-
911401585241	DN393B LED22/830 PSD D200 ALU CAU	-20 to +40 °C	-
911401585341	DN393B LED22/840 PSD D200 ALU CAU	-20 to +40 °C	-
911401586341	DN393B LED22/830 PSU D200 ALU R	-20 to +40 °C	Not applicable
911401586541	DN393B LED22/840 PSU D200 ALU R	-20 to +40 °C	Not applicable

Approval and application

Order Code	Full Product Name	Ingress protection code
911401571641	DN390B LED6/830 PSU D100 WH GC	IP20
911401571741	DN390B LED6/840 PSU D100 WH GC	IP20
911401577741	DN390B LED6/830 PSU D100 WH GM	IP20
911401577841	DN390B LED6/840 PSU D100 WH GM	IP20
911401577941	DN390B LED6/865 PSU D100 WH GM	IP20
911401582841	DN390B LED6/830 PSU D100 WH CAU	IP20
911401582941	DN390B LED6/840 PSU D100 WH CAU	IP20
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	IP20/54
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	IP20/54
911401571841	DN390B LED6/830 PSU D100 ALU GC	IP20
911401571941	DN390B LED6/840 PSU D100 ALU GC	IP20
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	IP20/54
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	IP20/54
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	IP20/54
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	IP20/54
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	IP20/54
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	IP20/54
911401576541	DN391B LED11/830 PSU D100 ALU GC	IP20
911401576641	DN391B LED11/840 PSU D100 ALU GC	IP20
911401576741	DN391B LED11/830 PSD D100 ALU GC	IP20
911401576841	DN391B LED11/840 PSD D100 ALU GC	IP20
911401578041	DN390B LED6/830 PSU D100 ALU GM	IP20
911401578141	DN390B LED6/840 PSU D100 ALU GM	IP20
911401578241	DN390B LED6/865 PSU D100 ALU GM	IP20
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	IP20/54
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	IP20/54
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	IP20/54
911401572041	DN391B LED11/830 PSU D150 WH GC	IP20
911401572141	DN391B LED11/840 PSU D150 WH GC	IP20
911401572241	DN391B LED11/865 PSU D150 WH GC	IP20
911401572641	DN391B LED11/830 PSD D150 WH GC	IP20
911401572741	DN391B LED11/840 PSD D150 WH GC	IP20
911401575741	DN392B LED16/830 POE D150 WH GC	IP20
911401575841	DN392B LED16/840 POE D150 WH GC	IP20
911401576941	DN392B LED16/830 PSU D150 WH GC	IP20
911401577041	DN392B LED16/840 PSU D150 WH GC	IP20
911401577341	DN392B LED16/830 PSD D150 WH GC	IP20
911401577441	DN392B LED16/840 PSD D150 WH GC	IP20
911401578341	DN391B LED11/830 PSU D150 WH GM	IP20
911401578441	DN391B LED11/840 PSU D150 WH GM	IP20
911401578541	DN391B LED11/865 PSU D150 WH GM	IP20
911401578941	DN392B LED16/830 PSU D150 WH GM	IP20
911401579041	DN392B LED16/840 PSU D150 WH GM	IP20
911401579141	DN392B LED16/865 PSU D150 WH GM	IP20
911401581641	DN391B LED11/830 PSD D150 WH GM	IP20
911401581741	DN391B LED11/840 PSD D150 WH GM	IP20
911401583041	DN391B LED11/830 PSU D150 WH CAU	IP20
911401583141	DN391B LED11/840 PSU D150 WH CAU	IP20
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	IP20/54
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	IP20/54
911401584241	DN391B LED11/830 PSD D150 WH CAU	IP20
911401584341	DN391B LED11/840 PSD D150 WH CAU	IP20

Order Code	Full Product Name	Ingress protection code
911401585441	DN392B LED16/830 PSD D150 WH GM	IP20
911401585541	DN392B LED16/840 PSD D150 WH GM	IP20
911401585841	DN391B LED11/830 PSU D150 WH R	IP20
911401586041	DN391B LED11/840 PSU D150 WH R	IP20
911401572341	DN391B LED11/830 PSU D150 ALU GC	IP20
911401572441	DN391B LED11/840 PSU D150 ALU GC	IP20
911401572541	DN391B LED11/865 PSU D150 ALU GC	IP20
911401572841	DN391B LED11/830 PSD D150 ALU GC	IP20
911401572941	DN391B LED11/840 PSD D150 ALU GC	IP20
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	IP20/54
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	IP20/54
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	IP20/54
911401575941	DN392B LED16/830 POE D150 ALU GC	IP20
911401576041	DN392B LED16/840 POE D150 ALU GC	IP20
911401577141	DN392B LED16/830 PSU D150 ALU GC	IP20
911401577241	DN392B LED16/840 PSU D150 ALU GC	IP20
911401577541	DN392B LED16/830 PSD D150 ALU GC	IP20
911401577641	DN392B LED16/840 PSD D150 ALU GC	IP20
911401578641	DN391B LED11/830 PSU D150 ALU GM	IP20
911401578741	DN391B LED11/840 PSU D150 ALU GM	IP20
911401578841	DN391B LED11/865 PSU D150 ALU GM	IP20
911401579241	DN392B LED16/830 PSU D150 ALU GM	IP20
911401579341	DN392B LED16/840 PSU D150 ALU GM	IP20
911401579441	DN392B LED16/865 PSU D150 ALU GM	IP20
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	IP20/54
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	IP20/54
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	IP20/54
911401581841	DN391B LED11/830 PSD D150 ALU GM	IP20
911401581941	DN391B LED11/840 PSD D150 ALU GM	IP20
911401584441	DN391B LED11/830 PSD D150 ALU CAU	IP20
911401584541	DN391B LED11/840 PSD D150 ALU CAU	IP20
911401585641	DN392B LED16/830 PSD D150 ALU GM	IP20
911401585741	DN392B LED16/840 PSD D150 ALU GM	IP20
911401585941	DN391B LED11/830 PSU D150 ALU R	IP20
911401586141	DN391B LED11/840 PSU D150 ALU R	IP20
911401573041	DN392B LED16/830 PSU D200 WH GC	IP20
911401573141	DN392B LED16/840 PSU D200 WH GC	IP20
911401573241	DN392B LED16/865 PSU D200 WH GC	IP20
911401573641	DN392B LED16/830 PSD D200 WH GC	IP20
911401573741	DN392B LED16/840 PSD D200 WH GC	IP20
911401574041	DN393B LED22/830 PSU D200 WH GC	IP20
911401574141	DN393B LED22/840 PSU D200 WH GC	IP20
911401574441	DN393B LED22/830 PSD D200 WH GC	IP20
911401574541	DN393B LED22/840 PSD D200 WH GC	IP20
911401576141	DN393B LED22/830 POE D200 WH GC	IP20
911401576241	DN393B LED22/840 POE D200 WH GC	IP20
911401579541	DN392B LED16/830 PSU D200 WH GM	IP20
911401579641	DN392B LED16/840 PSU D200 WH GM	IP20
911401579741	DN392B LED16/865 PSU D200 WH GM	IP20
911401580141	DN393B LED22/830 PSU D200 WH GM	IP20
911401580241	DN393B LED22/840 PSU D200 WH GM	IP20
911401580341	DN393B LED22/865 PSU D200 WH GM	IP20

Order Code	Full Product Name	Ingress protection code
911401582041	DN392B LED16/830 PSD D200 WH GM	IP20
911401582141	DN392B LED16/840 PSD D200 WH GM	IP20
911401582441	DN393B LED22/830 PSD D200 WH GM	IP20
911401582541	DN393B LED22/840 PSD D200 WH GM	IP20
911401583241	DN392B LED16/830 PSU D200 WH CAU	IP20
911401583341	DN392B LED16/840 PSU D200 WH CAU	IP20
911401583441	DN393B LED22/830 PSU D200 WH CAU	IP20
911401583541	DN393B LED22/840 PSU D200 WH CAU	IP20
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	IP20/54
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	IP20/54
911401584641	DN392B LED16/830 PSD D200 WH CAU	IP20
911401584741	DN392B LED16/840 PSD D200 WH CAU	IP20
911401585041	DN393B LED22/830 PSD D200 WH CAU	IP20
911401585141	DN393B LED22/840 PSD D200 WH CAU	IP20
911401586241	DN393B LED22/830 PSU D200 WH R	IP20
911401586441	DN393B LED22/840 PSU D200 WH R	IP20
911401573341	DN392B LED16/830 PSU D200 ALU GC	IP20
911401573441	DN392B LED16/840 PSU D200 ALU GC	IP20
911401573541	DN392B LED16/865 PSU D200 ALU GC	IP20
911401573841	DN392B LED16/830 PSD D200 ALU GC	IP20
911401573941	DN392B LED16/840 PSD D200 ALU GC	IP20
911401574241	DN393B LED22/830 PSU D200 ALU GC	IP20
911401574341	DN393B LED22/840 PSU D200 ALU GC	IP20

Order Code	Full Product Name	Ingress protection code
911401574641	DN393B LED22/830 PSD D200 ALU GC	IP20
911401574741	DN393B LED22/840 PSD D200 ALU GC	IP20
911401576341	DN393B LED22/830 POE D200 ALU GC	IP20
911401576441	DN393B LED22/840 POE D200 ALU GC	IP20
911401579841	DN392B LED16/830 PSU D200 ALU GM	IP20
911401579941	DN392B LED16/840 PSU D200 ALU GM	IP20
911401580041	DN392B LED16/865 PSU D200 ALU GM	IP20
911401580441	DN393B LED22/830 PSU D200 ALU GM	IP20
911401580541	DN393B LED22/840 PSU D200 ALU GM	IP20
911401580641	DN393B LED22/865 PSU D200 ALU GM	IP20
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	IP20/54
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	IP20/54
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	IP20/54
911401582241	DN392B LED16/830 PSD D200 ALU GM	IP20
911401582341	DN392B LED16/840 PSD D200 ALU GM	IP20
911401582641	DN393B LED22/830 PSD D200 ALU GM	IP20
911401582741	DN393B LED22/840 PSD D200 ALU GM	IP20
911401584841	DN392B LED16/830 PSD D200 ALU CAU	IP20
911401584941	DN392B LED16/840 PSD D200 ALU CAU	IP20
911401585241	DN393B LED22/830 PSD D200 ALU CAU	IP20
911401585341	DN393B LED22/840 PSD D200 ALU CAU	IP20
911401586341	DN393B LED22/830 PSU D200 ALU R	IP20
911401586541	DN393B LED22/840 PSU D200 ALU R	IP20

## Controls and dimming

Order Code	Full Product Name	Dimmable
911401571641	DN390B LED6/830 PSU D100 WH GC	No
911401571741	DN390B LED6/840 PSU D100 WH GC	No
911401577741	DN390B LED6/830 PSU D100 WH GM	No
911401577841	DN390B LED6/840 PSU D100 WH GM	No
911401577941	DN390B LED6/865 PSU D100 WH GM	No
911401582841	DN390B LED6/830 PSU D100 WH CAU	No
911401582941	DN390B LED6/840 PSU D100 WH CAU	No
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	No
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	No
911401571841	DN390B LED6/830 PSU D100 ALU GC	No
911401571941	DN390B LED6/840 PSU D100 ALU GC	No
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	No
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	No
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	No
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	No
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	No
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	No
911401576541	DN391B LED11/830 PSU D100 ALU GC	No
911401576641	DN391B LED11/840 PSU D100 ALU GC	No
911401576741	DN391B LED11/830 PSD D100 ALU GC	Yes
911401576841	DN391B LED11/840 PSD D100 ALU GC	Yes
911401578041	DN390B LED6/830 PSU D100 ALU GM	No
911401578141	DN390B LED6/840 PSU D100 ALU GM	No
911401578241	DN390B LED6/865 PSU D100 ALU GM	No
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	No

Order Code	Full Product Name	Dimmable
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	No
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	No
911401572041	DN391B LED11/830 PSU D150 WH GC	No
911401572141	DN391B LED11/840 PSU D150 WH GC	No
911401572241	DN391B LED11/865 PSU D150 WH GC	No
911401572641	DN391B LED11/830 PSD D150 WH GC	Yes
911401572741	DN391B LED11/840 PSD D150 WH GC	Yes
911401575741	DN392B LED16/830 POE D150 WH GC	Yes
911401575841	DN392B LED16/840 POE D150 WH GC	Yes
911401576941	DN392B LED16/830 PSU D150 WH GC	No
911401577041	DN392B LED16/840 PSU D150 WH GC	No
911401577341	DN392B LED16/830 PSD D150 WH GC	Yes
911401577441	DN392B LED16/840 PSD D150 WH GC	Yes
911401578341	DN391B LED11/830 PSU D150 WH GM	No
911401578441	DN391B LED11/840 PSU D150 WH GM	No
911401578541	DN391B LED11/865 PSU D150 WH GM	No
911401578941	DN392B LED16/830 PSU D150 WH GM	No
911401579041	DN392B LED16/840 PSU D150 WH GM	No
911401579141	DN392B LED16/865 PSU D150 WH GM	No
911401581641	DN391B LED11/830 PSD D150 WH GM	Yes
911401581741	DN391B LED11/840 PSD D150 WH GM	Yes
911401583041	DN391B LED11/830 PSU D150 WH CAU	No
911401583141	DN391B LED11/840 PSU D150 WH CAU	No
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	No
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	No

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401584241	DN391B LED11/830 PSD D150 WH CAU	Yes	911401579741	DN392B LED16/865 PSU D200 WH GM	No
911401584341	DN391B LED11/840 PSD D150 WH CAU	Yes	911401580141	DN393B LED22/830 PSU D200 WH GM	No
911401585441	DN392B LED16/830 PSD D150 WH GM	Yes	911401580241	DN393B LED22/840 PSU D200 WH GM	No
911401585541	DN392B LED16/840 PSD D150 WH GM	Yes	911401580341	DN393B LED22/865 PSU D200 WH GM	No
911401585841	DN391B LED11/830 PSU D150 WH R	No	911401582041	DN392B LED16/830 PSD D200 WH GM	Yes
911401586041	DN391B LED11/840 PSU D150 WH R	No	911401582141	DN392B LED16/840 PSD D200 WH GM	Yes
911401572341	DN391B LED11/830 PSU D150 ALU GC	No	911401582441	DN393B LED22/830 PSD D200 WH GM	Yes
911401572441	DN391B LED11/840 PSU D150 ALU GC	No	911401582541	DN393B LED22/840 PSD D200 WH GM	Yes
911401572541	DN391B LED11/865 PSU D150 ALU GC	No	911401583241	DN392B LED16/830 PSU D200 WH CAU	No
911401572841	DN391B LED11/830 PSD D150 ALU GC	Yes	911401583341	DN392B LED16/840 PSU D200 WH CAU	No
911401572941	DN391B LED11/840 PSD D150 ALU GC	Yes	911401583441	DN393B LED22/830 PSU D200 WH CAU	No
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	No	911401583541	DN393B LED22/840 PSU D200 WH CAU	No
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	No	911401584041	DN393B LED22/830 PSU D200 WH WP CAU	No
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	No	911401584141	DN393B LED22/840 PSU D200 WH WP CAU	No
911401575941	DN392B LED16/830 POE D150 ALU GC	Yes	911401584641	DN392B LED16/830 PSD D200 WH CAU	Yes
911401576041	DN392B LED16/840 POE D150 ALU GC	Yes	911401584741	DN392B LED16/840 PSD D200 WH CAU	Yes
911401577141	DN392B LED16/830 PSU D150 ALU GC	No	911401585041	DN393B LED22/830 PSD D200 WH CAU	Yes
911401577241	DN392B LED16/840 PSU D150 ALU GC	No	911401585141	DN393B LED22/840 PSD D200 WH CAU	Yes
911401577541	DN392B LED16/830 PSD D150 ALU GC	Yes	911401586241	DN393B LED22/830 PSU D200 WH R	No
911401577641	DN392B LED16/840 PSD D150 ALU GC	Yes	911401586441	DN393B LED22/840 PSU D200 WH R	No
911401578641	DN391B LED11/830 PSU D150 ALU GM	No	911401573341	DN392B LED16/830 PSU D200 ALU GC	No
911401578741	DN391B LED11/840 PSU D150 ALU GM	No	911401573441	DN392B LED16/840 PSU D200 ALU GC	No
911401578841	DN391B LED11/865 PSU D150 ALU GM	No	911401573541	DN392B LED16/865 PSU D200 ALU GC	No
911401579241	DN392B LED16/830 PSU D150 ALU GM	No	911401573841	DN392B LED16/830 PSD D200 ALU GC	Yes
911401579341	DN392B LED16/840 PSU D150 ALU GM	No	911401573941	DN392B LED16/840 PSD D200 ALU GC	Yes
911401579441	DN392B LED16/865 PSU D150 ALU GM	No	911401574241	DN393B LED22/830 PSU D200 ALU GC	No
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	No	911401574341	DN393B LED22/840 PSU D200 ALU GC	No
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	No	911401574641	DN393B LED22/830 PSD D200 ALU GC	Yes
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	No	911401574741	DN393B LED22/840 PSD D200 ALU GC	Yes
911401581841	DN391B LED11/830 PSD D150 ALU GM	Yes	911401576341	DN393B LED22/830 POE D200 ALU GC	Yes
911401581941	DN391B LED11/840 PSD D150 ALU GM	Yes	911401576441	DN393B LED22/840 POE D200 ALU GC	Yes
911401584441	DN391B LED11/830 PSD D150 ALU CAU	Yes	911401579841	DN392B LED16/830 PSU D200 ALU GM	No
911401584541	DN391B LED11/840 PSD D150 ALU CAU	Yes	911401579941	DN392B LED16/840 PSU D200 ALU GM	No
911401585641	DN392B LED16/830 PSD D150 ALU GM	Yes	911401580041	DN392B LED16/865 PSU D200 ALU GM	No
911401585741	DN392B LED16/840 PSD D150 ALU GM	Yes	911401580441	DN393B LED22/830 PSU D200 ALU GM	No
911401585941	DN391B LED11/830 PSU D150 ALU R	No	911401580541	DN393B LED22/840 PSU D200 ALU GM	No
911401586141	DN391B LED11/840 PSU D150 ALU R	No	911401580641	DN393B LED22/865 PSU D200 ALU GM	No
911401573041	DN392B LED16/830 PSU D200 WH GC	No	911401581341	DN393B LED22/830 PSU D200 ALU WP GM	No
911401573141	DN392B LED16/840 PSU D200 WH GC	No	911401581441	DN393B LED22/840 PSU D200 ALU WP GM	No
911401573241	DN392B LED16/865 PSU D200 WH GC	No	911401581541	DN393B LED22/865 PSU D200 ALU WP GM	No
911401573641	DN392B LED16/830 PSD D200 WH GC	Yes	911401582241	DN392B LED16/830 PSD D200 ALU GM	Yes
911401573741	DN392B LED16/840 PSD D200 WH GC	Yes	911401582341	DN392B LED16/840 PSD D200 ALU GM	Yes
911401574041	DN393B LED22/830 PSU D200 WH GC	No	911401582641	DN393B LED22/830 PSD D200 ALU GM	Yes
911401574141	DN393B LED22/840 PSU D200 WH GC	No	911401582741	DN393B LED22/840 PSD D200 ALU GM	Yes
911401574441	DN393B LED22/830 PSD D200 WH GC	Yes	911401584841	DN392B LED16/830 PSD D200 ALU CAU	Yes
911401574541	DN393B LED22/840 PSD D200 WH GC	Yes	911401584941	DN392B LED16/840 PSD D200 ALU CAU	Yes
911401576141	DN393B LED22/830 POE D200 WH GC	Yes	911401585241	DN393B LED22/830 PSD D200 ALU CAU	Yes
911401576241	DN393B LED22/840 POE D200 WH GC	Yes	911401585341	DN393B LED22/840 PSD D200 ALU CAU	Yes
911401579541	DN392B LED16/830 PSU D200 WH GM	No	911401586341	DN393B LED22/830 PSU D200 ALU R	No
911401579641	DN392B LED16/840 PSU D200 WH GM	No	911401586541	DN393B LED22/840 PSU D200 ALU R	No

## Operating and electrical



Order Code	Full Product Name	Input Voltage
911401571641	DN390B LED6/830 PSU D100 WH GC	220-240 V
911401571741	DN390B LED6/840 PSU D100 WH GC	220-240 V
911401577741	DN390B LED6/830 PSU D100 WH GM	220-240 V
911401577841	DN390B LED6/840 PSU D100 WH GM	220-240 V
911401577941	DN390B LED6/865 PSU D100 WH GM	220-240 V
911401582841	DN390B LED6/830 PSU D100 WH CAU	220-240 V
911401582941	DN390B LED6/840 PSU D100 WH CAU	220-240 V
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	220-240 V
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	220-240 V
911401571841	DN390B LED6/830 PSU D100 ALU GC	220-240 V
911401571941	DN390B LED6/840 PSU D100 ALU GC	220-240 V
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	220-240 V
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	220-240 V
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	220-240 V
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	220-240 V
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	220-240 V
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	220-240 V
911401576541	DN391B LED11/830 PSU D100 ALU GC	220-240 V
911401576641	DN391B LED11/840 PSU D100 ALU GC	220-240 V
911401576741	DN391B LED11/830 PSD D100 ALU GC	220-240 V
911401576841	DN391B LED11/840 PSD D100 ALU GC	220-240 V
911401578041	DN390B LED6/830 PSU D100 ALU GM	220-240 V
911401578141	DN390B LED6/840 PSU D100 ALU GM	220-240 V
911401578241	DN390B LED6/865 PSU D100 ALU GM	220-240 V
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	220-240 V
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	220-240 V
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	220-240 V
911401572041	DN391B LED11/830 PSU D150 WH GC	220-240 V
911401572141	DN391B LED11/840 PSU D150 WH GC	220-240 V
911401572241	DN391B LED11/865 PSU D150 WH GC	220-240 V
911401572641	DN391B LED11/830 PSD D150 WH GC	220-240 V
911401572741	DN391B LED11/840 PSD D150 WH GC	220-240 V
911401575741	DN392B LED16/830 POE D150 WH GC	53 V
911401575841	DN392B LED16/840 POE D150 WH GC	53 V
911401576941	DN392B LED16/830 PSU D150 WH GC	220-240 V
911401577041	DN392B LED16/840 PSU D150 WH GC	220-240 V
911401577341	DN392B LED16/830 PSD D150 WH GC	220-240 V
911401577441	DN392B LED16/840 PSD D150 WH GC	220-240 V
911401578341	DN391B LED11/830 PSU D150 WH GM	220-240 V
911401578441	DN391B LED11/840 PSU D150 WH GM	220-240 V
911401578541	DN391B LED11/865 PSU D150 WH GM	220-240 V
911401578941	DN392B LED16/830 PSU D150 WH GM	220-240 V
911401579041	DN392B LED16/840 PSU D150 WH GM	220-240 V
911401579141	DN392B LED16/865 PSU D150 WH GM	220-240 V
911401581641	DN391B LED11/830 PSD D150 WH GM	220-240 V
911401581741	DN391B LED11/840 PSD D150 WH GM	220-240 V
911401583041	DN391B LED11/830 PSU D150 WH CAU	220-240 V
911401583141	DN391B LED11/840 PSU D150 WH CAU	220-240 V
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	220-240 V
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	220-240 V
911401584241	DN391B LED11/830 PSD D150 WH CAU	220-240 V
911401584341	DN391B LED11/840 PSD D150 WH CAU	220-240 V

Order Code	Full Product Name	Input Voltage
911401585441	DN392B LED16/830 PSD D150 WH GM	220-240 V
911401585541	DN392B LED16/840 PSD D150 WH GM	220-240 V
911401585841	DN391B LED11/830 PSU D150 WH R	220-240 V
911401586041	DN391B LED11/840 PSU D150 WH R	220-240 V
911401572341	DN391B LED11/830 PSU D150 ALU GC	220-240 V
911401572441	DN391B LED11/840 PSU D150 ALU GC	220-240 V
911401572541	DN391B LED11/865 PSU D150 ALU GC	220-240 V
911401572841	DN391B LED11/830 PSD D150 ALU GC	220-240 V
911401572941	DN391B LED11/840 PSD D150 ALU GC	220-240 V
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	220-240 V
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	220-240 V
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	220-240 V
911401575941	DN392B LED16/830 POE D150 ALU GC	53 V
911401576041	DN392B LED16/840 POE D150 ALU GC	53 V
911401577141	DN392B LED16/830 PSU D150 ALU GC	220-240 V
911401577241	DN392B LED16/840 PSU D150 ALU GC	220-240 V
911401577541	DN392B LED16/830 PSD D150 ALU GC	220-240 V
911401577641	DN392B LED16/840 PSD D150 ALU GC	220-240 V
911401578641	DN391B LED11/830 PSU D150 ALU GM	220-240 V
911401578741	DN391B LED11/840 PSU D150 ALU GM	220-240 V
911401578841	DN391B LED11/865 PSU D150 ALU GM	220-240 V
911401579241	DN392B LED16/830 PSU D150 ALU GM	220-240 V
911401579341	DN392B LED16/840 PSU D150 ALU GM	220-240 V
911401579441	DN392B LED16/865 PSU D150 ALU GM	220-240 V
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	220-240 V
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	220-240 V
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	220-240 V
911401581841	DN391B LED11/830 PSD D150 ALU GM	220-240 V
911401581941	DN391B LED11/840 PSD D150 ALU GM	220-240 V
911401584441	DN391B LED11/830 PSD D150 ALU CAU	220-240 V
911401584541	DN391B LED11/840 PSD D150 ALU CAU	220-240 V
911401585641	DN392B LED16/830 PSD D150 ALU GM	220-240 V
911401585741	DN392B LED16/840 PSD D150 ALU GM	220-240 V
911401585941	DN391B LED11/830 PSU D150 ALU R	220-240 V
911401586141	DN391B LED11/840 PSU D150 ALU R	220-240 V
911401573041	DN392B LED16/830 PSU D200 WH GC	220-240 V
911401573141	DN392B LED16/840 PSU D200 WH GC	220-240 V
911401573241	DN392B LED16/865 PSU D200 WH GC	220-240 V
911401573641	DN392B LED16/830 PSD D200 WH GC	220-240 V
911401573741	DN392B LED16/840 PSD D200 WH GC	220-240 V
911401574041	DN393B LED22/830 PSU D200 WH GC	220-240 V
911401574141	DN393B LED22/840 PSU D200 WH GC	220-240 V
911401574441	DN393B LED22/830 PSD D200 WH GC	220-240 V
911401574541	DN393B LED22/840 PSD D200 WH GC	220-240 V
911401576141	DN393B LED22/830 POE D200 WH GC	53 V
911401576241	DN393B LED22/840 POE D200 WH GC	53 V
911401579541	DN392B LED16/830 PSU D200 WH GM	220-240 V
911401579641	DN392B LED16/840 PSU D200 WH GM	220-240 V
911401579741	DN392B LED16/865 PSU D200 WH GM	220-240 V
911401580141	DN393B LED22/830 PSU D200 WH GM	220-240 V
911401580241	DN393B LED22/840 PSU D200 WH GM	220-240 V
911401580341	DN393B LED22/865 PSU D200 WH GM	220-240 V

Order Code	Full Product Name	Input Voltage
911401582041	DN392B LED16/830 PSD D200 WH GM	220-240 V
911401582141	DN392B LED16/840 PSD D200 WH GM	220-240 V
911401582441	DN393B LED22/830 PSD D200 WH GM	220-240 V
911401582541	DN393B LED22/840 PSD D200 WH GM	220-240 V
911401583241	DN392B LED16/830 PSU D200 WH CAU	220-240 V
911401583341	DN392B LED16/840 PSU D200 WH CAU	220-240 V
911401583441	DN393B LED22/830 PSU D200 WH CAU	220-240 V
911401583541	DN393B LED22/840 PSU D200 WH CAU	220-240 V
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	220-240 V
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	220-240 V
911401584641	DN392B LED16/830 PSD D200 WH CAU	220-240 V
911401584741	DN392B LED16/840 PSD D200 WH CAU	220-240 V
911401585041	DN393B LED22/830 PSD D200 WH CAU	220-240 V
911401585141	DN393B LED22/840 PSD D200 WH CAU	220-240 V
911401586241	DN393B LED22/830 PSU D200 WH R	220-240 V
911401586441	DN393B LED22/840 PSU D200 WH R	220-240 V
911401573341	DN392B LED16/830 PSU D200 ALU GC	220-240 V
911401573441	DN392B LED16/840 PSU D200 ALU GC	220-240 V
911401573541	DN392B LED16/865 PSU D200 ALU GC	220-240 V
911401573841	DN392B LED16/830 PSD D200 ALU GC	220-240 V
911401573941	DN392B LED16/840 PSD D200 ALU GC	220-240 V
911401574241	DN393B LED22/830 PSU D200 ALU GC	220-240 V
911401574341	DN393B LED22/840 PSU D200 ALU GC	220-240 V

Order Code	Full Product Name	Input Voltage
911401574641	DN393B LED22/830 PSD D200 ALU GC	220-240 V
911401574741	DN393B LED22/840 PSD D200 ALU GC	220-240 V
911401576341	DN393B LED22/830 POE D200 ALU GC	53 V
911401576441	DN393B LED22/840 POE D200 ALU GC	53 V
911401579841	DN392B LED16/830 PSU D200 ALU GM	220-240 V
911401579941	DN392B LED16/840 PSU D200 ALU GM	220-240 V
911401580041	DN392B LED16/865 PSU D200 ALU GM	220-240 V
911401580441	DN393B LED22/830 PSU D200 ALU GM	220-240 V
911401580541	DN393B LED22/840 PSU D200 ALU GM	220-240 V
911401580641	DN393B LED22/865 PSU D200 ALU GM	220-240 V
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	220-240 V
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	220-240 V
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	220-240 V
911401582241	DN392B LED16/830 PSD D200 ALU GM	220-240 V
911401582341	DN392B LED16/840 PSD D200 ALU GM	220-240 V
911401582641	DN393B LED22/830 PSD D200 ALU GM	220-240 V
911401582741	DN393B LED22/840 PSD D200 ALU GM	220-240 V
911401584841	DN392B LED16/830 PSD D200 ALU CAU	220-240 V
911401584941	DN392B LED16/840 PSD D200 ALU CAU	220-240 V
911401585241	DN393B LED22/830 PSD D200 ALU CAU	220-240 V
911401585341	DN393B LED22/840 PSD D200 ALU CAU	220-240 V
911401586341	DN393B LED22/830 PSU D200 ALU R	220-240 V
911401586541	DN393B LED22/840 PSU D200 ALU R	220-240 V

General information

Order Code	Full Product Name	Beam angle of light		Protection class	
		source	CE mark	IEC	
911401571641	DN390B LED6/830 PSU D100 WH GC	72 °	-	Safety class I	
911401571741	DN390B LED6/840 PSU D100 WH GC	72 °	-	Safety class I	
911401577741	DN390B LED6/830 PSU D100 WH GM	72 °	CE mark	Safety class I	
911401577841	DN390B LED6/840 PSU D100 WH GM	72 °	CE mark	Safety class I	
911401577941	DN390B LED6/865 PSU D100 WH GM	72 °	CE mark	Safety class I	
911401582841	DN390B LED6/830 PSU D100 WH CAU	72 °	CE mark	Safety class I	
911401582941	DN390B LED6/840 PSU D100 WH CAU	72 °	CE mark	Safety class I	
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	72 °	CE mark	Safety class I	
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	72 °	CE mark	Safety class I	
911401571841	DN390B LED6/830 PSU D100 ALU GC	60 °	-	Safety class I	
911401571941	DN390B LED6/840 PSU D100 ALU GC	60 °	-	Safety class I	

Order Code	Full Product Name	Beam angle of light		Protection class	
		source	CE mark	IEC	
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	60 °	-	Safety class I	
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	60 °	-	Safety class I	
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	60 °	-	Safety class I	
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	60 °	-	Safety class I	
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	60 °	-	Safety class I	
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	60 °	-	Safety class I	
911401576541	DN391B LED11/830 PSU D100 ALU GC	60 °	-	Safety class I	
911401576641	DN391B LED11/840 PSU D100 ALU GC	60 °	-	Safety class I	
911401576741	DN391B LED11/830 PSD D100 ALU GC	60 °	-	Safety class I	
911401576841	DN391B LED11/840 PSD D100 ALU GC	60 °	-	Safety class I	
911401578041	DN390B LED6/830 PSU D100 ALU GM	60 °	CE mark	Safety class I	

Order Code	Full Product Name	Beam angle		Protection class	
		of light source	CE mark	IEC	
911401578141	DN390B LED6/840 PSU D100 ALU GM	60 °	CE mark	Safety class I	
911401578241	DN390B LED6/865 PSU D100 ALU GM	60 °	CE mark	Safety class I	
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	60 °	CE mark	Safety class I	
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	60 °	CE mark	Safety class I	
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	60 °	CE mark	Safety class I	
911401572041	DN391B LED11/830 PSU D150 WH GC	85 °	-	Safety class I	
911401572141	DN391B LED11/840 PSU D150 WH GC	85 °	-	Safety class I	
911401572241	DN391B LED11/865 PSU D150 WH GC	85 °	-	Safety class I	
911401572641	DN391B LED11/830 PSD D150 WH GC	85 °	-	Safety class I	
911401572741	DN391B LED11/840 PSD D150 WH GC	85 °	-	Safety class I	
911401575741	DN392B LED16/830 POE D150 WH GC	85 °	-	Safety class III	
911401575841	DN392B LED16/840 POE D150 WH GC	85 °	-	Safety class III	
911401576941	DN392B LED16/830 PSU D150 WH GC	85 °	-	Safety class I	
911401577041	DN392B LED16/840 PSU D150 WH GC	85 °	-	Safety class I	
911401577341	DN392B LED16/830 PSD D150 WH GC	85 °	-	Safety class I	
911401577441	DN392B LED16/840 PSD D150 WH GC	85 °	-	Safety class I	
911401578341	DN391B LED11/830 PSU D150 WH GM	85 °	CE mark	Safety class I	
911401578441	DN391B LED11/840 PSU D150 WH GM	85 °	CE mark	Safety class I	
911401578541	DN391B LED11/865 PSU D150 WH GM	85 °	CE mark	Safety class I	
911401578941	DN392B LED16/830 PSU D150 WH GM	85 °	CE mark	Safety class I	
911401579041	DN392B LED16/840 PSU D150 WH GM	85 °	CE mark	Safety class I	
911401579141	DN392B LED16/865 PSU D150 WH GM	85 °	CE mark	Safety class I	
911401581641	DN391B LED11/830 PSD D150 WH GM	85 °	CE mark	Safety class I	
911401581741	DN391B LED11/840 PSD D150 WH GM	85 °	CE mark	Safety class I	
911401583041	DN391B LED11/830 PSU D150 WH CAU	85 °	CE mark	Safety class I	

Order Code	Full Product Name	Beam angle		Protection class	
		of light source	CE mark	IEC	
911401583141	DN391B LED11/840 PSU D150 WH CAU	85 °	CE mark	Safety class I	
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	85 °	CE mark	Safety class I	
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	85 °	CE mark	Safety class I	
911401584241	DN391B LED11/830 PSD D150 WH CAU	85 °	CE mark	Safety class I	
911401584341	DN391B LED11/840 PSD D150 WH CAU	85 °	CE mark	Safety class I	
911401585441	DN392B LED16/830 PSD D150 WH GM	85 °	CE mark	Safety class I	
911401585541	DN392B LED16/840 PSD D150 WH GM	85 °	CE mark	Safety class I	
911401585841	DN391B LED11/830 PSU D150 WH R	85 °	-	Safety class II	
911401586041	DN391B LED11/840 PSU D150 WH R	85 °	-	Safety class II	
911401572341	DN391B LED11/830 PSU D150 ALU GC	60 °	-	Safety class I	
911401572441	DN391B LED11/840 PSU D150 ALU GC	60 °	-	Safety class I	
911401572541	DN391B LED11/865 PSU D150 ALU GC	60 °	-	Safety class I	
911401572841	DN391B LED11/830 PSD D150 ALU GC	60 °	-	Safety class I	
911401572941	DN391B LED11/840 PSD D150 ALU GC	60 °	-	Safety class I	
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	60 °	-	Safety class I	
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	60 °	-	Safety class I	
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	60 °	-	Safety class I	
911401575941	DN392B LED16/830 POE D150 ALU GC	60 °	-	Safety class III	
911401576041	DN392B LED16/840 POE D150 ALU GC	60 °	-	Safety class III	
911401577141	DN392B LED16/830 PSU D150 ALU GC	60 °	-	Safety class I	
911401577241	DN392B LED16/840 PSU D150 ALU GC	60 °	-	Safety class I	
911401577541	DN392B LED16/830 PSD D150 ALU GC	60 °	-	Safety class I	
911401577641	DN392B LED16/840 PSD D150 ALU GC	60 °	-	Safety class I	
911401578641	DN391B LED11/830 PSU D150 ALU GM	60 °	CE mark	Safety class I	
911401578741	DN391B LED11/840 PSU D150 ALU GM	60 °	CE mark	Safety class I	

Order Code	Full Product Name	Beam angle		Protection class	
		of light source	CE mark	IEC	IEC
911401578841	DN391B LED11/865 PSU D150 ALU GM	60 °	CE mark		Safety class I
911401579241	DN392B LED16/830 PSU D150 ALU GM	60 °	CE mark		Safety class I
911401579341	DN392B LED16/840 PSU D150 ALU GM	60 °	CE mark		Safety class I
911401579441	DN392B LED16/865 PSU D150 ALU GM	60 °	CE mark		Safety class I
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	60 °	CE mark		Safety class I
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	60 °	CE mark		Safety class I
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	60 °	CE mark		Safety class I
911401581841	DN391B LED11/830 PSD D150 ALU GM	60 °	CE mark		Safety class I
911401581941	DN391B LED11/840 PSD D150 ALU GM	60 °	CE mark		Safety class I
911401584441	DN391B LED11/830 PSD D150 ALU CAU	60 °	CE mark		Safety class I
911401584541	DN391B LED11/840 PSD D150 ALU CAU	60 °	CE mark		Safety class I
911401585641	DN392B LED16/830 PSD D150 ALU GM	60 °	CE mark		Safety class I
911401585741	DN392B LED16/840 PSD D150 ALU GM	60 °	CE mark		Safety class I
911401585941	DN391B LED11/830 PSU D150 ALU R	60 °	-		Safety class II
911401586141	DN391B LED11/840 PSU D150 ALU R	60 °	-		Safety class II
911401573041	DN392B LED16/830 PSU D200 WH GC	92 °	-		Safety class I
911401573141	DN392B LED16/840 PSU D200 WH GC	92 °	-		Safety class I
911401573241	DN392B LED16/865 PSU D200 WH GC	92 °	-		Safety class I
911401573641	DN392B LED16/830 PSD D200 WH GC	92 °	-		Safety class I
911401573741	DN392B LED16/840 PSD D200 WH GC	92 °	-		Safety class I
911401574041	DN393B LED22/830 PSU D200 WH GC	92 °	-		Safety class I
911401574141	DN393B LED22/840 PSU D200 WH GC	92 °	-		Safety class I
911401574441	DN393B LED22/830 PSD D200 WH GC	92 °	-		Safety class I
911401574541	DN393B LED22/840 PSD D200 WH GC	92 °	-		Safety class I
911401576141	DN393B LED22/830 POE D200 WH GC	92 °	-		Safety class III

Order Code	Full Product Name	Beam angle		Protection class	
		of light source	CE mark	IEC	IEC
911401576241	DN393B LED22/840 POE D200 WH GC	92 °	-		Safety class III
911401579541	DN392B LED16/830 PSU D200 WH GM	92 °	CE mark		Safety class I
911401579641	DN392B LED16/840 PSU D200 WH GM	92 °	CE mark		Safety class I
911401579741	DN392B LED16/865 PSU D200 WH GM	92 °	CE mark		Safety class I
911401580141	DN393B LED22/830 PSU D200 WH GM	92 °	CE mark		Safety class I
911401580241	DN393B LED22/840 PSU D200 WH GM	92 °	CE mark		Safety class I
911401580341	DN393B LED22/865 PSU D200 WH GM	92 °	CE mark		Safety class I
911401582041	DN392B LED16/830 PSD D200 WH GM	92 °	CE mark		Safety class I
911401582141	DN392B LED16/840 PSD D200 WH GM	92 °	CE mark		Safety class I
911401582441	DN393B LED22/830 PSD D200 WH GM	92 °	CE mark		Safety class I
911401582541	DN393B LED22/840 PSD D200 WH GM	92 °	CE mark		Safety class I
911401583241	DN392B LED16/830 PSU D200 WH CAU	92 °	CE mark		Safety class I
911401583341	DN392B LED16/840 PSU D200 WH CAU	92 °	CE mark		Safety class I
911401583441	DN393B LED22/830 PSU D200 WH CAU	92 °	CE mark		Safety class I
911401583541	DN393B LED22/840 PSU D200 WH CAU	92 °	CE mark		Safety class I
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	92 °	CE mark		Safety class I
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	92 °	CE mark		Safety class I
911401584641	DN392B LED16/830 PSD D200 WH CAU	92 °	CE mark		Safety class I
911401584741	DN392B LED16/840 PSD D200 WH CAU	92 °	CE mark		Safety class I
911401585041	DN393B LED22/830 PSD D200 WH CAU	92 °	CE mark		Safety class I
911401585141	DN393B LED22/840 PSD D200 WH CAU	92 °	CE mark		Safety class I
911401586241	DN393B LED22/830 PSU D200 WH R	92 °	-		Safety class II
911401586441	DN393B LED22/840 PSU D200 WH R	92 °	-		Safety class II
911401573341	DN392B LED16/830 PSU D200 ALU GC	60 °	-		Safety class I
911401573441	DN392B LED16/840 PSU D200 ALU GC	60 °	-		Safety class I

Order Code	Full Product Name	Beam angle of light source		Protection class	
		CE mark	IEC	CE mark	IEC
911401573541	DN392B LED16/865 PSU D200 ALU GC	60 °	-		Safety class I
911401573841	DN392B LED16/830 PSD D200 ALU GC	60 °	-		Safety class I
911401573941	DN392B LED16/840 PSD D200 ALU GC	60 °	-		Safety class I
911401574241	DN393B LED22/830 PSU D200 ALU GC	60 °	-		Safety class I
911401574341	DN393B LED22/840 PSU D200 ALU GC	60 °	-		Safety class I
911401574641	DN393B LED22/830 PSD D200 ALU GC	60 °	-		Safety class I
911401574741	DN393B LED22/840 PSD D200 ALU GC	60 °	-		Safety class I
911401576341	DN393B LED22/830 POE D200 ALU GC	60 °	-		Safety class III
911401576441	DN393B LED22/840 POE D200 ALU GC	60 °	-		Safety class III
911401579841	DN392B LED16/830 PSU D200 ALU GM	60 °	CE mark		Safety class I
911401579941	DN392B LED16/840 PSU D200 ALU GM	60 °	CE mark		Safety class I
911401580041	DN392B LED16/865 PSU D200 ALU GM	60 °	CE mark		Safety class I
911401580441	DN393B LED22/830 PSU D200 ALU GM	60 °	CE mark		Safety class I
911401580541	DN393B LED22/840 PSU D200 ALU GM	60 °	CE mark		Safety class I

Order Code	Full Product Name	Beam angle of light source		Protection class	
		CE mark	IEC	CE mark	IEC
911401580641	DN393B LED22/865 PSU D200 ALU GM	60 °	CE mark		Safety class I
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	60 °	CE mark		Safety class I
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	60 °	CE mark		Safety class I
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	60 °	CE mark		Safety class I
911401582241	DN392B LED16/830 PSD D200 ALU GM	60 °	CE mark		Safety class I
911401582341	DN392B LED16/840 PSD D200 ALU GM	60 °	CE mark		Safety class I
911401582641	DN393B LED22/830 PSD D200 ALU GM	60 °	CE mark		Safety class I
911401582741	DN393B LED22/840 PSD D200 ALU GM	60 °	CE mark		Safety class I
911401584841	DN392B LED16/830 PSD D200 ALU CAU	60 °	CE mark		Safety class I
911401584941	DN392B LED16/840 PSD D200 ALU CAU	60 °	CE mark		Safety class I
911401585241	DN393B LED22/830 PSD D200 ALU CAU	60 °	CE mark		Safety class I
911401585341	DN393B LED22/840 PSD D200 ALU CAU	60 °	CE mark		Safety class I
911401586341	DN393B LED22/830 PSU D200 ALU R	60 °	-		Safety class II
911401586541	DN393B LED22/840 PSU D200 ALU R	60 °	-		Safety class II

Initial performance (IEC compliant) (1/2)

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Initial LED luminaire efficacy	Initial luminous flux
			Color Temperature		
911401571641	DN390B LED6/830 PSU D100 WH GC	(0.44,0.403) SDCM<5	3000 K	104 lm/W	570 lm
911401571741	DN390B LED6/840 PSU D100 WH GC	(0.38,0.38) SDCM<5	4000 K	109 lm/W	600 lm
911401577741	DN390B LED6/830 PSU D100 WH GM	(0.44,0.403) SDCM<5	3000 K	104 lm/W	570 lm
911401577841	DN390B LED6/840 PSU D100 WH GM	(0.38,0.38) SDCM<5	4000 K	109 lm/W	600 lm
911401577941	DN390B LED6/865 PSU D100 WH GM	(0.31,0.32) SDCM<5	6500 K	109 lm/W	600 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Initial LED luminaire efficacy	Initial luminous flux
			Color Temperature		
911401582841	DN390B LED6/830 PSU D100 WH CAU	(0.44,0.403) SDCM<5	3000 K	104 lm/W	570 lm
911401582941	DN390B LED6/840 PSU D100 WH CAU	(0.38,0.38) SDCM<5	4000 K	109 lm/W	600 lm
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	(0.44,0.403) SDCM<5	3000 K	104 lm/W	570 lm
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	(0.38,0.38) SDCM<5	4000 K	109 lm/W	600 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401571841	DN390B LED6/830 PSU D100 ALU GC	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401571941	DN390B LED6/840 PSU D100 ALU GC	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	(0.31,0.32)	6500 K	109 lm/W	600 lm
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401576541	DN391B LED11/830 PSU D100 ALU GC	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401576641	DN391B LED11/840 PSU D100 ALU GC	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401576741	DN391B LED11/830 PSD D100 ALU GC	(0.44,0.403)	3000 K	83 lm/W	950 lm
911401576841	DN391B LED11/840 PSD D100 ALU GC	(0.38,0.38)	4000 K	82 lm/W	950 lm
911401578041	DN390B LED6/830 PSU D100 ALU GM	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401578141	DN390B LED6/840 PSU D100 ALU GM	(0.38,0.38)	4000 K	109 lm/W	600 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401578241	DN390B LED6/865 PSU D100 ALU GM	(0.31,0.32)	6500 K	109 lm/W	600 lm
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	(0.31,0.32)	6500 K	109 lm/W	600 lm
911401572041	DN391B LED11/830 PSU D150 WH GC	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401572141	DN391B LED11/840 PSU D150 WH GC	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401572241	DN391B LED11/865 PSU D150 WH GC	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401572641	DN391B LED11/830 PSD D150 WH GC	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401572741	DN391B LED11/840 PSD D150 WH GC	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401575741	DN392B LED16/830 POE D150 WH GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401575841	DN392B LED16/840 POE D150 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401576941	DN392B LED16/830 PSU D150 WH GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401577041	DN392B LED16/840 PSU D150 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401577341	DN392B LED16/830 PSD D150 WH GC	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401577441	DN392B LED16/840 PSD D150 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401578341	DN391B LED11/830 PSU D150 WH GM	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401578441	DN391B LED11/840 PSU D150 WH GM	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401578541	DN391B LED11/865 PSU D150 WH GM	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401578941	DN392B LED16/830 PSU D150 WH GM	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401579041	DN392B LED16/840 PSU D150 WH GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401579141	DN392B LED16/865 PSU D150 WH GM	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401581641	DN391B LED11/830 PSD D150 WH GM	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401581741	DN391B LED11/840 PSD D150 WH GM	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401583041	DN391B LED11/830 PSU D150 WH CAU	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401583141	DN391B LED11/840 PSU D150 WH CAU	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401584241	DN391B LED11/830 PSD D150 WH CAU	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401584341	DN391B LED11/840 PSD D150 WH CAU	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401585441	DN392B LED16/830 PSD D150 WH GM	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401585541	DN392B LED16/840 PSD D150 WH GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401585841	DN391B LED11/830 PSU D150 WH R	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401586041	DN391B LED11/840 PSU D150 WH R	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401572341	DN391B LED11/830 PSU D150 ALU GC	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401572441	DN391B LED11/840 PSU D150 ALU GC	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401572541	DN391B LED11/865 PSU D150 ALU GC	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401572841	DN391B LED11/830 PSD D150 ALU GC	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401572941	DN391B LED11/840 PSD D150 ALU GC	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401575941	DN392B LED16/830 POE D150 ALU GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401576041	DN392B LED16/840 POE D150 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401577141	DN392B LED16/830 PSU D150 ALU GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401577241	DN392B LED16/840 PSU D150 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401577541	DN392B LED16/830 PSD D150 ALU GC	(0.44,0.403)	3000 K	97 lm/W	1500 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401577641	DN392B LED16/840 PSD D150 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401578641	DN391B LED11/830 PSU D150 ALU GM	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401578741	DN391B LED11/840 PSU D150 ALU GM	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401578841	DN391B LED11/865 PSU D150 ALU GM	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401579241	DN392B LED16/830 PSU D150 ALU GM	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401579341	DN392B LED16/840 PSU D150 ALU GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401579441	DN392B LED16/865 PSU D150 ALU GM	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401581841	DN391B LED11/830 PSD D150 ALU GM	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401581941	DN391B LED11/840 PSD D150 ALU GM	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401584441	DN391B LED11/830 PSD D150 ALU CAU	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401584541	DN391B LED11/840 PSD D150 ALU CAU	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401585641	DN392B LED16/830 PSD D150 ALU GM	(0.44,0.403)	3000 K	97 lm/W	1500 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401585741	DN392B LED16/840 PSD D150 ALU GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401585941	DN391B LED11/830 PSU D150 ALU R	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401586141	DN391B LED11/840 PSU D150 ALU R	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401573041	DN392B LED16/830 PSU D200 WH GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401573141	DN392B LED16/840 PSU D200 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401573241	DN392B LED16/865 PSU D200 WH GC	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401573641	DN392B LED16/830 PSD D200 WH GC	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401573741	DN392B LED16/840 PSD D200 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401574041	DN393B LED22/830 PSU D200 WH GC	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401574141	DN393B LED22/840 PSU D200 WH GC	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401574441	DN393B LED22/830 PSD D200 WH GC	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401574541	DN393B LED22/840 PSD D200 WH GC	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401576141	DN393B LED22/830 POE D200 WH GC	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401576241	DN393B LED22/840 POE D200 WH GC	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401579541	DN392B LED16/830 PSU D200 WH GM	(0.44,0.403)	3000 K	103 lm/W	1500 lm



Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401579641	DN392B LED16/840 PSU D200 WH GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401579741	DN392B LED16/865 PSU D200 WH GM	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401580141	DN393B LED22/830 PSU D200 WH GM	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401580241	DN393B LED22/840 PSU D200 WH GM	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401580341	DN393B LED22/865 PSU D200 WH GM	(0.31,0.32)	6500 K	116 lm/W	2200 lm
911401582041	DN392B LED16/830 PSD D200 WH GM	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401582141	DN392B LED16/840 PSD D200 WH GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401582441	DN393B LED22/830 PSD D200 WH GM	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401582541	DN393B LED22/840 PSD D200 WH GM	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401583241	DN392B LED16/830 PSU D200 WH CAU	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401583341	DN392B LED16/840 PSU D200 WH CAU	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401583441	DN393B LED22/830 PSU D200 WH CAU	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401583541	DN393B LED22/840 PSU D200 WH CAU	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401584141	DN393B LED22/840 PSD D200 WH CAU	(0.38,0.38)	4000 K	116 lm/W	2200 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSU D200 WH WP CAU				
911401584641	DN392B LED16/830 PSD D200 WH CAU	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401584741	DN392B LED16/840 PSD D200 WH CAU	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401585041	DN393B LED22/830 PSD D200 WH CAU	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401585141	DN393B LED22/840 PSD D200 WH CAU	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401586241	DN393B LED22/830 PSU D200 WH R	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401586441	DN393B LED22/840 PSD D200 WH R	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401573341	DN392B LED16/830 PSU D200 ALU GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401573441	DN392B LED16/840 PSU D200 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401573541	DN392B LED16/865 PSU D200 ALU GC	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401573841	DN392B LED16/830 PSD D200 ALU GC	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401573941	DN392B LED16/840 PSD D200 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401574241	DN393B LED22/830 PSU D200 ALU GC	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401574341	DN393B LED22/840 PSD D200 ALU GC	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401574641	DN393B LED22/830 PSD D200 ALU GC	(0.44,0.403)	3000 K	102 lm/W	2100 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401574741	DN393B LED22/840 PSD D200 ALU GC	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401576341	DN393B LED22/830 POE D200 ALU GC	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401576441	DN393B LED22/840 POE D200 ALU GC	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401579841	DN392B LED16/830 PSU D200 ALU GM	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401579941	DN392B LED16/840 PSU D200 ALU GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401580041	DN392B LED16/865 PSU D200 ALU GM	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401580441	DN393B LED22/830 PSU D200 ALU GM	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401580541	DN393B LED22/840 PSU D200 ALU GM	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401580641	DN393B LED22/865 PSU D200 ALU GM	(0.31,0.32)	6500 K	116 lm/W	2200 lm
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	(0.38,0.38)	4000 K	116 lm/W	2200 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	(0.31,0.32)	6500 K	116 lm/W	2200 lm
911401582241	DN392B LED16/830 PSD D200 ALU GM	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401582341	DN392B LED16/840 PSD D200 ALU GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401582641	DN393B LED22/830 PSD D200 ALU GM	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401582741	DN393B LED22/840 PSD D200 ALU GM	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401584841	DN392B LED16/830 PSD D200 ALU CAU	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401584941	DN392B LED16/840 PSD D200 ALU CAU	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401585241	DN393B LED22/830 PSD D200 ALU CAU	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401585341	DN393B LED22/840 PSD D200 ALU CAU	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401586341	DN393B LED22/830 PSU D200 ALU R	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401586541	DN393B LED22/840 PSU D200 ALU R	(0.38,0.38)	4000 K	116 lm/W	2200 lm

**Initial performance (IEC compliant) (2/2)**

Order Code	Full Product Name	Initial input power
911401571641	DN390B LED6/830 PSU D100 WH GC	5.5 W
911401571741	DN390B LED6/840 PSU D100 WH GC	5.5 W
911401577741	DN390B LED6/830 PSU D100 WH GM	5.5 W
911401577841	DN390B LED6/840 PSU D100 WH GM	5.5 W
911401577941	DN390B LED6/865 PSU D100 WH GM	5.5 W
911401582841	DN390B LED6/830 PSU D100 WH CAU	5.5 W
911401582941	DN390B LED6/840 PSU D100 WH CAU	5.5 W

Order Code	Full Product Name	Initial input power
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	5.5 W
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	5.5 W
911401571841	DN390B LED6/830 PSU D100 ALU GC	5.5 W
911401571941	DN390B LED6/840 PSU D100 ALU GC	5.5 W
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	5.5 W
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	5.5 W
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	5.5 W

Order Code	Full Product Name	Initial input power
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	9.5 W
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	9.5 W
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	9.5 W
911401576541	DN391B LED11/830 PSU D100 ALU GC	9.5 W
911401576641	DN391B LED11/840 PSU D100 ALU GC	9.5 W
911401576741	DN391B LED11/830 PSD D100 ALU GC	11.5 W
911401576841	DN391B LED11/840 PSD D100 ALU GC	11.5 W
911401578041	DN390B LED6/830 PSU D100 ALU GM	5.5 W
911401578141	DN390B LED6/840 PSU D100 ALU GM	5.5 W
911401578241	DN390B LED6/865 PSU D100 ALU GM	5.5 W
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	5.5 W
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	5.5 W
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	5.5 W
911401572041	DN391B LED11/830 PSU D150 WH GC	9.5 W
911401572141	DN391B LED11/840 PSU D150 WH GC	9.5 W
911401572241	DN391B LED11/865 PSU D150 WH GC	9.5 W
911401572641	DN391B LED11/830 PSD D150 WH GC	11.5 W
911401572741	DN391B LED11/840 PSD D150 WH GC	11.5 W
911401575741	DN392B LED16/830 POE D150 WH GC	14.5 W
911401575841	DN392B LED16/840 POE D150 WH GC	14.5 W
911401576941	DN392B LED16/830 PSU D150 WH GC	14.5 W
911401577041	DN392B LED16/840 PSU D150 WH GC	14.5 W
911401577341	DN392B LED16/830 PSD D150 WH GC	15.5 W
911401577441	DN392B LED16/840 PSD D150 WH GC	15.5 W
911401578341	DN391B LED11/830 PSU D150 WH GM	9.5 W
911401578441	DN391B LED11/840 PSU D150 WH GM	9.5 W
911401578541	DN391B LED11/865 PSU D150 WH GM	9.5 W
911401578941	DN392B LED16/830 PSU D150 WH GM	14.5 W
911401579041	DN392B LED16/840 PSU D150 WH GM	14.5 W
911401579141	DN392B LED16/865 PSU D150 WH GM	14.5 W
911401581641	DN391B LED11/830 PSD D150 WH GM	11.5 W
911401581741	DN391B LED11/840 PSD D150 WH GM	11.5 W
911401583041	DN391B LED11/830 PSU D150 WH CAU	9.5 W
911401583141	DN391B LED11/840 PSU D150 WH CAU	9.5 W
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	9.5 W
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	9.5 W
911401584241	DN391B LED11/830 PSD D150 WH CAU	11.5 W
911401584341	DN391B LED11/840 PSD D150 WH CAU	11.5 W
911401585441	DN392B LED16/830 PSD D150 WH GM	15.5 W
911401585541	DN392B LED16/840 PSD D150 WH GM	15.5 W
911401585841	DN391B LED11/830 PSU D150 WH R	9.5 W
911401586041	DN391B LED11/840 PSU D150 WH R	9.5 W
911401572341	DN391B LED11/830 PSU D150 ALU GC	9.5 W
911401572441	DN391B LED11/840 PSU D150 ALU GC	9.5 W
911401572541	DN391B LED11/865 PSU D150 ALU GC	9.5 W
911401572841	DN391B LED11/830 PSD D150 ALU GC	11.5 W
911401572941	DN391B LED11/840 PSD D150 ALU GC	11.5 W
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	14.5 W
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	14.5 W
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	14.5 W
911401575941	DN392B LED16/830 POE D150 ALU GC	14.5 W
911401576041	DN392B LED16/840 POE D150 ALU GC	14.5 W

Order Code	Full Product Name	Initial input power
911401577141	DN392B LED16/830 PSU D150 ALU GC	14.5 W
911401577241	DN392B LED16/840 PSU D150 ALU GC	14.5 W
911401577541	DN392B LED16/830 PSD D150 ALU GC	15.5 W
911401577641	DN392B LED16/840 PSD D150 ALU GC	15.5 W
911401578641	DN391B LED11/830 PSU D150 ALU GM	9.5 W
911401578741	DN391B LED11/840 PSU D150 ALU GM	9.5 W
911401578841	DN391B LED11/865 PSU D150 ALU GM	9.5 W
911401579241	DN392B LED16/830 PSU D150 ALU GM	14.5 W
911401579341	DN392B LED16/840 PSU D150 ALU GM	14.5 W
911401579441	DN392B LED16/865 PSU D150 ALU GM	14.5 W
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	9.5 W
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	9.5 W
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	9.5 W
911401581841	DN391B LED11/830 PSD D150 ALU GM	11.5 W
911401581941	DN391B LED11/840 PSD D150 ALU GM	11.5 W
911401584441	DN391B LED11/830 PSD D150 ALU CAU	11.5 W
911401584541	DN391B LED11/840 PSD D150 ALU CAU	11.5 W
911401585641	DN392B LED16/830 PSD D150 ALU GM	15.5 W
911401585741	DN392B LED16/840 PSD D150 ALU GM	15.5 W
911401585941	DN391B LED11/830 PSU D150 ALU R	9.5 W
911401586141	DN391B LED11/840 PSU D150 ALU R	9.5 W
911401573041	DN392B LED16/830 PSU D200 WH GC	14.5 W
911401573141	DN392B LED16/840 PSU D200 WH GC	14.5 W
911401573241	DN392B LED16/865 PSU D200 WH GC	14.5 W
911401573641	DN392B LED16/830 PSD D200 WH GC	15.5 W
911401573741	DN392B LED16/840 PSD D200 WH GC	15.5 W
911401574041	DN393B LED22/830 PSU D200 WH GC	19 W
911401574141	DN393B LED22/840 PSU D200 WH GC	19 W
911401574441	DN393B LED22/830 PSD D200 WH GC	20.5 W
911401574541	DN393B LED22/840 PSD D200 WH GC	20.5 W
911401576141	DN393B LED22/830 POE D200 WH GC	20.5 W
911401576241	DN393B LED22/840 POE D200 WH GC	20.5 W
911401579541	DN392B LED16/830 PSU D200 WH GM	14.5 W
911401579641	DN392B LED16/840 PSU D200 WH GM	14.5 W
911401579741	DN392B LED16/865 PSU D200 WH GM	14.5 W
911401580141	DN393B LED22/830 PSU D200 WH GM	19 W
911401580241	DN393B LED22/840 PSU D200 WH GM	19 W
911401580341	DN393B LED22/865 PSU D200 WH GM	19 W
911401582041	DN392B LED16/830 PSD D200 WH GM	15.5 W
911401582141	DN392B LED16/840 PSD D200 WH GM	15.5 W
911401582441	DN393B LED22/830 PSD D200 WH GM	20.5 W
911401582541	DN393B LED22/840 PSD D200 WH GM	20.5 W
911401583241	DN392B LED16/830 PSU D200 WH CAU	14.5 W
911401583341	DN392B LED16/840 PSU D200 WH CAU	14.5 W
911401583441	DN393B LED22/830 PSU D200 WH CAU	19 W
911401583541	DN393B LED22/840 PSU D200 WH CAU	19 W
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	19 W
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	19 W
911401584641	DN392B LED16/830 PSD D200 WH CAU	15.5 W
911401584741	DN392B LED16/840 PSD D200 WH CAU	15.5 W
911401585041	DN393B LED22/830 PSD D200 WH CAU	20.5 W
911401585141	DN393B LED22/840 PSD D200 WH CAU	20.5 W

Order Code	Full Product Name	Initial input power
911401586241	DN393B LED22/830 PSU D200 WH R	19 W
911401586441	DN393B LED22/840 PSU D200 WH R	19 W
911401573341	DN392B LED16/830 PSU D200 ALU GC	14.5 W
911401573441	DN392B LED16/840 PSU D200 ALU GC	14.5 W
911401573541	DN392B LED16/865 PSU D200 ALU GC	14.5 W
911401573841	DN392B LED16/830 PSD D200 ALU GC	15.5 W
911401573941	DN392B LED16/840 PSD D200 ALU GC	15.5 W
911401574241	DN393B LED22/830 PSU D200 ALU GC	19 W
911401574341	DN393B LED22/840 PSU D200 ALU GC	19 W
911401574641	DN393B LED22/830 PSD D200 ALU GC	20.5 W
911401574741	DN393B LED22/840 PSD D200 ALU GC	20.5 W
911401576341	DN393B LED22/830 POE D200 ALU GC	20.5 W
911401576441	DN393B LED22/840 POE D200 ALU GC	20.5 W
911401579841	DN392B LED16/830 PSU D200 ALU GM	14.5 W
911401579941	DN392B LED16/840 PSU D200 ALU GM	14.5 W
911401580041	DN392B LED16/865 PSU D200 ALU GM	14.5 W

Order Code	Full Product Name	Initial input power
911401580441	DN393B LED22/830 PSU D200 ALU GM	19 W
911401580541	DN393B LED22/840 PSU D200 ALU GM	19 W
911401580641	DN393B LED22/865 PSU D200 ALU GM	19 W
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	19 W
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	19 W
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	19 W
911401582241	DN392B LED16/830 PSD D200 ALU GM	15.5 W
911401582341	DN392B LED16/840 PSD D200 ALU GM	15.5 W
911401582641	DN393B LED22/830 PSD D200 ALU GM	20.5 W
911401582741	DN393B LED22/840 PSD D200 ALU GM	20.5 W
911401584841	DN392B LED16/830 PSD D200 ALU CAU	15.5 W
911401584941	DN392B LED16/840 PSD D200 ALU CAU	15.5 W
911401585241	DN393B LED22/830 PSD D200 ALU CAU	20.5 W
911401585341	DN393B LED22/840 PSD D200 ALU CAU	20.5 W
911401586341	DN393B LED22/830 PSU D200 ALU R	19 W
911401586541	DN393B LED22/840 PSU D200 ALU R	19 W

Over time performance (IEC compliant)

Order Code	Full Product Name	Driver failure rate at 5000 h
911401571641	DN390B LED6/830 PSU D100 WH GC	0.12 %
911401571741	DN390B LED6/840 PSU D100 WH GC	0.12 %
911401577741	DN390B LED6/830 PSU D100 WH GM	0.12 %
911401577841	DN390B LED6/840 PSU D100 WH GM	0.12 %
911401577941	DN390B LED6/865 PSU D100 WH GM	0.12 %
911401582841	DN390B LED6/830 PSU D100 WH CAU	0.12 %
911401582941	DN390B LED6/840 PSU D100 WH CAU	0.12 %
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	0.12 %
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	0.12 %
911401571841	DN390B LED6/830 PSU D100 ALU GC	0.12 %
911401571941	DN390B LED6/840 PSU D100 ALU GC	0.12 %
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	0.12 %
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	0.12 %
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	0.12 %
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	0.12 %
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	0.12 %
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	0.12 %
911401576541	DN391B LED11/830 PSU D100 ALU GC	0.12 %
911401576641	DN391B LED11/840 PSU D100 ALU GC	0.12 %
911401576741	DN391B LED11/830 PSD D100 ALU GC	0.12 %
911401576841	DN391B LED11/840 PSD D100 ALU GC	0.12 %
911401578041	DN390B LED6/830 PSU D100 ALU GM	0.12 %
911401578141	DN390B LED6/840 PSU D100 ALU GM	0.12 %
911401578241	DN390B LED6/865 PSU D100 ALU GM	0.12 %
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	0.12 %
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	0.12 %
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	0.12 %
911401572041	DN391B LED11/830 PSU D150 WH GC	0.12 %
911401572141	DN391B LED11/840 PSU D150 WH GC	0.12 %
911401572241	DN391B LED11/865 PSU D150 WH GC	0.12 %
911401572641	DN391B LED11/830 PSD D150 WH GC	0.12 %

Order Code	Full Product Name	Driver failure rate at 5000 h
911401572741	DN391B LED11/840 PSD D150 WH GC	0.12 %
911401575741	DN392B LED16/830 POE D150 WH GC	0.16 %
911401575841	DN392B LED16/840 POE D150 WH GC	0.16 %
911401576941	DN392B LED16/830 PSU D150 WH GC	0.16 %
911401577041	DN392B LED16/840 PSU D150 WH GC	0.16 %
911401577341	DN392B LED16/830 PSD D150 WH GC	0.16 %
911401577441	DN392B LED16/840 PSD D150 WH GC	0.16 %
911401578341	DN391B LED11/830 PSU D150 WH GM	0.12 %
911401578441	DN391B LED11/840 PSU D150 WH GM	0.12 %
911401578541	DN391B LED11/865 PSU D150 WH GM	0.12 %
911401578941	DN392B LED16/830 PSU D150 WH GM	0.16 %
911401579041	DN392B LED16/840 PSU D150 WH GM	0.16 %
911401579141	DN392B LED16/865 PSU D150 WH GM	0.16 %
911401581641	DN391B LED11/830 PSD D150 WH GM	0.12 %
911401581741	DN391B LED11/840 PSD D150 WH GM	0.12 %
911401583041	DN391B LED11/830 PSU D150 WH CAU	0.12 %
911401583141	DN391B LED11/840 PSU D150 WH CAU	0.12 %
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	0.12 %
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	0.12 %
911401584241	DN391B LED11/830 PSD D150 WH CAU	0.12 %
911401584341	DN391B LED11/840 PSD D150 WH CAU	0.12 %
911401585441	DN392B LED16/830 PSD D150 WH GM	0.16 %
911401585541	DN392B LED16/840 PSD D150 WH GM	0.16 %
911401585841	DN391B LED11/830 PSU D150 WH R	0.12 %
911401586041	DN391B LED11/840 PSU D150 WH R	0.12 %
911401572341	DN391B LED11/830 PSU D150 ALU GC	0.12 %
911401572441	DN391B LED11/840 PSU D150 ALU GC	0.12 %
911401572541	DN391B LED11/865 PSU D150 ALU GC	0.12 %
911401572841	DN391B LED11/830 PSD D150 ALU GC	0.12 %
911401572941	DN391B LED11/840 PSD D150 ALU GC	0.12 %
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	0.16 %

Order Code	Full Product Name	Driver failure rate at 5000 h
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	0.16 %
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	0.16 %
911401575941	DN392B LED16/830 POE D150 ALU GC	0.16 %
911401576041	DN392B LED16/840 POE D150 ALU GC	0.16 %
911401577141	DN392B LED16/830 PSU D150 ALU GC	0.16 %
911401577241	DN392B LED16/840 PSU D150 ALU GC	0.16 %
911401577541	DN392B LED16/830 PSD D150 ALU GC	0.16 %
911401577641	DN392B LED16/840 PSD D150 ALU GC	0.16 %
911401578641	DN391B LED11/830 PSU D150 ALU GM	0.12 %
911401578741	DN391B LED11/840 PSU D150 ALU GM	0.12 %
911401578841	DN391B LED11/865 PSU D150 ALU GM	0.12 %
911401579241	DN392B LED16/830 PSU D150 ALU GM	0.16 %
911401579341	DN392B LED16/840 PSU D150 ALU GM	0.16 %
911401579441	DN392B LED16/865 PSU D150 ALU GM	0.16 %
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	0.12 %
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	0.12 %
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	0.12 %
911401581841	DN391B LED11/830 PSD D150 ALU GM	0.12 %
911401581941	DN391B LED11/840 PSD D150 ALU GM	0.12 %
911401584441	DN391B LED11/830 PSD D150 ALU CAU	0.12 %
911401584541	DN391B LED11/840 PSD D150 ALU CAU	0.12 %
911401585641	DN392B LED16/830 PSD D150 ALU GM	0.16 %
911401585741	DN392B LED16/840 PSD D150 ALU GM	0.16 %
911401585941	DN391B LED11/830 PSU D150 ALU R	0.12 %
911401586141	DN391B LED11/840 PSU D150 ALU R	0.12 %
911401573041	DN392B LED16/830 PSU D200 WH GC	0.16 %
911401573141	DN392B LED16/840 PSU D200 WH GC	0.16 %
911401573241	DN392B LED16/865 PSU D200 WH GC	0.16 %
911401573641	DN392B LED16/830 PSD D200 WH GC	0.16 %
911401573741	DN392B LED16/840 PSD D200 WH GC	0.16 %
911401574041	DN393B LED22/830 PSU D200 WH GC	0.12 %
911401574141	DN393B LED22/840 PSU D200 WH GC	0.12 %
911401574441	DN393B LED22/830 PSD D200 WH GC	0.12 %
911401574541	DN393B LED22/840 PSD D200 WH GC	0.12 %
911401576141	DN393B LED22/830 POE D200 WH GC	0.12 %
911401576241	DN393B LED22/840 POE D200 WH GC	0.12 %
911401579541	DN392B LED16/830 PSU D200 WH GM	0.16 %
911401579641	DN392B LED16/840 PSU D200 WH GM	0.16 %
911401579741	DN392B LED16/865 PSU D200 WH GM	0.16 %
911401580141	DN393B LED22/830 PSU D200 WH GM	0.12 %
911401580241	DN393B LED22/840 PSU D200 WH GM	0.12 %
911401580341	DN393B LED22/865 PSU D200 WH GM	0.12 %
911401582041	DN392B LED16/830 PSD D200 WH GM	0.16 %
911401582141	DN392B LED16/840 PSD D200 WH GM	0.16 %
911401582441	DN393B LED22/830 PSD D200 WH GM	0.12 %
911401582541	DN393B LED22/840 PSD D200 WH GM	0.12 %
911401583241	DN392B LED16/830 PSU D200 WH CAU	0.16 %

Order Code	Full Product Name	Driver failure rate at 5000 h
911401583341	DN392B LED16/840 PSU D200 WH CAU	0.16 %
911401583441	DN393B LED22/830 PSU D200 WH CAU	0.12 %
911401583541	DN393B LED22/840 PSU D200 WH CAU	0.12 %
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	0.12 %
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	0.12 %
911401584641	DN392B LED16/830 PSD D200 WH CAU	0.16 %
911401584741	DN392B LED16/840 PSD D200 WH CAU	0.16 %
911401585041	DN393B LED22/830 PSD D200 WH CAU	0.12 %
911401585141	DN393B LED22/840 PSD D200 WH CAU	0.12 %
911401586241	DN393B LED22/830 PSU D200 WH R	0.12 %
911401586441	DN393B LED22/840 PSU D200 WH R	0.12 %
911401573341	DN392B LED16/830 PSU D200 ALU GC	0.16 %
911401573441	DN392B LED16/840 PSU D200 ALU GC	0.16 %
911401573541	DN392B LED16/865 PSU D200 ALU GC	0.16 %
911401573841	DN392B LED16/830 PSD D200 ALU GC	0.16 %
911401573941	DN392B LED16/840 PSD D200 ALU GC	0.16 %
911401574241	DN393B LED22/830 PSU D200 ALU GC	0.12 %
911401574341	DN393B LED22/840 PSU D200 ALU GC	0.12 %
911401574641	DN393B LED22/830 PSD D200 ALU GC	0.12 %
911401574741	DN393B LED22/840 PSD D200 ALU GC	0.12 %
911401576341	DN393B LED22/830 POE D200 ALU GC	0.12 %
911401576441	DN393B LED22/840 POE D200 ALU GC	0.12 %
911401579841	DN392B LED16/830 PSU D200 ALU GM	0.16 %
911401579941	DN392B LED16/840 PSU D200 ALU GM	0.16 %
911401580041	DN392B LED16/865 PSU D200 ALU GM 1	0.16 %
911401580441	DN393B LED22/830 PSU D200 ALU GM	0.12 %
911401580541	DN393B LED22/840 PSU D200 ALU GM	0.12 %
911401580641	DN393B LED22/865 PSU D200 ALU GM	0.12 %
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	0.12 %
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	0.12 %
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	0.12 %
911401582241	DN392B LED16/830 PSD D200 ALU GM	0.16 %
911401582341	DN392B LED16/840 PSD D200 ALU GM	0.16 %
911401582641	DN393B LED22/830 PSD D200 ALU GM	0.12 %
911401582741	DN393B LED22/840 PSD D200 ALU GM	0.12 %
911401584841	DN392B LED16/830 PSD D200 ALU CAU	0.16 %
911401584941	DN392B LED16/840 PSD D200 ALU CAU	0.16 %
911401585241	DN393B LED22/830 PSD D200 ALU CAU	0.12 %
911401585341	DN393B LED22/840 PSD D200 ALU CAU	0.12 %
911401586341	DN393B LED22/830 PSU D200 ALU R	0.12 %
911401586541	DN393B LED22/840 PSU D200 ALU R	0.12 %

