



RoadFlair – Sleek and superior Beyond anticipation

RoadFlair

Designed for major and city roads, Philips RoadFlair is a new and exciting product set to brighten your streets beyond imagination. Smartly-designed to bring cities the highest savings possible with best-in-class lumen per watt, this road lighting production comes at a competitive price bound to excite. Philips RoadFlair brings energy efficiency, improves a city's sustainability drive and delivers significant cost reduction in urban environments. The right road luminaire coupled with the right lighting application will create the best environment for your municipality, benefiting local communities and boosting tourism and businesses.

Benefits

- High lumen efficacy 120 to 140 lumen per watt – much higher than currently available solutions
- Unique functional design Sleek, light-weight and well-designed luminaire
- Control and dimming ready Supports CityTouch connect application, 7-Pin Nema socket and standard outdoor dimming protocols
- Value for money Most competitive product in its segment Perfect for renovation, upgrading projects
- Best-in-class LED lighting technology at an unmatched, competitive price
- Equipped with Service tag, a QR-based identification system that makes each luminaire uniquely identifiable and provides maintenance, installation and spare part information

Features

- Excellent thermal management operating Temperature -40 to 50C
- Exposed Optic - Transparent and weather resistant grade polycarbonate optics
- Multiple optic - Options to meet all road and street lighting application requirements
- Lightweight housing design
- Available in 3000K, 4000K, 5000K and 5700K CCT options
- 10kV or 15kV Surge protection Device

Application

- Pedestrian Road
- Highway Road
- Residential Road
- Interchange

Versions



RoadFlair - 7300 lm - 47 W - 4000 K

BRP391 LED 220-240V DM

BRP392/393 LED 220-240V DM

BRP394 LED 220-240V DM

| Approval and application | |
|-------------------------------------|---------|
| Mech. impact protection code | IK08 |
| General information | |
| CE mark | CE mark |
| Driver included | Yes |
| Initial performance (IEC compliant) | |
| Init. Color Rendering Index | >70 |
| Mechanical and housing | |
| Color | Gray |

Application conditions

| Order Code | Full Product Name | Maximum dim level |
|--------------|--|-------------------|
| 911401603608 | BRP391 LED73/NW 47W DWV P7T SRB SA LM6 | - |
| 911401603708 | BRP391 LED107/NW 74W DWV P7T SRB SA LM6 | - |
| 911401603808 | BRP392 LED201/NW 137W DWV P7T SRB SA LM6 | - |
| 911401603908 | BRP393 LED305/NW 221W DWV P7T SRB SA LM6 | - |
| 911401667506 | BRP391 LED23/NW 16W DWP PSD P7 ANZ | - |

| Order Code | Full Product Name | Maximum dim level |
|--------------|-------------------------------------|-------------------|
| 911401667606 | BRP391 LED36/NW 25W DWP3 PSD P7 ANZ | - |
| 911401667706 | BRP391 LED65/NW 46W DWV PSD P7 ANZ | - |
| 911401667806 | BRP391 LED104/NW 74W DWV PSD P7 ANZ | - |
| 911401861398 | BRP390 LED81/NW 57W 220-240V DM | - |
| 911401861498 | BRP390 LED74/NW 52W 220-240V DM | - |

| Order Code | Full Product Name | Maximum dim level |
|--------------|---------------------------------------|-------------------|
| 911401861598 | BRP390 LED68/NW 48W 220-240V DM | - |
| 911401861698 | BRP390 LED62/NW 46W 220-240V DM | - |
| 911401861798 | BRP390 LED56/NW 41W 220-240V DM | - |
| 911401861898 | BRP390 LED50/NW 36W 220-240V DM | - |
| 911401861998 | BRP391 LED112/NW 80W 220-240V DM PSR | 10% |
| 911401862098 | BRP391 LED105/NW 75W 220-240V DM PSR | 10% |
| 911401862198 | BRP391 LED100/NW 70W 220-240V DM PSR | 10% |
| 911401862298 | BRP391 LED93/NW 67W 220-240V DM PSR | 10% |
| 911401862398 | BRP391 LED87/NW 63W 220-240V DM PSR | 10% |
| 911401865198 | BRP390 LED76/WW 57W 220-240V DM | - |
| 911401865298 | BRP390 LED70/WW 52W 220-240V DM | - |
| 911401865398 | BRP390 LED64/WW 48W 220-240V DM | - |
| 911401865498 | BRP390 LED58/WW 46W 220-240V DM | - |
| 911401865598 | BRP390 LED52/WW 41W 220-240V DM | - |
| 911401865698 | BRP390 LED46/WW 36W 220-240V DM | - |
| 911401865798 | BRP391 LED105/WW 80W 220-240V DM PSR | 10% |
| 911401865898 | BRP391 LED100/WW 75W 220-240V DM PSR | 10% |
| 911401865998 | BRP391 LED93/WW 70W 220-240V DM PSR | 10% |
| 911401866098 | BRP391 LED87/WW 67W 220-240V DM PSR | 10% |
| 911401866198 | BRP391 LED81/WW 63W 220-240V DM PSR | 10% |
| 911401862498 | BRP392 LED224/NW 158W 220-240V DM PSR | 10% |
| 911401862598 | BRP392 LED212/NW 150W 220-240V DM PSR | 10% |
| 911401862698 | BRP392 LED200/NW 138W 220-240V DM PSR | 10% |
| 911401862798 | BRP392 LED186/NW 130W 220-240V DM PSR | 10% |
| 911401862898 | BRP392 LED174/NW 121W 220-240V DM PSR | 10% |
| 911401862998 | BRP392 LED161/NW 113W 220-240V DM PSR | 10% |
| 911401863098 | BRP392 LED150/NW 104W 220-240V DM PSR | 10% |
| 911401863198 | BRP392 LED136/NW 96W 220-240V DM PSR | 10% |
| 911401863298 | BRP392 LED124/NW 88W 220-240V DM PSR | 10% |
| 911401863398 | BRP393 LED323/NW 225W 220-240V DM PSR | 10% |
| 911401863498 | BRP393 LED311/NW 217W 220-240V DM PSR | 10% |
| 911401863598 | BRP393 LED298/NW 208W 220-240V DM PSR | 10% |
| 911401863698 | BRP393 LED286/NW 200W 220-240V DM PSR | 10% |
| 911401863798 | BRP393 LED273/NW 192W 220-240V DM PSR | 10% |
| 911401863898 | BRP393 LED261/NW 183W 220-240V DM PSR | 10% |
| 911401863998 | BRP393 LED248/NW 174W 220-240V DM PSR | 10% |
| 911401864098 | BRP393 LED236/NW 166W 220-240V DM PSR | 10% |

| Order Code | Full Product Name | Maximum dim level |
|--------------|---------------------------------------|-------------------|
| 911401866298 | BRP392 LED210/WW 158W 220-240V DM PSR | 10% |
| 911401866398 | BRP392 LED200/WW 150W 220-240V DM PSR | 10% |
| 911401866498 | BRP392 LED186/WW 138W 220-240V DM PSR | 10% |
| 911401866598 | BRP392 LED175/WW 130W 220-240V DM PSR | 10% |
| 911401866698 | BRP392 LED163/WW 121W 220-240V DM PSR | 10% |
| 911401866798 | BRP392 LED151/WW 113W 220-240V DM PSR | 10% |
| 911401866898 | BRP392 LED140/WW 104W 220-240V DM PSR | 10% |
| 911401866998 | BRP392 LED128/WW 96W 220-240V DM PSR | 10% |
| 911401867098 | BRP392 LED116/WW 88W 220-240V DM PSR | 10% |
| 911401867198 | BRP393 LED303/WW 225W 220-240V DM PSR | 10% |
| 911401867298 | BRP393 LED291/WW 217W 220-240V DM PSR | 10% |
| 911401867398 | BRP393 LED280/WW 208W 220-240V DM PSR | 10% |
| 911401867498 | BRP393 LED268/WW 200W 220-240V DM PSR | 10% |
| 911401867598 | BRP393 LED256/WW 192W 220-240V DM PSR | 10% |
| 911401867698 | BRP393 LED245/WW 183W 220-240V DM PSR | 10% |
| 911401867798 | BRP393 LED233/WW 174W 220-240V DM PSR | 10% |
| 911401867898 | BRP393 LED221/WW 166W 220-240V DM PSR | 10% |
| 911401864198 | BRP394 LED449/NW 316W 220-240V DM PSR | 10% |
| 911401864298 | BRP394 LED437/NW 308W 220-240V DM PSR | 10% |
| 911401864398 | BRP394 LED424/NW 300W 220-240V DM PSR | 10% |
| 911401864498 | BRP394 LED412/NW 285W 220-240V DM PSR | 10% |
| 911401864598 | BRP394 LED398/NW 276W 220-240V DM PSR | 10% |
| 911401864698 | BRP394 LED385/NW 268W 220-240V DM PSR | 10% |
| 911401864798 | BRP394 LED373/NW 259W 220-240V DM PSR | 10% |
| 911401864898 | BRP394 LED360/NW 251W 220-240V DM PSR | 10% |
| 911401864998 | BRP394 LED348/NW 242W 220-240V DM PSR | 10% |
| 911401865098 | BRP394 LED336/NW 234W 220-240V DM PSR | 10% |
| 911401867998 | BRP394 LED421/WW 316W 220-240V DM PSR | 10% |
| 911401868098 | BRP394 LED410/WW 308W 220-240V DM PSR | 10% |
| 911401868198 | BRP394 LED400/WW 300W 220-240V DM PSR | 10% |
| 911401868298 | BRP394 LED386/WW 285W 220-240V DM PSR | 10% |
| 911401868398 | BRP394 LED373/WW 276W 220-240V DM PSR | 10% |
| 911401868498 | BRP394 LED361/WW 268W 220-240V DM PSR | 10% |
| 911401868598 | BRP394 LED350/WW 259W 220-240V DM PSR | 10% |
| 911401868698 | BRP394 LED338/WW 251W 220-240V DM PSR | 10% |
| 911401868798 | BRP394 LED326/WW 242W 220-240V DM PSR | 10% |
| 911401868898 | BRP394 LED315/WW 234W 220-240V DM PSR | 10% |

Controls and dimming

| Order Code | Full Product Name | Dimmable |
|--------------|--|----------|
| 911401603608 | BRP391 LED73/NW 47W DWV P7T SRB SA LM6 | Yes |
| 911401603708 | BRP391 LED107/NW 74W DWV P7T SRB SA LM6 | Yes |
| 911401603808 | BRP392 LED201/NW 137W DWV P7T SRB SA LM6 | Yes |
| 911401603908 | BRP393 LED305/NW 221W DWV P7T SRB SA LM6 | Yes |
| 911401667506 | BRP391 LED23/NW 16W DWP PSD P7 ANZ | Yes |
| 911401667606 | BRP391 LED36/NW 25W DWP3 PSD P7 ANZ | Yes |
| 911401667706 | BRP391 LED65/NW 46W DWV PSD P7 ANZ | Yes |
| 911401667806 | BRP391 LED104/NW 74W DWV PSD P7 ANZ | Yes |
| 911401861398 | BRP390 LED81/NW 57W 220-240V DM | No |
| 911401861498 | BRP390 LED74/NW 52W 220-240V DM | No |
| 911401861598 | BRP390 LED68/NW 48W 220-240V DM | No |

| Order Code | Full Product Name | Dimmable |
|--------------|--------------------------------------|----------|
| 911401861698 | BRP390 LED62/NW 46W 220-240V DM | No |
| 911401861798 | BRP390 LED56/NW 41W 220-240V DM | No |
| 911401861898 | BRP390 LED50/NW 36W 220-240V DM | No |
| 911401861998 | BRP391 LED112/NW 80W 220-240V DM PSR | Yes |
| 911401862098 | BRP391 LED105/NW 75W 220-240V DM PSR | Yes |
| 911401862198 | BRP391 LED100/NW 70W 220-240V DM PSR | Yes |
| 911401862298 | BRP391 LED93/NW 67W 220-240V DM PSR | Yes |
| 911401862398 | BRP391 LED87/NW 63W 220-240V DM PSR | Yes |
| 911401865198 | BRP390 LED76/WW 57W 220-240V DM | No |
| 911401865298 | BRP390 LED70/WW 52W 220-240V DM | No |
| 911401865398 | BRP390 LED64/WW 48W 220-240V DM | No |

| Order Code | Full Product Name | Dimmable |
|--------------|---------------------------------------|----------|
| 911401865498 | BRP390 LED58/WW 46W 220-240V DM | No |
| 911401865598 | BRP390 LED52/WW 41W 220-240V DM | No |
| 911401865698 | BRP390 LED46/WW 36W 220-240V DM | No |
| 911401865798 | BRP391 LED105/WW 80W 220-240V DM PSR | Yes |
| 911401865898 | BRP391 LED100/WW 75W 220-240V DM PSR | Yes |
| 911401865998 | BRP391 LED93/WW 70W 220-240V DM PSR | Yes |
| 911401866098 | BRP391 LED87/WW 67W 220-240V DM PSR | Yes |
| 911401866198 | BRP391 LED81/WW 63W 220-240V DM PSR | Yes |
| 911401862498 | BRP392 LED224/NW 158W 220-240V DM PSR | Yes |
| 911401862598 | BRP392 LED212/NW 150W 220-240V DM PSR | Yes |
| 911401862698 | BRP392 LED200/NW 138W 220-240V DM PSR | Yes |
| 911401862798 | BRP392 LED186/NW 130W 220-240V DM PSR | Yes |
| 911401862898 | BRP392 LED174/NW 121W 220-240V DM PSR | Yes |
| 911401862998 | BRP392 LED161/NW 113W 220-240V DM PSR | Yes |
| 911401863098 | BRP392 LED150/NW 104W 220-240V DM PSR | Yes |
| 911401863198 | BRP392 LED136/NW 96W 220-240V DM PSR | Yes |
| 911401863298 | BRP392 LED124/NW 88W 220-240V DM PSR | Yes |
| 911401863398 | BRP393 LED323/NW 225W 220-240V DM PSR | Yes |
| 911401863498 | BRP393 LED311/NW 217W 220-240V DM PSR | Yes |
| 911401863598 | BRP393 LED298/NW 208W 220-240V DM PSR | Yes |
| 911401863698 | BRP393 LED286/NW 200W 220-240V DM PSR | Yes |
| 911401863798 | BRP393 LED273/NW 192W 220-240V DM PSR | Yes |
| 911401863898 | BRP393 LED261/NW 183W 220-240V DM PSR | Yes |
| 911401863998 | BRP393 LED248/NW 174W 220-240V DM PSR | Yes |
| 911401864098 | BRP393 LED236/NW 166W 220-240V DM PSR | Yes |
| 911401866298 | BRP392 LED210/WW 158W 220-240V DM PSR | Yes |
| 911401866398 | BRP392 LED200/WW 150W 220-240V DM PSR | Yes |
| 911401866498 | BRP392 LED186/WW 138W 220-240V DM PSR | Yes |
| 911401866598 | BRP392 LED175/WW 130W 220-240V DM PSR | Yes |
| 911401866698 | BRP392 LED163/WW 121W 220-240V DM PSR | Yes |
| 911401866798 | BRP392 LED151/WW 113W 220-240V DM PSR | Yes |

| Order Code | Full Product Name | Dimmable |
|--------------|---------------------------------------|----------|
| 911401866898 | BRP392 LED140/WW 104W 220-240V DM PSR | Yes |
| 911401866998 | BRP392 LED128/WW 96W 220-240V DM PSR | Yes |
| 911401867098 | BRP392 LED116/WW 88W 220-240V DM PSR | Yes |
| 911401867198 | BRP393 LED303/WW 225W 220-240V DM PSR | Yes |
| 911401867298 | BRP393 LED291/WW 217W 220-240V DM PSR | Yes |
| 911401867398 | BRP393 LED280/WW 208W 220-240V DM PSR | Yes |
| 911401867498 | BRP393 LED268/WW 200W 220-240V DM PSR | Yes |
| 911401867598 | BRP393 LED256/WW 192W 220-240V DM PSR | Yes |
| 911401867698 | BRP393 LED245/WW 183W 220-240V DM PSR | Yes |
| 911401867798 | BRP393 LED233/WW 174W 220-240V DM PSR | Yes |
| 911401867898 | BRP393 LED221/WW 166W 220-240V DM PSR | Yes |
| 911401864198 | BRP394 LED449/NW 316W 220-240V DM PSR | Yes |
| 911401864298 | BRP394 LED437/NW 308W 220-240V DM PSR | Yes |
| 911401864398 | BRP394 LED424/NW 300W 220-240V DM PSR | Yes |
| 911401864498 | BRP394 LED412/NW 285W 220-240V DM PSR | Yes |
| 911401864598 | BRP394 LED398/NW 276W 220-240V DM PSR | Yes |
| 911401864698 | BRP394 LED385/NW 268W 220-240V DM PSR | Yes |
| 911401864798 | BRP394 LED373/NW 259W 220-240V DM PSR | Yes |
| 911401864898 | BRP394 LED360/NW 251W 220-240V DM PSR | Yes |
| 911401864998 | BRP394 LED348/NW 242W 220-240V DM PSR | Yes |
| 911401865098 | BRP394 LED336/NW 234W 220-240V DM PSR | Yes |
| 911401867998 | BRP394 LED421/WW 316W 220-240V DM PSR | Yes |
| 911401868098 | BRP394 LED410/WW 308W 220-240V DM PSR | Yes |
| 911401868198 | BRP394 LED400/WW 300W 220-240V DM PSR | Yes |
| 911401868298 | BRP394 LED386/WW 285W 220-240V DM PSR | Yes |
| 911401868398 | BRP394 LED373/WW 276W 220-240V DM PSR | Yes |
| 911401868498 | BRP394 LED361/WW 268W 220-240V DM PSR | Yes |
| 911401868598 | BRP394 LED350/WW 259W 220-240V DM PSR | Yes |
| 911401868698 | BRP394 LED338/WW 251W 220-240V DM PSR | Yes |
| 911401868798 | BRP394 LED326/WW 242W 220-240V DM PSR | Yes |
| 911401868898 | BRP394 LED315/WW 234W 220-240V DM PSR | Yes |

General information

| Order Code | Full Product Name | Light | | | |
|--------------|--|---------------|--------------------------|-------------------|--------------------------|
| | | source color | Optical cover/ lens type | Flammability mark | Light source replaceable |
| 911401603608 | BRP391 LED73/NW 47W DWV P7T SRB SA LM6 | Neutral white | Clear dome | - | - |
| 911401603708 | BRP391 LED107/NW 74W DWV P7T SRB SA LM6 | Neutral white | Clear dome | - | - |
| 911401603808 | BRP392 LED201/NW 137W DWV P7T SRB SA LM6 | Neutral white | Clear dome | - | - |

| Order Code | Full Product Name | Light | | | |
|--------------|--|-------------------|--------------------------|---|--------------------------|
| | | source color | Optical cover/ lens type | Flammability mark | Light source replaceable |
| 911401603908 | BRP393 LED305/NW 221W DWV P7T SRB SA LM6 | Neutral white | Clear dome | - | - |
| 911401667506 | BRP391 LED23/NW 16W DWP PSD P7 ANZ | 740 neutral white | Polycarbonate | For mounting on normally flammable surfaces | - |
| 911401667606 | BRP391 LED36/NW 25W DWP3 PSD P7 ANZ | 740 neutral white | Polycarbonate | For mounting on normally flammable surfaces | - |

| Order Code | Full Product Name | Light | | Flammability mark | Light source replaceable |
|--------------|-------------------|--------------|--------------------------|-------------------|--------------------------|
| | | source color | Optical cover/ lens type | | |
| 911401667706 | BRP391 | 740 | Polycarbonate | For mounting | - |
| | LED65/NW | neutral | | on normally | |
| | 46W DWV | white | | flammable | |
| | PSD P7 ANZ | | | surfaces | |
| 911401667806 | BRP391 | 740 | Polycarbonate | For mounting | - |
| | LED104/NW | neutral | | on normally | |
| | 74W DWV | white | | flammable | |
| | PSD P7 ANZ | | | surfaces | |
| 911401861398 | BRP390 | 740 | Polycarbonate | For mounting | No |
| | LED81/NW | neutral | micro lens optic | on normally | |
| | 57W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401861498 | BRP390 | 740 | Polycarbonate | For mounting | No |
| | LED74/NW | neutral | micro lens optic | on normally | |
| | 52W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401861598 | BRP390 | 740 | Polycarbonate | For mounting | No |
| | LED68/NW | neutral | micro lens optic | on normally | |
| | 48W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401861698 | BRP390 | 740 | Polycarbonate | For mounting | No |
| | LED62/NW | neutral | micro lens optic | on normally | |
| | 46W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401861798 | BRP390 | 740 | Polycarbonate | For mounting | No |
| | LED56/NW | neutral | micro lens optic | on normally | |
| | 41W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401861898 | BRP390 | 740 | Polycarbonate | For mounting | No |
| | LED50/NW | neutral | micro lens optic | on normally | |
| | 36W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401861998 | BRP391 | 740 | Polycarbonate | For mounting | No |
| | LED112/NW | neutral | micro lens optic | on normally | |
| | 80W | white | | flammable | |
| | 220-240V DM PSR | | | surfaces | |
| 911401862098 | BRP391 | 740 | Polycarbonate | For mounting | No |
| | LED105/NW | neutral | micro lens optic | on normally | |
| | 75W | white | | flammable | |
| | 220-240V DM PSR | | | surfaces | |

| Order Code | Full Product Name | Light | | Flammability mark | Light source replaceable |
|--------------|-------------------|--------------|--------------------------|-------------------|--------------------------|
| | | source color | Optical cover/ lens type | | |
| 911401862198 | BRP391 | 740 | Polycarbonate | For mounting | No |
| | LED100/NW | neutral | micro lens optic | on normally | |
| | 70W | white | | flammable | |
| | 220-240V DM PSR | | | surfaces | |
| 911401862298 | BRP391 | 740 | Polycarbonate | For mounting | No |
| | LED93/NW | neutral | micro lens optic | on normally | |
| | 67W | white | | flammable | |
| | 220-240V DM PSR | | | surfaces | |
| 911401862398 | BRP391 | 740 | Polycarbonate | For mounting | No |
| | LED87/NW | neutral | micro lens optic | on normally | |
| | 63W | white | | flammable | |
| | 220-240V DM PSR | | | surfaces | |
| 911401865198 | BRP390 | 730 | Polycarbonate | For mounting | No |
| | LED76/WW | warm | micro lens optic | on normally | |
| | 57W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401865298 | BRP390 | 730 | Polycarbonate | For mounting | No |
| | LED70/WW | warm | micro lens optic | on normally | |
| | 52W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401865398 | BRP390 | 730 | Polycarbonate | For mounting | No |
| | LED64/WW | warm | micro lens optic | on normally | |
| | 48W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401865498 | BRP390 | 730 | Polycarbonate | For mounting | No |
| | LED58/WW | warm | micro lens optic | on normally | |
| | 46W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401865598 | BRP390 | 730 | Polycarbonate | For mounting | No |
| | LED52/WW | warm | micro lens optic | on normally | |
| | 41W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401865698 | BRP390 | 730 | Polycarbonate | For mounting | No |
| | LED46/WW | warm | micro lens optic | on normally | |
| | 36W | white | | flammable | |
| | 220-240V DM | | | surfaces | |
| 911401865798 | BRP391 | 730 | Polycarbonate | For mounting | No |
| | LED105/WW | warm | micro lens optic | on normally | |
| | 80W | white | | flammable | |
| | 220-240V DM PSR | | | surfaces | |

| Order Code | Full Product Name | Light | | Flammability mark | Light source replaceable |
|--------------|-------------------|--------------|--------------------------|-------------------|--------------------------|
| | | source color | Optical cover/ lens type | | |
| 911401865898 | BRP391 | 730 | Polycarbonate | For mounting | No |
| | LED100/WW | warm | micro lens optic | on normally | |
| | 75W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401865998 | BRP391 | 730 | Polycarbonate | For mounting | No |
| | LED93/WW | warm | micro lens optic | on normally | |
| | 70W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866098 | BRP391 | 730 | Polycarbonate | For mounting | No |
| | LED87/WW | warm | micro lens optic | on normally | |
| | 67W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866198 | BRP391 | 730 | Polycarbonate | For mounting | No |
| | LED81/WW | warm | micro lens optic | on normally | |
| | 63W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401862498 | BRP392 | 740 | Polycarbonate | For mounting | No |
| | LED224/NW | neutral | micro lens optic | on normally | |
| | 158W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401862598 | BRP392 | 740 | Polycarbonate | For mounting | No |
| | LED212/NW | neutral | micro lens optic | on normally | |
| | 150W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401862698 | BRP392 | 740 | Polycarbonate | For mounting | No |
| | LED200/NW | neutral | micro lens optic | on normally | |
| | 138W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401862798 | BRP392 | 740 | Polycarbonate | For mounting | No |
| | LED186/NW | neutral | micro lens optic | on normally | |
| | 130W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401862898 | BRP392 | 740 | Polycarbonate | For mounting | No |
| | LED174/NW | neutral | micro lens optic | on normally | |
| | 121W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401862998 | BRP392 | 740 | Polycarbonate | For mounting | No |
| | LED161/NW | neutral | micro lens optic | on normally | |
| | 113W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |

| Order Code | Full Product Name | Light | | Flammability mark | Light source replaceable |
|--------------|-------------------|--------------|--------------------------|-------------------|--------------------------|
| | | source color | Optical cover/ lens type | | |
| 911401863098 | BRP392 | 740 | Polycarbonate | For mounting | No |
| | LED150/NW | neutral | micro lens optic | on normally | |
| | 104W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401863198 | BRP392 | 740 | Polycarbonate | For mounting | No |
| | LED136/NW | neutral | micro lens optic | on normally | |
| | 96W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401863298 | BRP392 | 740 | Polycarbonate | For mounting | No |
| | LED124/NW | neutral | micro lens optic | on normally | |
| | 88W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401863398 | BRP393 | 740 | Polycarbonate | For mounting | No |
| | LED323/NW | neutral | micro lens optic | on normally | |
| | 225W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401863498 | BRP393 | 740 | Polycarbonate | For mounting | No |
| | LED311/NW | neutral | micro lens optic | on normally | |
| | 217W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401863598 | BRP393 | 740 | Polycarbonate | For mounting | No |
| | LED298/NW | neutral | micro lens optic | on normally | |
| | 208W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401863698 | BRP393 | 740 | Polycarbonate | For mounting | No |
| | LED286/NW | neutral | micro lens optic | on normally | |
| | 200W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401863798 | BRP393 | 740 | Polycarbonate | For mounting | No |
| | LED273/NW | neutral | micro lens optic | on normally | |
| | 192W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401863898 | BRP393 | 740 | Polycarbonate | For mounting | No |
| | LED261/NW | neutral | micro lens optic | on normally | |
| | 183W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401863998 | BRP393 | 740 | Polycarbonate | For mounting | No |
| | LED248/NW | neutral | micro lens optic | on normally | |
| | 174W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |

| Order Code | Full Product Name | Light | | Flammability mark | Light source replaceable |
|--------------|-------------------|--------------|--------------------------|-------------------|--------------------------|
| | | source color | Optical cover/ lens type | | |
| 911401864098 | BRP393 | 740 | Polycarbonate | For mounting | No |
| | LED236/NW | neutral | micro lens optic | on normally | |
| | 166W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866298 | BRP392 | 730 | Polycarbonate | For mounting | No |
| | LED210/WW | warm | micro lens optic | on normally | |
| | 158W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866398 | BRP392 | 730 | Polycarbonate | For mounting | No |
| | LED200/W | warm | micro lens optic | on normally | |
| | W 150W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866498 | BRP392 | 730 | Polycarbonate | For mounting | No |
| | LED186/WW | warm | micro lens optic | on normally | |
| | 138W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866598 | BRP392 | 730 | Polycarbonate | For mounting | No |
| | LED175/WW | warm | micro lens optic | on normally | |
| | 130W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866698 | BRP392 | 730 | Polycarbonate | For mounting | No |
| | LED163/WW | warm | micro lens optic | on normally | |
| | 121W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866798 | BRP392 | 730 | Polycarbonate | For mounting | No |
| | LED151/WW | warm | micro lens optic | on normally | |
| | 113W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866898 | BRP392 | 730 | Polycarbonate | For mounting | No |
| | LED140/WW | warm | micro lens optic | on normally | |
| | 104W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401866998 | BRP392 | 730 | Polycarbonate | For mounting | No |
| | LED128/WW | warm | micro lens optic | on normally | |
| | 96W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401867098 | BRP392 | 730 | Polycarbonate | For mounting | No |
| | LED116/WW | warm | micro lens optic | on normally | |
| | 88W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |

| Order Code | Full Product Name | Light | | Flammability mark | Light source replaceable |
|--------------|-------------------|--------------|--------------------------|-------------------|--------------------------|
| | | source color | Optical cover/ lens type | | |
| 911401867198 | BRP393 | 730 | Polycarbonate | For mounting | No |
| | LED303/WW | warm | micro lens optic | on normally | |
| | 225W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401867298 | BRP393 | 730 | Polycarbonate | For mounting | No |
| | LED291/WW | warm | micro lens optic | on normally | |
| | 217W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401867398 | BRP393 | 730 | Polycarbonate | For mounting | No |
| | LED280/WW | warm | micro lens optic | on normally | |
| | 208W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401867498 | BRP393 | 730 | Polycarbonate | For mounting | No |
| | LED268/WW | warm | micro lens optic | on normally | |
| | 200W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401867598 | BRP393 | 730 | Polycarbonate | For mounting | No |
| | LED256/WW | warm | micro lens optic | on normally | |
| | 192W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401867698 | BRP393 | 730 | Polycarbonate | For mounting | No |
| | LED245/WW | warm | micro lens optic | on normally | |
| | 183W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401867798 | BRP393 | 730 | Polycarbonate | For mounting | No |
| | LED233/WW | warm | micro lens optic | on normally | |
| | 174W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401867898 | BRP393 | 730 | Polycarbonate | For mounting | No |
| | LED221/WW | warm | micro lens optic | on normally | |
| | 166W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401864198 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED449/NW | neutral | micro lens optic | on normally | |
| | 316W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401864298 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED437/NW | neutral | micro lens optic | on normally | |
| | 308W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |

| Order Code | Full Product Name | Light | | Flammability mark | Light source replaceable |
|--------------|-------------------|--------------|--------------------------|-------------------|--------------------------|
| | | source color | Optical cover/ lens type | | |
| 911401864398 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED424/NW | neutral | micro lens optic | on normally | |
| | 300W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401864498 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED412/NW | neutral | micro lens optic | on normally | |
| | 285W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401864598 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED398/NW | neutral | micro lens optic | on normally | |
| | 276W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401864698 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED385/NW | neutral | micro lens optic | on normally | |
| | 268W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401864798 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED373/NW | neutral | micro lens optic | on normally | |
| | 259W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401864898 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED360/NW | neutral | micro lens optic | on normally | |
| | 251W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401864998 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED348/NW | neutral | micro lens optic | on normally | |
| | 242W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401865098 | BRP394 | 740 | Polycarbonate | For mounting | No |
| | LED336/NW | neutral | micro lens optic | on normally | |
| | 234W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401867998 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED421/WW | warm | micro lens optic | on normally | |
| | 316W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |

| Order Code | Full Product Name | Light | | Flammability mark | Light source replaceable |
|--------------|-------------------|--------------|--------------------------|-------------------|--------------------------|
| | | source color | Optical cover/ lens type | | |
| 911401868098 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED410/WW | warm | micro lens optic | on normally | |
| | 308W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401868198 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED400/W | warm | micro lens optic | on normally | |
| | W 300W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401868298 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED386/WW | warm | micro lens optic | on normally | |
| | 285W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401868398 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED373/WW | warm | micro lens optic | on normally | |
| | 276W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401868498 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED361/WW | warm | micro lens optic | on normally | |
| | 268W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401868598 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED350/WW | warm | micro lens optic | on normally | |
| | 259W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401868698 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED338/WW | warm | micro lens optic | on normally | |
| | 251W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401868798 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED326/WW | warm | micro lens optic | on normally | |
| | 242W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |
| 911401868898 | BRP394 | 730 | Polycarbonate | For mounting | No |
| | LED315/WW | warm | micro lens optic | on normally | |
| | 234W | white | | flammable | |
| | 220-240V | | | surfaces | |
| | DM PSR | | | | |

Initial performance (IEC compliant)

| Order Code | Full Product Name | Init. Corr. Color Temperature | Initial luminous flux |
|--------------|---|-------------------------------|-----------------------|
| 911401603608 | BRP391 LED73/NW 47W DWV P7T SRB SA LM6 | 4000 K | 7300 lm |
| 911401603708 | BRP391 LED107/NW 74W DWV P7T SRB SA LM6 | 4000 K | 10700 lm |
| 911401603808 | BRP392 LED201/NW 137W DWV P7T SRB SA LM6 | 4000 K | 20100 lm |
| 911401603908 | BRP393 LED305/NW 221W DWV P7T SRB SA LM6 | 4000 K | 30500 lm |
| 911401667506 | BRP391 LED23/NW 16W DWP PSD P7 ANZ | 4000 K | 2300 lm |
| 911401667606 | BRP391 LED36/NW 25W DWP3 PSD P7 ANZ | 4000 K | 3600 lm |
| 911401667706 | BRP391 LED65/NW 46W DWV PSD P7 ANZ | 4000 K | 6500 lm |
| 911401667806 | BRP391 LED104/NW 74W DWV PSD P7 ANZ | 4000 K | 10400 lm |
| 911401861398 | BRP390 LED81/NW 57W 220-240V DM | 4000 K | 8123 lm |
| 911401861498 | BRP390 LED74/NW 52W 220-240V DM | 4000 K | 7498 lm |
| 911401861598 | BRP390 LED68/NW 48W 220-240V DM | 4000 K | 6874 lm |
| 911401861698 | BRP390 LED62/NW 46W 220-240V DM | 4000 K | 6249 lm |
| 911401861798 | BRP390 LED56/NW 41W 220-240V DM | 4000 K | 5624 lm |
| 911401861898 | BRP390 LED50/NW 36W 220-240V DM | 4000 K | 4999 lm |
| 911401861998 | BRP391 LED112/NW 80W 220-240V DM PSR | 4000 K | 11201 lm |
| 911401862098 | BRP391 LED105/NW 75W 220-240V DM PSR | 4000 K | 10579 lm |
| 911401862198 | BRP391 LED100/NW 70W 220-240V DM PSR | 4000 K | 9957 lm |
| 911401862298 | BRP391 LED93/NW 67W 220-240V DM PSR | 4000 K | 9334 lm |
| 911401862398 | BRP391 LED87/NW 63W 220-240V DM PSR | 4000 K | 8712 lm |
| 911401865198 | BRP390 LED76/WW 57W 220-240V DM | 3000 K | 7615 lm |
| 911401865298 | BRP390 LED70/WW 52W 220-240V DM | 3000 K | 7030 lm |
| 911401865398 | BRP390 LED64/WW 48W 220-240V DM | 3000 K | 6444 lm |
| 911401865498 | BRP390 LED58/WW 46W 220-240V DM | 3000 K | 5859 lm |
| 911401865598 | BRP390 LED52/WW 41W 220-240V DM | 3000 K | 5272 lm |
| 911401865698 | BRP390 LED46/WW 36W 220-240V DM | 3000 K | 4687 lm |

| Order Code | Full Product Name | Init. Corr. Color Temperature | Initial luminous flux |
|--------------|--|-------------------------------|-----------------------|
| 911401865798 | BRP391 LED105/WW 80W 220-240V DM PSR | 3000 K | 10501 lm |
| 911401865898 | BRP391 LED100/WW 75W 220-240V DM PSR | 3000 K | 9918 lm |
| 911401865998 | BRP391 LED93/WW 70W 220-240V DM PSR | 3000 K | 9335 lm |
| 911401866098 | BRP391 LED87/WW 67W 220-240V DM PSR | 3000 K | 8751 lm |
| 911401866198 | BRP391 LED81/WW 63W 220-240V DM PSR | 3000 K | 8167 lm |
| 911401862498 | BRP392 LED224/NW 158W 220-240V DM PSR | 4000 K | 22495 lm |
| 911401862598 | BRP392 LED212/NW 150W 220-240V DM PSR | 4000 K | 21246 lm |
| 911401862698 | BRP392 LED200/NW 138W 220-240V DM PSR | 4000 K | 19914 lm |
| 911401862798 | BRP392 LED186/NW 130W 220-240V DM PSR | 4000 K | 18669 lm |
| 911401862898 | BRP392 LED174/NW 121W 220-240V DM PSR | 4000 K | 17425 lm |
| 911401862998 | BRP392 LED161/NW 113W 220-240V DM PSR | 4000 K | 16179 lm |
| 911401863098 | BRP392 LED150/NW 104W 220-240V DM PSR | 4000 K | 14935 lm |
| 911401863198 | BRP392 LED136/NW 96W 220-240V DM PSR | 4000 K | 13690 lm |
| 911401863298 | BRP392 LED124/NW 88W 220-240V DM PSR | 4000 K | 12446 lm |
| 911401863398 | BRP393 LED323/NW 225W 220-240V DM PSR | 4000 K | 32360 lm |
| 911401863498 | BRP393 LED311/NW 217W 220-240V DM PSR | 4000 K | 31115 lm |
| 911401863598 | BRP393 LED298/NW 208W 220-240V DM PSR | 4000 K | 29871 lm |
| 911401863698 | BRP393 LED286/NW 200W 220-240V DM PSR | 4000 K | 28626 lm |
| 911401863798 | BRP393 LED273/NW 192W 220-240V DM PSR | 4000 K | 27382 lm |
| 911401863898 | BRP393 LED261/NW 183W 220-240V DM PSR | 4000 K | 26136 lm |
| 911401863998 | BRP393 LED248/NW 174W 220-240V DM PSR | 4000 K | 24892 lm |
| 911401864098 | BRP393 LED236/NW 166W 220-240V DM PSR | 4000 K | 23647 lm |
| 911401866298 | BRP392 LED210/WW 158W 220-240V DM PSR | 3000 K | 21089 lm |
| 911401866398 | BRP392 LED200/WW 150W 220-240V DM PSR | 3000 K | 19918 lm |
| 911401866498 | BRP392 LED186/WW 138W 220-240V DM PSR | 3000 K | 18669 lm |

| Order Code | Full Product Name | Init. Corr. Color Temperature | Initial luminous flux |
|--------------|--|-------------------------------|-----------------------|
| 911401866598 | BRP392 LED175/WW 130W 220-240V DM PSR | 3000 K | 17502 lm |
| 911401866698 | BRP392 LED163/WW 121W 220-240V DM PSR | 3000 K | 16336 lm |
| 911401866798 | BRP392 LED151/WW 113W 220-240V DM PSR | 3000 K | 15168 lm |
| 911401866898 | BRP392 LED140/WW 104W 220-240V DM PSR | 3000 K | 14002 lm |
| 911401866998 | BRP392 LED128/WW 96W 220-240V DM PSR | 3000 K | 12835 lm |
| 911401867098 | BRP392 LED116/WW 88W 220-240V DM PSR | 3000 K | 11668 lm |
| 911401867198 | BRP393 LED303/WW 225W 220-240V DM PSR | 3000 K | 30338 lm |
| 911401867298 | BRP393 LED291/WW 217W 220-240V DM PSR | 3000 K | 29170 lm |
| 911401867398 | BRP393 LED280/WW 208W 220-240V DM PSR | 3000 K | 28004 lm |
| 911401867498 | BRP393 LED268/WW 200W 220-240V DM PSR | 3000 K | 26837 lm |
| 911401867598 | BRP393 LED256/WW 192W 220-240V DM PSR | 3000 K | 25670 lm |
| 911401867698 | BRP393 LED245/WW 183W 220-240V DM PSR | 3000 K | 24503 lm |
| 911401867798 | BRP393 LED233/WW 174W 220-240V DM PSR | 3000 K | 23337 lm |
| 911401867898 | BRP393 LED221/WW 166W 220-240V DM PSR | 3000 K | 22169 lm |
| 911401864198 | BRP394 LED449/NW 316W 220-240V DM PSR | 4000 K | 44991 lm |
| 911401864298 | BRP394 LED437/NW 308W 220-240V DM PSR | 4000 K | 43742 lm |
| 911401864398 | BRP394 LED424/NW 300W 220-240V DM PSR | 4000 K | 42492 lm |

| Order Code | Full Product Name | Init. Corr. Color Temperature | Initial luminous flux |
|--------------|--|-------------------------------|-----------------------|
| 911401864498 | BRP394 LED412/NW 285W 220-240V DM PSR | 4000 K | 41243 lm |
| 911401864598 | BRP394 LED398/NW 276W 220-240V DM PSR | 4000 K | 39828 lm |
| 911401864698 | BRP394 LED385/NW 268W 220-240V DM PSR | 4000 K | 38583 lm |
| 911401864798 | BRP394 LED373/NW 259W 220-240V DM PSR | 4000 K | 37338 lm |
| 911401864898 | BRP394 LED360/NW 251W 220-240V DM PSR | 4000 K | 36093 lm |
| 911401864998 | BRP394 LED348/NW 242W 220-240V DM PSR | 4000 K | 34849 lm |
| 911401865098 | BRP394 LED336/NW 234W 220-240V DM PSR | 4000 K | 33604 lm |
| 911401867998 | BRP394 LED421/WW 316W 220-240V DM PSR | 3000 K | 42179 lm |
| 911401868098 | BRP394 LED410/WW 308W 220-240V DM PSR | 3000 K | 41008 lm |
| 911401868198 | BRP394 LED400/WW 300W 220-240V DM PSR | 3000 K | 39837 lm |
| 911401868298 | BRP394 LED386/WW 285W 220-240V DM PSR | 3000 K | 38665 lm |
| 911401868398 | BRP394 LED373/WW 276W 220-240V DM PSR | 3000 K | 37338 lm |
| 911401868498 | BRP394 LED361/WW 268W 220-240V DM PSR | 3000 K | 36171 lm |
| 911401868598 | BRP394 LED350/WW 259W 220-240V DM PSR | 3000 K | 35005 lm |
| 911401868698 | BRP394 LED338/WW 251W 220-240V DM PSR | 3000 K | 33838 lm |
| 911401868798 | BRP394 LED326/WW 242W 220-240V DM PSR | 3000 K | 32671 lm |
| 911401868898 | BRP394 LED315/WW 234W 220-240V DM PSR | 3000 K | 31504 lm |

Light technical

| Order Code | Full Product Name | Standard tilt angle side entry | Standard tilt angle posttop |
|--------------|---|--------------------------------|-----------------------------|
| 911401603608 | BRP391 LED73/NW 47W DWV P7T SRB SA LM6 | - | - |
| 911401603708 | BRP391 LED107/NW 74W DWV P7T SRB SA LM6 | - | - |
| 911401603808 | BRP392 LED201/NW 137W DWV P7T SRB SA LM6 | - | - |
| 911401603908 | BRP393 LED305/NW 221W DWV P7T SRB SA LM6 | - | - |
| 911401667506 | BRP391 LED23/NW 16W DWP PSD P7 ANZ | - | - |

| Order Code | Full Product Name | Standard tilt angle side entry | Standard tilt angle posttop |
|--------------|--|--------------------------------|-----------------------------|
| 911401667606 | BRP391 LED36/NW 25W DWP3 PSD P7 ANZ | - | - |
| 911401667706 | BRP391 LED65/NW 46W DWV PSD P7 ANZ | - | - |
| 911401667806 | BRP391 LED104/NW 74W DWV PSD P7 ANZ | - | - |
| 911401861398 | BRP390 LED81/NW 57W 220-240V DM | - | - |
| 911401861498 | BRP390 LED74/NW 52W 220-240V DM | - | - |
| 911401861598 | BRP390 LED68/NW 48W 220-240V DM | - | - |
| 911401861698 | BRP390 LED62/NW 46W 220-240V DM | - | - |
| 911401861798 | BRP390 LED56/NW 41W 220-240V DM | - | - |

| Order Code | Full Product Name | Standard tilt angle side entry | Standard tilt angle posttop |
|--------------|---------------------------------------|--------------------------------|-----------------------------|
| 911401861898 | BRP390 LED50/NW 36W 220-240V DM | - | - |
| 911401861998 | BRP391 LED112/NW 80W 220-240V DM PSR | - | - |
| 911401862098 | BRP391 LED105/NW 75W 220-240V DM PSR | - | - |
| 911401862198 | BRP391 LED100/NW 70W 220-240V DM PSR | - | - |
| 911401862298 | BRP391 LED93/NW 67W 220-240V DM PSR | - | - |
| 911401862398 | BRP391 LED87/NW 63W 220-240V DM PSR | - | - |
| 911401865198 | BRP390 LED76/WW 57W 220-240V DM | - | - |
| 911401865298 | BRP390 LED70/WW 52W 220-240V DM | - | - |
| 911401865398 | BRP390 LED64/WW 48W 220-240V DM | - | - |
| 911401865498 | BRP390 LED58/WW 46W 220-240V DM | - | - |
| 911401865598 | BRP390 LED52/WW 41W 220-240V DM | - | - |
| 911401865698 | BRP390 LED46/WW 36W 220-240V DM | - | - |
| 911401865798 | BRP391 LED105/WW 80W 220-240V DM PSR | - | - |
| 911401865898 | BRP391 LED100/WW 75W 220-240V DM PSR | - | - |
| 911401865998 | BRP391 LED93/WW 70W 220-240V DM PSR | - | - |
| 911401866098 | BRP391 LED87/WW 67W 220-240V DM PSR | - | - |
| 911401866198 | BRP391 LED81/WW 63W 220-240V DM PSR | - | - |
| 911401862498 | BRP392 LED224/NW 158W 220-240V DM PSR | - | - |
| 911401862598 | BRP392 LED212/NW 150W 220-240V DM PSR | - | - |
| 911401862698 | BRP392 LED200/NW 138W 220-240V DM PSR | - | - |
| 911401862798 | BRP392 LED186/NW 130W 220-240V DM PSR | - | - |
| 911401862898 | BRP392 LED174/NW 121W 220-240V DM PSR | - | - |
| 911401862998 | BRP392 LED161/NW 113W 220-240V DM PSR | - | - |
| 911401863098 | BRP392 LED150/NW 104W 220-240V DM PSR | - | - |
| 911401863198 | BRP392 LED136/NW 96W 220-240V DM PSR | - | - |
| 911401863298 | BRP392 LED124/NW 88W 220-240V DM PSR | - | - |
| 911401863398 | BRP393 LED323/NW 225W 220-240V DM PSR | - | - |
| 911401863498 | BRP393 LED311/NW 217W 220-240V DM PSR | - | - |

| Order Code | Full Product Name | Standard tilt angle side entry | Standard tilt angle posttop |
|--------------|---------------------------------------|--------------------------------|-----------------------------|
| 911401863598 | BRP393 LED298/NW 208W 220-240V DM PSR | - | - |
| 911401863698 | BRP393 LED286/NW 200W 220-240V DM PSR | - | - |
| 911401863798 | BRP393 LED273/NW 192W 220-240V DM PSR | - | - |
| 911401863898 | BRP393 LED261/NW 183W 220-240V DM PSR | - | - |
| 911401863998 | BRP393 LED248/NW 174W 220-240V DM PSR | - | - |
| 911401864098 | BRP393 LED236/NW 166W 220-240V DM PSR | - | - |
| 911401866298 | BRP392 LED210/WW 158W 220-240V DM PSR | - | - |
| 911401866398 | BRP392 LED200/WW 150W 220-240V DM PSR | - | - |
| 911401866498 | BRP392 LED186/WW 138W 220-240V DM PSR | - | - |
| 911401866598 | BRP392 LED175/WW 130W 220-240V DM PSR | - | - |
| 911401866698 | BRP392 LED163/WW 121W 220-240V DM PSR | - | - |
| 911401866798 | BRP392 LED151/WW 113W 220-240V DM PSR | - | - |
| 911401866898 | BRP392 LED140/WW 104W 220-240V DM PSR | - | - |
| 911401866998 | BRP392 LED128/WW 96W 220-240V DM PSR | - | - |
| 911401867098 | BRP392 LED116/WW 88W 220-240V DM PSR | - | - |
| 911401867198 | BRP393 LED303/WW 225W 220-240V DM PSR | - | - |
| 911401867298 | BRP393 LED291/WW 217W 220-240V DM PSR | - | - |
| 911401867398 | BRP393 LED280/WW 208W 220-240V DM PSR | - | - |
| 911401867498 | BRP393 LED268/WW 200W 220-240V DM PSR | - | - |
| 911401867598 | BRP393 LED256/WW 192W 220-240V DM PSR | - | - |
| 911401867698 | BRP393 LED245/WW 183W 220-240V DM PSR | - | - |
| 911401867798 | BRP393 LED233/WW 174W 220-240V DM PSR | - | - |
| 911401867898 | BRP393 LED221/WW 166W 220-240V DM PSR | - | - |
| 911401864198 | BRP394 LED449/NW 316W 220-240V DM PSR | - | - |
| 911401864298 | BRP394 LED437/NW 308W 220-240V DM PSR | - | - |

| Order Code | Full Product Name | Standard tilt angle side entry | Standard tilt angle posttop |
|--------------|--|--------------------------------|-----------------------------|
| 911401864398 | BRP394 LED424/NW 300W 220-240V DM PSR | - | - |
| 911401864498 | BRP394 LED412/NW 285W 220-240V DM PSR | - | - |
| 911401864598 | BRP394 LED398/NW 276W 220-240V DM PSR | - | - |
| 911401864698 | BRP394 LED385/NW 268W 220-240V DM PSR | - | - |
| 911401864798 | BRP394 LED373/NW 259W 220-240V DM PSR | - | - |
| 911401864898 | BRP394 LED360/NW 251W 220-240V DM PSR | - | - |
| 911401864998 | BRP394 LED348/NW 242W 220-240V DM PSR | - | - |
| 911401865098 | BRP394 LED336/NW 234W 220-240V DM PSR | - | - |
| 911401867998 | BRP394 LED421/WW 316W 220-240V DM PSR | - | - |

| Order Code | Full Product Name | Standard tilt angle side entry | Standard tilt angle posttop |
|--------------|--|--------------------------------|-----------------------------|
| 911401868098 | BRP394 LED410/WW 308W 220-240V DM PSR | - | - |
| 911401868198 | BRP394 LED400/WW 300W 220-240V DM PSR | - | - |
| 911401868298 | BRP394 LED386/WW 285W 220-240V DM PSR | - | - |
| 911401868398 | BRP394 LED373/WW 276W 220-240V DM PSR | - | - |
| 911401868498 | BRP394 LED361/WW 268W 220-240V DM PSR | - | - |
| 911401868598 | BRP394 LED350/WW 259W 220-240V DM PSR | - | - |
| 911401868698 | BRP394 LED338/WW 251W 220-240V DM PSR | - | - |
| 911401868798 | BRP394 LED326/WW 242W 220-240V DM PSR | - | - |
| 911401868898 | BRP394 LED315/WW 234W 220-240V DM PSR | - | - |

